





3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A	
Star Tracker(s) in use:	Star Tracker 2	

4. Level 1B Calibration Data Quality Check

4.1 L1 CAL Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

4.2 L1 CAL Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

4.3 L1 CAL Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors wrt a pre-determined ba	seline and also to check the validity of Aux	iliary Data Files is correct.
Number of products with errors: 0		
4.4 L1 CAL Measurement Confidence Flags		
CryoSat Cal1 and Cal2 data includes a measurement confidence flag word (field 1	1) for each measurement record. The bit va	alue of this flag indicates any problems when set
Number of products with errors: 0	n for each measurement record. The bit va	aue of this hay indicates any problems when set.
5. Level 1	B FDM Data Quality Che	eck
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensure	re it consists of both an XML header file (.F	IDR) and a binary product file (.DBL).
Number of products with errors: 0		
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsistencies a	ind/or errors raised by the around-segment processing chain
Number of products with errors: 0		
5.3 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors wrt a pre-determined ba	seline and also to check the validity of Aux	ilian. Data Files is correct
Number of products with errors: 0		
5 41 4D Correction Error Flore		
5.4 L1B Correction Error Flags		
Each product is checked to detect auxiliary corrections flagged by the ground-station	on processing chain as missing or containir	ng errors.
Number of products with errors: 0		
5.5 L1B FDM Measurement Confidence Flags		
CryoSat L1B data includes a measurement confidence flag word (field 14) for each	measurement record. The bit value of this	flag indicates any problems when set.
Number of products with errors: 16		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20130514T072549_20130514T072833_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T072907_20130514T072950_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T073150_20130514T074209_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T074543_20130514T074951_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T170039_20130514T170533_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_1B_20130514T170551_20130514T170622_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T184258_20130514T184520_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T184724_20130514T184801_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T190229_20130514T193510_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T194156_20130514T194730_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T194949_20130514T195611_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T195958_20130514T200515_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T200651_20130514T201256_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T201439_20130514T201645_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T201756_20130514T201926_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130514T201945_20130514T202102_B001	Attitude correction missing	The attitude has not been corrected
	2 FDM Data Quality Cheo	
6.1 L2 FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensu	re it consists of both an XML header file (.F	IDR) and a binary product file (.DBL)

Number of products with errors:

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

Currently there is a high number of processing error flags set within the Level 2 FDM products (Product_Err and L2_Proc_Flag). These flags are set within L2 Header files (MPH field #19 and SPH field #29) and also within the L2 Product files (MPH field #35 and SPH field #33). They are set by the FDM processor when an error is detected during the L2 processing and also when the percentage of Data Set Records free of processing errors is below the minimum acceptable threshold set within the processor (currently set to 5%).

This issue is under investigation.

0

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

6.4 L2 FDM Correction Error Flags

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

0

0

16

Number of products with errors:

6.5 L2 FDM Measurement Confidence Flags

CryoSat L2 data includes a quality flag word (field 8) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chain.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130514T072549_20130514T072833_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T072907_20130514T072950_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T073150_20130514T074209_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T074543_20130514T074951_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T170039_20130514T170533_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130514T170551_20130514T170622_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T184258_20130514T184520_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T184724_20130514T184801_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T190229_20130514T193510_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T194156_20130514T194730_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T194949_20130514T195611_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T195958_20130514T200515_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T200651_20130514T201256_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T201439_20130514T201645_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T201756_20130514T201926_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130514T201945_20130514T202102_B001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Flags

Each product is checked to detect range measurements flagged by the processing chain as missing or containing errors. 4

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130514T065206_20130514T070935_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.
CS_OFFL_SIR_FDM_220130514T105220_20130514T111516_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.
CS_OFFL_SIR_FDM_220130514T181046_20130514T181541_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.
CS_OFFL_SIR_FDM_220130514T190229_20130514T193510_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Flags

Each product is checked to detect parameters related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors.

1

Number of products with errors:

Product	Test Failed	Description
 CS_OFFL_SIR_FDM_220130514T041942_20130514T044120_B001	OCOG Backscatter Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #47, #48, #49 and #50 should be ignored for these records.

6.8 L2 FDM Geophysical Measurement Flags

Each product is checked to detect geophysical measurements flagged by the processing chain as missing or containing errors. 7

0

0

Number of products with errors:

Test Failed	Description
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
	Ocean Retracking Quality Flag Ocean Retracking Quality Flag

7. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_FDM_1B	124	128	97	31	0
SIR_FDM_2	127	127	0	127	0

7.1 QCC Errors

Number of QCC reports with errors:

7.2 Missing QCC Reports

Number of products with missing QCC reports: