



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

4. Level 1B Calibration Data Quality Check

4.1 L1 CAL Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

4.2 L1 CAL Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

0

4.3 L1 CAL Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors wrt a pre-determined bas	seline and also to check the validity of Auxi	liary Data Files is correct.
Number of products with errors: 0		
4.4 L1 CAL Measurement Confidence Flags		
CryoSat Cal1 and Cal2 data includes a measurement confidence flag word (field 1	1) for each measurement record. The hit vo	alue of this flag indicatos any problems when set
Number of products with errors: 0	i) for each measurement record. The bit va	aue of this hay indicates any problems when set.
5. Level 1	B FDM Data Quality Che	CK
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensure	re it consists of both an XML header file (.H	IDR) and a binary product file (.DBL).
Number of products with errors: 0		
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP Number of products with errors: 0	'H in order to identify any inconsistencies a	nd/or errors raised by the ground-segment processing chain.
5.3 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors wrt a pre-determined bas	seline and also to check the validity of Auxi	liary Data Files is correct.
Number of products with errors: 0		
5.4 L1B Correction Error Flags		
Each product is checked to detect auxiliary corrections flagged by the ground-static	on processing chain as missing or containir	ng errors.
Number of products with errors: 0		
E E L 4B EDM Macourament Confidence Elege		
5.5 L1B FDM Measurement Confidence Flags		
CryoSat L1B data includes a measurement confidence flag word (field 14) for each	measurement record. The bit value of this	flag indicates any problems when set.
Number of products with errors: 8		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20130617T014357_20130617T015110_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_1B_20130617T110835_20130617T112912_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_1B_20130617T123205_20130617T130150_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_1B_20130617T155040_20130617T161618_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130617T161622_20130617T162254_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130617T172930_20130617T180022_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130617T193823_20130617T193949_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130617T204905_20130617T212134_B001	Attitude correction missing	The attitude has not been corrected
6. Level	2 FDM Data Quality Cheo	:k
6.1 L2 FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensui	re it consists of both an XML header file (.F	IDR) and a binary product file (.DBL)
Number of products with errors: 0	· ·	
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	PH in order to identify any inconsistencies a	nd/or errors raised by the processing chain.

Currently there is a high number of processing error flags set within the Level 2 FDM products (Product_Err and L2_Proc_Flag). These flags are set within L2 Header files (MPH field #19 and SPH field #29) and also within the L2 Product files (MPH field #35 and SPH field #33). They are set by the FDM processor when an error is detected during the L2 processing and also when the percentage of Data Set Records free of processing errors is below the minimum acceptable threshold set within the processor (currently set to 5%).

This issue is under investigation.

Number of products with errors:

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

6.4 L2 FDM Correction Error Flags

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors:

0

0

0

6.5 L2 FDM Measurement Confidence Flags

CryoSat L2 data includes a quality flag word (field 8) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chain.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130617T014357_20130617T015110_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130617T110835_20130617T112912_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130617T123205_20130617T130150_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130617T161622_20130617T162254_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130617T172930_20130617T180022_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130617T193823_20130617T193949_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130617T204905_20130617T212134_B001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Flags

Each product is checked to detect range measurements flagged by the processing chain as missing or containing errors. 2

7

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130617T064053_20130617T064154_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.
CS_OFFL_SIR_FDM_220130617T081856_20130617T085626_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Flags

Each product is checked to detect parameters related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130617T231434_20130617T235027_B001		The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #47, #48, #49 and #50 should be ignored for these records.

6.8 L2 FDM Geophysical Measurement Flags

Each product is checked to detect geophysical measurements flagged by the processing chain as missing or containing errors. 7

0

1

Number of products with errors:

Test Failed	Description
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
	Ocean Retracking Quality Flag Ocean Retracking Quality Flag

7. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

SIR_FDM_1B 102 102 89 13	
	0
SIR_FDM_2 101 101 0 101	0

7.1 QCC Errors

Number of QCC reports with errors:

- 7.2 Missing QCC Reports
- Number of products with missing QCC reports: 0