





## 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

## 4. Level 1B Calibration Data Quality Check

## 4.1 L1 CAL Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

#### 4.2 L1 CAL Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

4.3 L1 CAL Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors wrt a pre-determined base	line and also to check the validity of Auxili	ary Data Files is correct.
Number of products with errors: 0		
4.4 L1 CAL Measurement Confidence Flags		
CryoSat Cal1 and Cal2 data includes a measurement confidence flag word (field 11)	for each measurement record. The bit val	ue of this flag indicates any problems when set.
Number of products with errors: 0		
5. Level 1E	FDM Data Quality Cheo	ck
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensure	it consists of both an XML header file (.HI	DR) and a binary product file (.DBL).
Number of products with errors: 0		
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SPH	in order to identify any inconsistencies an	d/or errors raised by the around-seament processina chain.
Number of products with errors: 0		
5.3 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors wrt a pre-determined base	ine and also to check the validity of Auxili	ary Data Files is correct.
Number of products with errors: 0		
5.4 L1B Correction Error Flags		
Each product is checked to detect auxiliary corrections flagged by the ground-station	processing chain as missing or containing	) errors.
Number of products with errors: 0		
5.5 L1B FDM Measurement Confidence Flags		
CryoSat L1B data includes a measurement confidence flag word (field 14) for each m	easurement record. The hit value of this f	lan indicates any problems when set
Number of products with errors: 6		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20130626T054042_20130626T054633_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_1B_20130626T122213_20130626T122356_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_1B_20130626T151637_20130626T152317_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130626T165857_20130626T170009_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130626T183832_20130626T183853_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20130626T220223_20130626T220326_B001	Attitude correction missing	The attitude has not been corrected
6. Level 2	FDM Data Quality Chec	k
6.1 L2 FDM Product Format Check		
	it consists of both on VML booder file ( ) I	20) and a binary product file ( DDI )
Each product, retrieved and unpacked from the science server, is checked to ensure Number of products with errors: 0	It consists of both an XIVIL header file (.HI	A) and a binary product file (.DBL)
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SPH	in order to identify any inconsistencies an	d/or errors raised by the processing chain.
Currently there is a high number of processing error flags set within the Level 2 FDM field #29) and also within the L2 Product files (MPH field #35 and SPH field #33). The percentage of Data Set Records free of processing errors is below the minimum accessing errors are processing errors and the error of the error errors is below the minimum accessing error errors are processing errors are procesing errors are processing errors are	y are set by the FDM processor when an	error is detected during the L2 processing and also when the

This issue is under investigation. Number of products with errors:

\_\_\_\_\_

## 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

#### 6.4 L2 FDM Correction Error Flags

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors:

0

0

0

#### 6.5 L2 FDM Measurement Confidence Flags

CryoSat L2 data includes a quality flag word (field 8) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chain.

#### Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130626T122213_20130626T122356_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130626T151637_20130626T152317_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130626T165857_20130626T170009_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130626T183832_20130626T183853_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130626T220223_20130626T220326_B001	Attitude correction missing	The attitude has not been corrected

## 6.6 L2 FDM Range Measurement Flags

Each product is checked to detect range measurements flagged by the processing chain as missing or containing errors.

5

Number of products with errors: 2		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130626T043335_20130626T043835_B001		The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.
CS_OFFL_SIR_FDM_220130626T184308_20130626T184639_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.

#### 6.7 L2 FDM SWH and Backscatter Measurement Flags

Each product is checked to detect parameters related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors.

Number of products with errors:

#### 6.8 L2 FDM Geophysical Measurement Flags

Each product is checked to detect geophysical measurements flagged by the processing chain as missing or containing errors. 9

0

#### Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130626T001446_20130626T002723_B001	<b>o</b> , o	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T043335_20130626T043835_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T101828_20130626T102801_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T105957_20130626T111438_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T113108_20130626T114601_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T114801_20130626T120745_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T184308_20130626T184639_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T185833_20130626T190747_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220130626T221351_20130626T222133_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

## 7. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

CID EDM 1D 125 124 123	arnings Nb. Erro	Nb. Warnings	Nb. Valid	Nb. QCC Reports	Nb. Products	Product type
SIR_FUM_IB 135 134 132 2	2 0	2		134		SIR_FDM_1B
SIR_FDM_2 128 119 0 119	9 0	119	0	119	128	SIR_FDM_2

#### 7.1 QCC Errors

Number of QCC reports with errors:

0

# 7.2 Missing QCC Reports

Number of products with missing QCC reports:

Product name
CS_OFFL_SIR_FDM_1B_20130625T235709_20130626T000200_B001
CS_OFFL_SIR_FDM_220130625T235709_20130626T000200_B001
CS_OFFL_SIR_FDM_220130626T220326_20130626T220535_B001
CS_OFFL_SIR_FDM_220130626T221351_20130626T222133_B001
CS_OFFL_SIR_FDM_220130626T222518_20130626T222827_B001
CS_OFFL_SIR_FDM_220130626T223308_20130626T223408_B001
CS_OFFL_SIR_FDM_220130626T223410_20130626T225016_B001
CS_OFFL_SIR_FDM_220130626T225231_20130626T225742_B001
CS_OFFL_SIR_FDM_220130626T225748_20130626T225755_B001
CS_OFFL_SIR_FDM_220130626T225801_20130626T225813_B001
CS_OFFL_SIR_FDM_220130626T225818_20130626T230008_B001
CS_OFFL_SIR_FDM_220130626T230736_20130626T232122_B001
CS_OFFL_SIR_FDM_220130626T232336_20130626T233632_B001
CS_OFFL_SIR_FDM_220130626T233654_20130626T233759_B001
CS_OFFL_SIR_FDM_220130626T235244_20130627T001327_B001

15