





## 3. Instrument Configuration

#### The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A	
Star Tracker(s) in use:	Star Tracker 1	

# 4. Level 1B Calibration Data Quality Check

#### 4.1 L1 CAL Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

### 4.2 L1 CAL Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

Number of products with errors:

C

4.3 L1 CAL Auxiliary Data File Usage Check			
Each product is checked for missing Data Set Descriptors wrt a pre-determined ba	seline and also to check the validity of Auxi	liary Data Files is correct.	
Number of products with errors: 0			
4.4 L1 CAL Measurement Confidence Flags			
ChroSat Call and Call data includes a measurement confidence flag word (field 1	1) for each measurement record. The hit va	lue of this flag indicatos any problems when set	
Number of products with errors: 0	r) for each measurement record. The bit va	iue of this hay indicates any problems when set.	
5. Level 1	B FDM Data Quality Che	ck	
5.1 L1B FDM Product Format Check			
	re it consists of both on VMI, boodenfile ( 11	DD) and a binary product file ( DDI )	
Number of products with errors: 0	The it consists of both an AML header life (.H	DR) and a binary product life (.DBL).	
5.2 L1B FDM Product Header Analysis			
For all products, a series of pre-defined checks are carried out on the MPH and SP	2H in order to identify any inconsistencies a	nd/or errors raised by the around segment processing chain	
Number of products with errors: 0	This order to identify any inconsistencies a	nuor errors raised by the ground-segment processing chain.	
5 3 L 18 EDM Auxilary Data Eilo Usago Chock			
Each product is checked for mission Data Set Descriptors with a pro-determined by	seline and also to check the validity of Auvi	tian. Data Files is correct	
Number of products with errors: 0	Source and also to check the validity of AUXI		
5.4 L1B Correction Error Flags			
Each product is checked to detect auxiliary corrections flagged by the ground-station	on processing chain as missing or containin	g errors.	
Number of products with errors: 0			
5.5 L1B FDM Measurement Confidence Flags			
CryoSat L1B data includes a measurement confidence flag word (field 14) for each	measurement record. The bit value of this	flag indicates any problems when set.	
Number of products with errors: 8			
Product	Test Failed	Description	
CS_OFFL_SIR_FDM_1B_20130902T092127_20130902T092837_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo	
CS_OFFL_SIR_FDM_1B_20130902T103733_20130902T104427_B001	Attitude correction missing	The attitude has not been corrected	
CS_OFFL_SIR_FDM_1B_20130902T105837_20130902T111550_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo	
CS_OFFL_SIR_FDM_1B_20130902T121703_20130902T122014_B001	Attitude correction missing	The attitude has not been corrected	
CS_OFFL_SIR_FDM_1B_20130902T135632_20130902T135726_B001	Attitude correction missing	The attitude has not been corrected	
CS_OFFL_SIR_FDM_1B_20130902T153541_20130902T153635_B001	Attitude correction missing	The attitude has not been corrected	
CS_OFFL_SIR_FDM_1B_20130902T173304_20130902T173944_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo	
CS_OFFL_SIR_FDM_1B_20130902T185908_20130902T190238_B001	Attitude correction missing	The attitude has not been corrected	
6. Level	2 FDM Data Quality Chec	;k	
6.1 L2 FDM Product Format Check			
Each product, retrieved and unpacked from the science server, is checked to ensur	re it consists of both an XML header file (.H	DR) and a binary product file (.DBL)	
Number of products with errors: 0			
6.2 L2 FDM Product Header Analysis			
For all products, a series of pre-defined checks are carried out on the MPH and SP	PH in order to identify any inconsistencies a	nd/or errors raised by the processing chain.	
Currently there is a high number of processing error flags set within the Level 2 FD field #29) and also within the L2 Product files (MPH field #35 and SPH field #33). T percentage of Data Set Records free of processing errors is below the minimum ac	M products (Product_Err and L2_Proc_Flag hey are set by the FDM processor when ar cceptable threshold set within the processor	g). These flags are set within L2 Header files (MPH field #19 and SPH error is detected during the L2 processing and also when the (currently set to 5%).	
This issue is under investigation.			
Number of products with errors: 0			
6.3 L2 FDM Auxiliary Data File Usage Check			
Each product is checked for missing Data Set Descriptors wrt a pre-determined bar Number of products with errors: 0	seline and also to check the validity of Auxi	liary Data Files is correct.	
6.4 L2 FDM Correction Error Flags			
Each product is checked to detect auxiliary corrections flagged by the ground-static	on processing chain as missing or containin	g errors.	
Number of products with errors: 0		-	

## 6.5 L2 FDM Measurement Confidence Flags

CryoSat L2 data includes a quality flag word (field 8) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chain.

#### Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220130902T092127_20130902T092837_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130902T103733_20130902T104427_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130902T105837_20130902T111550_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130902T121703_20130902T122014_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130902T135632_20130902T135726_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130902T153541_20130902T153635_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220130902T173304_20130902T173944_B001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo.
CS_OFFL_SIR_FDM_220130902T185908_20130902T190238_B001	Attitude correction missing	The attitude has not been corrected

#### 6.6 L2 FDM Range Measurement Flags

Each product is checked to detect range measurements flagged by the processing chain as missing or containing errors.

8

Number of products with errors: 5				
Product	Test Failed	Description		
CS_OFFL_SIR_FDM_220130902T104609_20130902T104613_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.		
CS_OFFL_SIR_FDM_220130902T122418_20130902T122545_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.		
CS_OFFL_SIR_FDM_220130902T130034_20130902T131025_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.		
CS_OFFL_SIR_FDM_220130902T173304_20130902T173944_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.		
CS_OFFL_SIR_FDM_220130902T174334_20130902T180742_B001	OCOG Retracked Range Flag	The master fail flag is set by the OCOG call, for one or more records, indicating the values stored in fields #18, #19, #20 and #21 should be ignored for these records.		

## 6.7 L2 FDM SWH and Backscatter Measurement Flags

Each product is checked to detect parameters related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors.

 Number of products with errors:
 0

## 6.8 L2 FDM Geophysical Measurement Flags

Each product is checked to detect geophysical measurements flagged by the processing chain as missing or containing errors.

Number of products with errors: 11				
Product	Test Failed	Description		
CS_OFFL_SIR_FDM_220130902T071440_20130902T072522_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T104609_20130902T104613_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T105837_20130902T111550_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T122418_20130902T122545_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T124241_20130902T125504_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T130034_20130902T131025_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T151304_20130902T151441_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T173304_20130902T173944_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T174334_20130902T180742_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T191132_20130902T192223_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		
CS_OFFL_SIR_FDM_220130902T202107_20130902T203707_B001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.		

7. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_FDM_1B	142	142	105	37	0
SIR_FDM_2	142	140	0	140	0
7.1 QCC Errors					
Number of QCC reports with errors:	0				
7.2 Missing QCC Reports					

Number of products with missing QCC reports:

Product name CS\_OFFL\_SIR\_FDM\_2\_\_20130901T235915\_20130902T000424\_B001 CS\_OFFL\_SIR\_FDM\_2\_\_20130902T082908\_20130902T084258\_B001

2