

# IDEAS+ Daily Report for FDM data:

# <u>12/11/2015</u>



Demost Develoption Dates 40 New 0045		Check	Status	
Report Production Date:	16-Nov-2015	Server check: science-pds.cryosat.esa.int	Nominal	
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
Processor Used.	Cryosal ice Processoi	Product Software Check	Nominal	
Dete Lleadu	L1 and L2 Fast Delivery Marine (FDM)	Product Format Check	Nominal	
Data USed:	Data Used: Mode and L0 Data	Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.6, 6.7 and 6.8	
lission / Instrument News				
11-Nov-2015 None				
12-Nov-2015 None				
10.11 00.15 11.11.1				

1. Overview

13-Nov-2015 Nothing planned	
2. Glo	obal Coverage
Global Coverage - North Pole	Global Coverage - South Pole
	Surface Type Open Ocean Closed Sea Continental Ice Land

# 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2
Star Tracker(s) in use:	Star Tracker 1 &

4. Level 0 Data Quality Check

### 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

### 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

14

### Number of products with errors:

Product	Test Failed
CS_OPER_SIR1SAR_020151112T083946_20151112T084223_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020151112T015731_20151112T020509_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020151112T014307_20151112T014939_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020151112T132737_20151112T133434_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020151112T133434_20151112T133840_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020151112T173639_20151112T173849_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020151112T155754_20151112T160049_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020151112T230405_20151112T230454_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020151112T223521_20151112T223849_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020151112T050953_20151112T051252_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020151112T025124_20151112T025312_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020151112T192537_20151112T192806_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020151112T123815_20151112T123930_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_0_20151112T050953_20151112T051252_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

## 5. Level 1B FDM Data Quality Check

### 5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

### 5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

### 5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.			
Number of products with errors: 3			
Product	Test Failed		
CS_OFFL_SIR_FDM_1B_20151112T000750_20151112T000909_C001	No Star Tracker file used in the processing of this product		
CS_OFFL_SIR_FDM_1B_20151112T014939_20151112T015053_C001	No Star Tracker file used in the processing of this product		
CS OFFL SIR FDM 1B 20151112T231729 20151112T231758 C001	No Star Tracker file used in the processing of this product		

## 5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

 Number of products with errors:
 0

5

### 5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors: 0

### 5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors:
0

### 5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

mber of	f products	with errors:	
---------	------------	--------------	--

Nu

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20151112T000750_20151112T000909_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20151112T014939_20151112T015053_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20151112T102839_20151112T103305_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20151112T231707_20151112T231717_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20151112T231729_20151112T231758_C001	Attitude correction missing	The attitude has not been corrected

# 6. Level 2 FDM Data Quality Check

### 6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

6.2 L2 FDN	Product	Header	Analy	/sis
------------	---------	--------	-------	------

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

#### 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors

### 6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of r	products with errors:	35

### Product

CS OFFL SIR FDM 2 20151112T002726 20151112T003741 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T004027\_20151112T010139\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T013047\_20151112T014307\_C001 CS OFFL SIR FDM 2 20151112T014939 20151112T015053 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T020556\_20151112T020818\_C001 CS OFFL SIR FDM 2 20151112T025936 20151112T031207 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T031237\_20151112T032957\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T034729\_20151112T040300\_C001 CS OFFL SIR FDM 2 20151112T040503 20151112T042008 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T045334\_20151112T050953\_C001 CS OFFL SIR FDM 2 20151112T061417 20151112T062504 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T063653\_20151112T064017\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T073610\_20151112T073729\_C001 CS OFFL SIR FDM 2 20151112T080948 20151112T081948 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T085050\_20151112T091646\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T094902\_20151112T100652\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T102839\_20151112T103305\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T111300\_20151112T114632\_C001 CS OFFL SIR FDM 2 20151112T121336 20151112T123358 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T125132\_20151112T132724\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T133840\_20151112T133904\_C001 CS OFFL SIR FDM 2 20151112T134934 20151112T141213 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T143114\_20151112T144805\_C001 CS OFFL SIR FDM 2 20151112T145246 20151112T150517 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T153901\_20151112T155312\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T160957\_20151112T162511\_C001 CS OFFL SIR FDM 2 20151112T162712 20151112T163639 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T165935\_20151112T171600\_C001 CS OFFL SIR FDM 2 20151112T172140 20151112T172938 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T184020\_20151112T185152\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T202700\_20151112T203639\_C001 CS OFFL SIR FDM 2 20151112T210857 20151112T213924 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T214323\_20151112T214549\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T215907\_20151112T223050\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T233757\_20151112T234917\_C001

Test Failed	Description
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Sea State Bias Correction, Altimetric Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction	records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction	records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records

#### 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set Number of products with errors:

### 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.			
Number of products with errors:	23		

Test Failed

Product

CS\_OFFL\_SIR\_FDM\_2\_\_20151112T002726\_20151112T003741\_C001

CFI Retracked Range Flag

The master fail flag is set by the CFI call, for one or more records indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records

Description

CS_OFFL_SIR_FDM_220151112T004027_20151112T010139_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T013047_20151112T014307_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T020556_20151112T020818_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T034729_20151112T040300_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T040503_20151112T042008_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T045334_20151112T050953_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T063653_20151112T064017_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T094902_20151112T100652_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T111300_20151112T114632_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T125132_20151112T132724_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T143114_20151112T144805_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T145246_20151112T150517_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T153901_20151112T155312_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T160957_20151112T162511_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T162712_20151112T163639_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T165935_20151112T171600_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T172140_20151112T172938_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T184020_20151112T185152_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T202700_20151112T203639_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T210857_20151112T213924_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T214323_20151112T214549_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T215907_20151112T223050_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

# 6.7 L2 FDM SWH and Backscatter Measurement Check

23

Number of products with errors:

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220151112T002726_20151112T003741_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T004027_20151112T010139_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T013047_20151112T014307_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T020556_20151112T020818_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T034729_20151112T040300_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T040503_20151112T042008_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T045334_20151112T050953_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T063653_20151112T064017_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T094902_20151112T100652_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T111300_20151112T114632_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_220151112T125132_20151112T132724_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T143114_20151112T144805_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T145246_20151112T150517_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T153901_20151112T155312_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T160957_20151112T162511_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T162712_20151112T163639_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T165935_20151112T171600_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T172140_20151112T172938_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T184020_20151112T185152_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T202700_20151112T203639_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T210857_20151112T213924_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T214323_20151112T214549_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220151112T215907_20151112T223050_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

### 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors:
40

Product CS\_OFFL\_SIR\_FDM\_2\_\_20151112T002726\_20151112T003741\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T004027\_20151112T010139\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T011854\_20151112T012859\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T013047\_20151112T014307\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T015238\_20151112T015243\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T020556\_20151112T020818\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T020836\_20151112T024041\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T025936\_20151112T031207\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T034729\_20151112T040300\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T040503\_20151112T042008\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T045334\_20151112T050953\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T063653\_20151112T064017\_C001 CS OFFL SIR FDM 2 20151112T072001 20151112T073559 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T073610\_20151112T073729\_C001 CS OFFL SIR FDM 2 20151112T080948 20151112T081948 C001 CS OFFL SIR FDM 2 20151112T085050 20151112T091646 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T093355\_20151112T094332\_C001 CS OFFL SIR FDM 2 20151112T094902 20151112T100652 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T102839\_20151112T103305\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T111300\_20151112T114632\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T120859\_20151112T121153\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T121336\_20151112T123358\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T125132\_20151112T132724\_C001 CS\_OFFL\_SIR\_EDM\_2\_\_20151112T134934\_20151112T141213\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T143114\_20151112T144805\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T145246\_20151112T150517\_C001 CS OFFL SIR FDM 2 20151112T153901 20151112T155312 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T160957\_20151112T162511\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20151112T162712\_20151112T163639\_C001

Test Failed Ocean Retracking Quality Flag Ocean Retracking Quality Flag

The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

Description

CS\_OFFL\_SIR\_FDM\_2\_20151112T17165935\_20151112T171600\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T172140\_20151112T172938\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T174952\_20151112T180443\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T184020\_20151112T185152\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T192954\_20151112T195115\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T202700\_20151112T203639\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T210857\_20151112T213924\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T214323\_20151112T214549\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T214323\_20151112T214549\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T215907\_20151112T234917\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T233757\_20151112T234917\_C001 CS\_OFFL\_SIR\_FDM\_2\_20151112T234938\_20151113T001054\_C001 Ocean Retracking Quality Flag The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.