

**1. Overview**


|                                |   |
|--------------------------------|---|
| <b>Report Production Date:</b> | 08-Feb-2016   |
| <b>Processor Used:</b>         | CryoSat Ice Processor                                 |
| <b>Data Used:</b>              | L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data |

| Check                                     | Status                                 |
|---|--|
| Server check: science-pds.cryosat.esa.int | Nominal                                |
| Server check: calval-pds.cryosat.esa.int  | Nominal                                |
| Product Software Check                    | Nominal                                |
| Product Format Check                      | Nominal                                |
| Product Header Analysis                   | See Section 4.2                        |
| Star Tracker Usage Check                  | See Section 5.3                        |
| Calibration Usage Check                   | Nominal                                |
| Auxiliary Data File Usage Check           | nominal                                |
| Auxiliary Correction Error Check          | See Section 6.4                        |
| Measurement Confidence Data Check         | See Section 5.7, 6.5, 6.6, 6.7 and 6.8 |

**Mission / Instrument News**

|             |                 |
|-------------|-----------------|
| 06-Feb-2016 | None            |
| 07-Feb-2016 | None            |
| 08-Feb-2016 | Nothing planned |

**2. Global Coverage**



**3. Instrument Configuration**

The SIRAL instrument configuration for the day of acquisition is provided below.

|                                    |                |
|------------------------------------|----------------|
| <b>SIRAL instrument(s) in use:</b> | SIRAL - A      |
| <b>Star Tracker(s) in use:</b>     | Star Tracker 1 |

**4. Level 0 Data Quality Check**

**4.1 L0 Product Format Check**

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors: 0

## 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

Number of products with errors: 8

| Product  | Test Failed   |
|--|---|
| CS_OPER_SIR1SAR_0_20160207T191035_20160207T191921_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SAR_0_20160207T223100_20160207T223814_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SAR_0_20160207T155326_20160207T155827_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SAR_0_20160207T060515_20160207T060808_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_0_20160207T055406_20160207T055518_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_0_20160207T155827_20160207T161013_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_0_20160207T075120_20160207T075211_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_0_20160207T040629_20160207T041646_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |

## 5. Level 1B FDM Data Quality Check

### 5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors: 0

### 5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

### 5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

Number of products with errors: 3

| Product   | Test Failed   |
|---|---|
| CS_OFFL_SIR_FDM_1B_20160207T154214_20160207T154803_C001 | No Star Tracker file used in the processing of this product |
| CS_OFFL_SIR_FDM_1B_20160207T190245_20160207T190311_C001 | No Star Tracker file used in the processing of this product |
| CS_OFFL_SIR_FDM_1B_20160207T222700_20160207T222703_C001 | No Star Tracker file used in the processing of this product |

### 5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

Number of products with errors: 0

### 5.5 L1B FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

### 5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 0

### 5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 3

| Product   | Test Failed                 | Description                         |
|---|-----------------------------|-------------------------------------|
| CS_OFFL_SIR_FDM_1B_20160207T154214_20160207T154803_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_1B_20160207T190245_20160207T190311_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_1B_20160207T222700_20160207T222703_C001 | Attitude correction missing | The attitude has not been corrected |

## 6. Level 2 FDM Data Quality Check

### 6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors: 0

### 6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

### 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

### 6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors: 26

| Product   | Test Failed                                      | Description  |
|---|--|--|
| CS_OFFL_SIR_FDM_2__20160207T003847_20160207T005035_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T012944_20160207T014450_C001 | Sea State Bias Correction                        | There is an error with the Sea State Bias Correction for one or more records                           |
| CS_OFFL_SIR_FDM_2__20160207T030508_20160207T032449_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T043807_20160207T050403_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T051710_20160207T055211_C001 | Sea State Bias Correction                        | There is an error with the Sea State Bias Correction for one or more records                           |
| CS_OFFL_SIR_FDM_2__20160207T075853_20160207T082236_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T083514_20160207T090928_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T101539_20160207T103042_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T103051_20160207T103318_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T110513_20160207T112225_C001 | Sea State Bias Correction                        | There is an error with the Sea State Bias Correction for one or more records                           |
| CS_OFFL_SIR_FDM_2__20160207T112417_20160207T113835_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T115447_20160207T121024_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T121225_20160207T121232_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T125005_20160207T130117_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T130649_20160207T131525_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T133407_20160207T135017_C001 | Sea State Bias Correction                        | There is an error with the Sea State Bias Correction for one or more records                           |
| CS_OFFL_SIR_FDM_2__20160207T135540_20160207T135553_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T143316_20160207T150021_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T151322_20160207T153631_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T165222_20160207T172139_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T172900_20160207T173021_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T174416_20160207T181812_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T192345_20160207T192751_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T193454_20160207T195749_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_2__20160207T210157_20160207T213544_C001 | Sea State Bias Correction                        | There is an error with the Sea State Bias Correction for one or more records                           |
| CS_OFFL_SIR_FDM_2__20160207T215407_20160207T222538_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |

## 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

**Number of products with errors:** 3

| Product   | Test Failed                 | Description                         |
|---|-----------------------------|-------------------------------------|
| CS_OFFL_SIR_FDM_2__20160207T154214_20160207T154803_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_2__20160207T190245_20160207T190311_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_2__20160207T222700_20160207T222703_C001 | Attitude correction missing | The attitude has not been corrected |

## 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

**Number of products with errors:** 20

| Product   | Test Failed              | Description   |
|---|--------------------------|---|
| CS_OFFL_SIR_FDM_2__20160207T003847_20160207T005035_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T030508_20160207T032449_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T043807_20160207T050403_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T075853_20160207T082236_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T083514_20160207T090928_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T101539_20160207T103042_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T103051_20160207T103318_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T112417_20160207T113835_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T115447_20160207T121024_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_2__20160207T121225_20160207T121232_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |



