




1. Overview


Report Production Date:	27-Jun-2016	
Processor Used:	CryoSat Ice Processor	
Data Used:	L1 and L2 Fast Delivery Marine (FDM)	


Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	See Section 4.2
Star Tracker Usage Check	See Section 5.3
Calibration Usage Check	Nominal
Auxiliary Data File Usage Check	Nominal
Auxiliary Correction Error Check	See Section 6.4
Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8


Mission / Instrument News		
2	3-Jun-2016	SIRAL unavailability on 23-Jun-2016 from 22:14:16 to 24-Jun-2016 00:00:21 due to a planned orbit manoeuvre.
2	4-Jun-2016	SIRAL unavailability on 23-Jun-2016 from 22:14:16 to 24-Jun-2016 00:00:21 due to a planned orbit manoeuvre.
2	5-Jun-2016	Nothing planned

2. Global Coverage









3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

Number of products with errors:

4

Product	Test Failed
CS_OPER_SIR1SIN_020160624T193738_20160624T194130_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020160624T173745_20160624T174102_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020160624T232634_20160624T233008_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020160624T081126_20160624T081611_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

5. Level 1B FDM Data Quality Check

5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

Λ

5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

Number of products with errors:

4

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20160624T093439_20160624T093951_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20160624T111615_20160624T111716_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20160624T125526_20160624T125639_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20160624T143750_20160624T143820_C001	No Star Tracker file used in the processing of this product

5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

0

Number of products with errors:

5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20160624T093439_20160624T093951_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20160624T111615_20160624T111716_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20160624T125526_20160624T125639_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20160624T143750_20160624T143820_C001	Attitude correction missing	The attitude has not been corrected

6. Level 2 FDM Data Quality Check

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors: 0

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

(

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors:

40

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160624T005042_20160624T011206_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T020244_20160624T021310_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T023010_20160624T030628_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T032615_20160624T035029_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T040926_20160624T042531_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_2_20160624T042534_20160624T043745_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20160624T045922 20160624T051504 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T05234920160624T053232_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T054141_20160624T054606_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_2_20160624T054854_20160624T060252_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T060432_20160624T060946_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T064429_20160624T064831_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T064954_20160624T071310_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220160624T072816_20160624T075122_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T080245_20160624T080342_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T082906_20160624T085216_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T090732_20160624T093436_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T110522_20160624T111105_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T113624_20160624T120958_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T122549_20160624T122703_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T123330_20160624T124048_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T131413_20160624T132509_C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_2_20160624T132754_20160624T134905_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_2_20160624T140546_20160624T141629_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T141816_20160624T143036_C001	Wind Speed Sea State Bias Correction	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
	Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T143750_20160624T143820_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T145255_20160624T152808_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T163120_20160624T163731_C001	Wind Speed	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
CS_OFFL_SIR_FDM_220160624T163848_20160624T165027_C001	Sea State Bias Correction	records
CS_OFFL_SIR_FDM_220160624T165230_20160624T170715_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T174103_20160624T175257_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T183154_20160624T184621_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T190204_20160624T192401_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T192403_20160624T193508_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T200217_20160624T202332_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T204036_20160624T210709_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220160624T213623_20160624T220514_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
CS_OFFL_SIR_FDM_220160624T222020_20160624T223054_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
CS OFFL SIR FDM 2 20160624T230722 20160624T231301 C001	Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220160624T231855_20160624T232033_C001	Wind Speed	Correction for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160624T093439_20160624T093951_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220160624T111615_20160624T111716_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220160624T125526_20160624T125639_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220160624T143750_20160624T143820_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

28

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160624T005042_20160624T011206_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T023010_20160624T030628_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T040926_20160624T042531_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T042534_20160624T043745_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T045922_20160624T051504_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T052349_20160624T053232_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T054854_20160624T060252_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T060432_20160624T060946_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T064429_20160624T064831_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T064954_20160624T071310_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T072816_20160624T075122_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T080245_20160624T080342_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T090732_20160624T093436_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T110522_20160624T111105_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T113624_20160624T120958_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T123330_20160624T124048_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T131413_20160624T132509_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T132754_20160624T134905_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T140546_20160624T141629_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T145255_20160624T152808_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T163120_20160624T163731_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T165230_20160624T170715_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T174103_20160624T175257_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T183154_20160624T184621_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T190204_20160624T192401_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T200217_20160624T202332_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T230722_20160624T231301_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160624T231855_20160624T232033_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

28

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160624T005042_20160624T011206_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_220160624T023010_20160624T030628_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T040926_20160624T042531_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T042534_20160624T043745_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T045922_20160624T051504_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T052349_20160624T053232_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T054854_20160624T060252_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T060432_20160624T060946_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T064429_20160624T064831_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T064954_20160624T071310_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T072816_20160624T075122_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T080245_20160624T080342_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T090732_20160624T093436_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T110522_20160624T111105_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T113624_20160624T120958_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T123330_20160624T124048_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T131413_20160624T132509_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T132754_20160624T134905_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T140546_20160624T141629_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T145255_20160624T152808_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T163120_20160624T163731_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T165230_20160624T170715_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T174103_20160624T175257_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T183154_20160624T184621_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T190204_20160624T192401_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T200217_20160624T202332_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T230722_20160624T231301_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160624T231855_20160624T232033_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160624T001905_20160624T002714_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160624T005042_20160624T011206_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160624T011452_20160624T012512_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160624T013540_20160624T014025_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160624T014752_20160624T020057_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160624T020244_20160624T021310_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

	1	
CS_OFFL_SIR_FDM_220160624T023010_20160624T030628_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T032615_20160624T035029_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T040926_20160624T042531_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T042534_20160624T043745_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T045922_20160624T051504_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T052349_20160624T053232_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T054854_20160624T060252_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T060432_20160624T060946_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T064429_20160624T064831_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T064954_20160624T071310_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T072816_20160624T075122_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T080245_20160624T080342_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T082906_20160624T085216_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T090732_20160624T093436_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T100021_20160624T101459_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T104616_20160624T110058_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T110522_20160624T111105_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T112257_20160624T112405_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T113624_20160624T120958_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T123330_20160624T124048_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T131413_20160624T132509_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T132754_20160624T134905_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T140546_20160624T141629_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T141816_20160624T143036_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T144005_20160624T144018_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T145255_20160624T152808_C001	Ocean Retracking Quality Flag	The Ret
CS_OFFL_SIR_FDM_220160624T154706_20160624T155936_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T160001_20160624T161707_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T163120_20160624T163731_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T163848_20160624T165027_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T165230_20160624T170715_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T174103_20160624T175257_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T183154_20160624T184621_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T190204_20160624T192401_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T192403_20160624T193508_C001	Ocean Retracking Quality Flag	Ret The
CS_OFFL_SIR_FDM_220160624T20217_20160624T202332_C001	Ocean Retracking Quality Flag	Ret The
CS OFFL SIR FDM 2 20160624T213623 20160624T220514 C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220160624T230722_20160624T231301_C001	Ocean Retracking Quality Flag	The
CS OFFL SIR FDM 2 20160624T231855 20160624T232033 C001	Ocean Retracking Quality Flag	Ret
]	Ret

e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. ne Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. ne Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. e Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records.