

# IDEAS+ Daily Report for FDM data:

## <u>25/06/2016</u>


See Section 5.7, 6.5, 6.6, 6.7 and 6.8



Measurement Confidence Data Check

	_		
Report Production Date:	27-Jun-2016	Check	Status
		Server check: science-pds.cryosat.esa.int	Nominal
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal
		Product Software Check	Nominal
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal
		Product Header Analysis	See Section 4.2
		Star Tracker Usage Check	See Section 5.3
		Calibration Usage Check	Nominal
		Auxiliary Data File Usage Check	Nominal
		Auxiliary Correction Error Check	See Section 6.4

Mission / Instrument News		
24-Jun-2016	SIRAL unavailability on 23-Jun-2016 from 22:14:16 to 24-Jun-2016 00:00:21 due to a planned orbit manoeuvre.	
25-Jun-2016	None	
26-Jun-2016	Nothing planned	



### 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

4. Level 0 Data Quality Check

#### 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

4.2 L0 Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsistencies a	and/or errors raised by the processing chain.
Number of products with errors: 4		
Product	Test Failed	
CS_OPER_SIR1SAR_020160625T025941_20160625T030640_0001.HDR		s detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020160625T171229_20160625T171936_0001.HDR	Percentage of processing errors	s detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020160625T214002_20160625T214539_0001.HDR	Percentage of processing errors	s detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020160625T135222_20160625T135410_0001.HDR	Percentage of processing errors	s detected greater than minimum acceptable threshold.
5   9/9	1B FDM Data Quality C	heck
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensur Number of products with errors: 0	re it consists of both an XML header file (.	HDR) and a binary product file (.DBL).
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsistencies a	and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
5.3 L1B FDM Star Tracker Usage Check		
Each product is checked in order to ensure a valid star tracker file has been used in	n processing.	
Number of products with errors: 1		
	Test Failed	nanonaine of this panel of
CS_OFFL_SIR_FDM_1B_20160625T120456_20160625T120529_C001	No Star Tracker file used in the	processing of this product
5.4 L1B FDM Calibration Usage Check		
Each product is checked in order to ensure the necessary calibration files have bee	en used in processing.	
Number of products with errors: 0		
5.5 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-det	ermined baseline and also to check the va	alidity of Auxiliary Data Files is correct.
Number of products with errors: 0		
5.6 L1B FDM Auxiliary Correction Error Check		
CryoSat L1B data includes a correction error flag (field 54) for each measurement r	ecord. The hit value of this flag indicates a	any nrohlems when set
Number of products with errors: 0		ay proteins when set.
5.7 L1B FDM Measurement Confidence Data Check		
CryoSat L1B data includes a measurement confidence flag (field 18) for each meas	surement record. The bit value of this flag	indicates any problems when set
Number of products with errors: 4		
	Test Falled	Description
Product CS OFFL SIR FDM 1B 20160625T004852 20160625T004909 C001	Test Failed Echo error, TRK echo error	Description The tracking echo has returned an error and the Rx1 Echo Error flag is set,
		indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20160625T120456_20160625T120529_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20160625T185818_20160625T190535_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20160625T221840_20160625T222217_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
6. Leve	el 2 FDM Data Quality Ch	eck
6.1 L2 FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensu	re it consists of both an XML header file (.	HDR) and a binary product file (.DBL).
Number of products with errors: 0	,	
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsistencies a	and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
6.3 L2 FDM Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-det	ermined baseline and also to check the va	alidity of Auxiliary Data Files is correct.
Number of products with errors: 0		
6.4 L2 FDM Auxiliary Correction Error Check		
Each product is checked to detect auxiliary corrections flagged by the ground-station	on processing chain as missing or containi	ng errors.
Number of products with errors: 34		
Product	Test Failed Sea State Bias Correction, Altimetric	Description There is an error with the Altimetric Wind Speed and Sea State Bias
	ISSA STATE DIAS CONCUTORI, ANNUELIC	THE STATE OF ALL THE ALL THE WILL WILL OVER ALL OF A STATE DIAS

CS\_OFFL\_SIR\_FDM\_2\_\_20160625T005628\_20160625T005920\_C001

Wind Speed

There is an error with the Altimetric Wind Speed and Sea State Bia Correction for one or more records

CS_OFFL_SIR_FDM_220160625T010103_20160625T012234_C001
CS_OFFL_SIR_FDM_220160625T013839_20160625T021443_C001
CS_OFFL_SIR_FDM_220160625T022611_20160625T022632_C001
CS_OFFL_SIR_FDM_220160625T023647_20160625T025941_C001
CS_OFFL_SIR_FDM_220160625T031844_20160625T033534_C001
CS_OFFL_SIR_FDM_220160625T034016_20160625T035443_C001
CS_OFFL_SIR_FDM_220160625T045731_20160625T051241_C001
CS_OFFL_SIR_FDM_220160625T051443_20160625T052406_C001
CS_OFFL_SIR_FDM_220160625T055052_20160625T060308_C001
CS_OFFL_SIR_FDM_220160625T060913_20160625T061621_C001
CS_OFFL_SIR_FDM_220160625T061842_20160625T062134_C001
CS_OFFL_SIR_FDM_220160625T072843_20160625T080135_C001
CS_OFFL_SIR_FDM_220160625T081706_20160625T084058_C001
CS_OFFL_SIR_FDM_220160625T095543_20160625T102652_C001
CS_OFFL_SIR_FDM_220160625T102725_20160625T103242_C001
CS_OFFL_SIR_FDM_220160625T104639_20160625T111900_C001
CS_OFFL_SIR_FDM_220160625T122527_20160625T125855_C001
CS_OFFL_SIR_FDM_220160625T135017_20160625T135027_C001
CS_OFFL_SIR_FDM_220160625T140306_20160625T143715_C001
CS_OFFL_SIR_FDM_220160625T145418_20160625T152750_C001
CS_OFFL_SIR_FDM_220160625T154024_20160625T155458_C001
CS_OFFL_SIR_FDM_220160625T155939_20160625T161653_C001
CS_OFFL_SIR_FDM_220160625T165013_20160625T170344_C001
CS_OFFL_SIR_FDM_220160625T170441_20160625T170655_C001
CS_OFFL_SIR_FDM_220160625T172935_20160625T173959_C001
CS_OFFL_SIR_FDM_220160625T174138_20160625T175542_C001
CS_OFFL_SIR_FDM_220160625T181930_20160625T182412_C001
CS_OFFL_SIR_FDM_220160625T183514_20160625T184224_C001
CS_OFFL_SIR_FDM_220160625T191110_20160625T193419_C001
CS_OFFL_SIR_FDM_220160625T203829_20160625T203928_C001
CS_OFFL_SIR_FDM_220160625T204939_20160625T211355_C001
CS_OFFL_SIR_FDM_220160625T222520_20160625T224552_C001
CS_OFFL_SIR_FDM_220160625T224824_20160625T225321_C001

Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction	records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records
Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
	1

#### 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 4

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160625T004852_20160625T004909_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220160625T120456_20160625T120529_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220160625T185818_20160625T190535_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220160625T221840_20160625T222217_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo

#### 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 25

Product	Test Failed	Description
CS_OFFL_SIR_FDM_2_20160625T005628_20160625T005920_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T010103_20160625T012234_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T013839_20160625T021443_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T031844_20160625T033534_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T034016_20160625T035443_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T045731_20160625T051241_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_OFFL_SIR_FDM_220160625T051443_20160625T052406_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T055052_20160625T060308_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T060913_20160625T061621_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T072843_20160625T080135_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T081706_20160625T084058_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T102725_20160625T103242_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T104639_20160625T111900_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T122527_20160625T125855_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T140306_20160625T143715_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T155939_20160625T161653_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T165013_20160625T170344_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T170441_20160625T170655_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T172935_20160625T173959_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T181930_20160625T182412_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T183514_20160625T184224_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T191110_20160625T193419_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T203829_20160625T203928_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T204939_20160625T211355_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T222520_20160625T224552_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

### 6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 25

Product	Test Failed	Description
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_220160625T122527_20160625T125855_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T140306_20160625T143715_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T155939_20160625T161653_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T165013_20160625T170344_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T170441_20160625T170655_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T172935_20160625T173959_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T181930_20160625T182412_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T183514_20160625T184224_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T191110_20160625T193419_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T203829_20160625T203928_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T204939_20160625T211355_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160625T222520_20160625T224552_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

#### 6.8 L2 FDM Ocean Retracking Quality Check

CS OFFL SIR FDM 2 20160625T000007 20160625T003503 C001

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Test Failed

Ocean Retracking Quality Flag

Product

 CS\_OFFL\_SIR\_FDM\_2\_20160625T004603\_20160625T004731\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T005628\_20160625T005920\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T010103\_20160625T012234\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T013839\_20160625T021443\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T023647\_20160625T025941\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T031844\_20160625T0353443\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T034016\_20160625T0524035443\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T051443\_20160625T052406\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T055052\_20160625T060308\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T061621\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T062134\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T060913\_20160625T061021\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T062134\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T062134\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T062134\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T062134\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T063706\_20160625T062134\_C001
 Ocean

 CS\_OFFL\_SIR\_FDM\_2\_20160625T061842\_20160625T062134\_C001
 Ocean</t

39

CS\_OFFL\_SIR\_FDM\_2\_20160625T072843\_20160625T080135\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T081706\_20160625T084058\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T102725\_20160625T102652\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T102725\_20160625T103242\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T102652710206025T111900\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T122527\_20160625T125855\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T131440\_20160625T133530\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T140306\_20160625T143715\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T145418\_20160625T154585\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T145418\_20160625T1545458\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T154024\_20160625T1545458\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T155939\_20160625T161653\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T163450\_20160625T164759\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001 CS\_OFFL\_SIR\_FDM\_2\_20160625T165013\_20160625T170344\_C001

CS\_OFFL\_SIR\_FDM\_2\_\_20160625T174138\_20160625T175542\_C001

Ocean Retracking Quality Flag Ocean Retracking Quality Flag

Ocean Retracking Quality Flag

Description The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

Number of products with errors:

CS_OFFL_SIR_FDM_220160625T181930_20160625T182412_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T183043_20160625T183351_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T183514_20160625T184224_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T191110_20160625T193419_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T203829_20160625T203928_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T204939_20160625T211355_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T214539_20160625T220130_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T222520_20160625T224552_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220160625T230903_20160625T234155_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.