

IDEAS+ Daily Report for FDM data:

<u>18/08/2016</u>

1. Overview				
Report Production Dat	e: 19-Aug-2016	Check	Status	
Report Freddollon Ba	13-Aug-2010	Server check: science-pds.cryosat.esa.int	Nominal	
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
FIDCessor Used.	Cryosal ice Processor	Product Software Check	Nominal	
Data Used:	L1 and L2 Fast Delivery Marine (FDM)	Product Format Check	Nominal	
Dala Useu.	Mode and L0 Data	Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8	
Mission / Instrument News				
17-Aug-2016 None	g-2016 None			
18-Aug-2016 None				
19-Aug-2016 Nothing plan				

Cibial Coverage - South Pole

3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.
Number of products with errors: 5

Product	Test Failed
CS_OPER_SIR1SAR_020160818T124815_20160818T125519_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020160818T225300_20160818T225638_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020160818T092134_20160818T092438_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020160818T233529_20160818T233908_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020160818T214947_20160818T215112_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

5. Level 1B FDM Data Quality Check

5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors:

5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.			
Number of products with errors: 2			
Product	Test Failed		
CS_OFFL_SIR_FDM_1B_20160818T060529_20160818T060537_C001	No Star Tracker file used in the processing of this product		
CS_OFFL_SIR_FDM_1B_20160818T091908_20160818T092025_C001	No Star Tracker file used in the processing of this product		

5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing. Number of products with errors: 0

6

5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors:

5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors:

5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20160818T025954_20160818T031811_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20160818T044118_20160818T051629_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20160818T060001_20160818T060506_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20160818T060529_20160818T060537_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20160818T073921_20160818T074150_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20160818T091908_20160818T092025_C001	Attitude correction missing	The attitude has not been corrected

6. Level 2 FDM Data Quality Check

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors:

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors:

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

Product

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

38

Number of products with errors:

Product	lest Failed
CS OFFL SIR FDM 2 20160817T235149 20160818T001444 C001	Sea State Bias Corre
C3_0FFL_3IR_FDM_2201008171233149_201008181001444_C001	Wind Speed

rection, Altimetric Wind Speed

Description There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

CS_OFFL_SIR_FDM_220160818T003359_20160818T005033_C001
CS_OFFL_SIR_FDM_220160818T005513_20160818T010944_C001
CS_OFFL_SIR_FDM_220160818T014132_20160818T015530_C001
CS_OFFL_SIR_FDM_220160818T021254_20160818T022741_C001
CS_OFFL_SIR_FDM_220160818T022942_20160818T023906_C001
CS_OFFL_SIR_FDM_220160818T024151_20160818T024921_C001
CS_OFFL_SIR_FDM_220160818T025954_20160818T031811_C001
CS_OFFL_SIR_FDM_220160818T033412_20160818T033629_C001
CS_OFFL_SIR_FDM_220160818T035232_20160818T040648_C001
CS_OFFL_SIR_FDM_220160818T044118_20160818T051629_C001
CS_OFFL_SIR_FDM_220160818T053250_20160818T055557_C001
CS_OFFL_SIR_FDM_220160818T060917_20160818T060923_C001
CS_OFFL_SIR_FDM_220160818T062735_20160818T063912_C001
CS_OFFL_SIR_FDM_220160818T064449_20160818T065519_C001
CS_OFFL_SIR_FDM_220160818T071131_20160818T073836_C001
CS_OFFL_SIR_FDM_220160818T074223_20160818T074920_C001
CS_OFFL_SIR_FDM_220160818T080150_20160818T083305_C001
CS_OFFL_SIR_FDM_220160818T085035_20160818T085439_C001
CS_OFFL_SIR_FDM_220160818T092545_20160818T092831_C001
CS_OFFL_SIR_FDM_220160818T094034_20160818T101322_C001
CS_OFFL_SIR_FDM_220160818T111659_20160818T115204_C001
CS_OFFL_SIR_FDM_220160818T123553_20160818T124324_C001
CS_OFFL_SIR_FDM_220160818T125519_20160818T131001_C001
CS_OFFL_SIR_FDM_220160818T131443_20160818T133138_C001
CS_OFFL_SIR_FDM_220160818T140511_20160818T142256_C001
CS_OFFL_SIR_FDM_220160818T144435_20160818T145502_C001
CS_OFFL_SIR_FDM_220160818T152721_20160818T152801_C001
CS_OFFL_SIR_FDM_220160818T155011_20160818T155722_C001
CS_OFFL_SIR_FDM_220160818T155845_20160818T160056_C001
CS_OFFL_SIR_FDM_220160818T163155_20160818T164909_C001
CS_OFFL_SIR_FDM_220160818T170528_20160818T173031_C001
CS_OFFL_SIR_FDM_220160818T175326_20160818T175428_C001
CS_OFFL_SIR_FDM_220160818T180439_20160818T182826_C001
CS_OFFL_SIR_FDM_220160818T184417_20160818T185501_C001
CS_OFFL_SIR_FDM_220160818T194105_20160818T200129_C001
CS_OFFL_SIR_FDM_220160818T210857_20160818T211118_C001
CS_OFFL_SIR_FDM_220160818T231522_20160818T232528_C001

	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
V	Vind Speed	Correction for one or more records
V	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
	Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
V	Vind Speed	Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
s	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
S	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
۷	Vind Speed	Correction for one or more records
V	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
V	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
V	Vind Speed	Correction for one or more records
V	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric Vind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
S	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
S	Vind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
		Correction for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 6

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160818T025954_20160818T031811_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220160818T044118_20160818T051629_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220160818T060001_20160818T060506_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220160818T060529_20160818T060537_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220160818T073921_20160818T074150_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220160818T091908_20160818T092025_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 23

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160818T003359_20160818T005033_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T005513_20160818T010944_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_OFFL_SIR_FDM_220160818T022942_20160818T023906_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be
CS_OFFL_SIR_FDM_220160818T025954_20160818T031811_C001	CFI Retracked Range Flag	ignored for these records. The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be
CS_OFFL_SIR_FDM_220160818T035232_20160818T040648_C001	CFI Retracked Range Flag	ignored for these records. The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T044118_20160818T051629_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T053250_20160818T055557_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T062735_20160818T063912_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T064449_20160818T065519_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T071131_20160818T073836_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T080150_20160818T083305_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T094034_20160818T101322_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T111659_20160818T115204_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T125519_20160818T131001_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T131443_20160818T133138_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T140511_20160818T142256_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T144435_20160818T145502_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T155011_20160818T155722_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T155845_20160818T160056_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T170528_20160818T173031_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T175326_20160818T175428_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T194105_20160818T200129_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T231522_20160818T232528_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Check

23

Number of products with errors:

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

		- · ·
Product	Test Failed	Description
CS_OFFL_SIR_FDM_220160818T003359_20160818T005033_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160818T005513_20160818T010944_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20160818T022942_20160818T023906_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T025954_20160818T031811_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T035232_20160818T040648_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T044118_20160818T051629_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T053250_20160818T055557_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T062735_20160818T063912_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T064449_20160818T065519_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T071131_20160818T073836_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T080150_20160818T083305_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_220160818T094034_20160818T101322_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T111659_20160818T115204_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T125519_20160818T131001_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T131443_20160818T133138_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T140511_20160818T142256_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T144435_20160818T145502_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T155011_20160818T155722_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T155845_20160818T160056_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T170528_20160818T173031_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T175326_20160818T175428_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T194105_20160818T200129_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220160818T231522_20160818T232528_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Test Failed

43

Number of products with errors:

Product
CS_OFFL_SIR_FDM_220160818T003359_20160818T005033_C001
CS_OFFL_SIR_FDM_220160818T005513_20160818T010944_C001
CS_OFFL_SIR_FDM_220160818T012150_20160818T014005_C001
CS_OFFL_SIR_FDM_220160818T014132_20160818T015530_C001
CS_OFFL_SIR_FDM_220160818T021254_20160818T022741_C001
CS_OFFL_SIR_FDM_220160818T022942_20160818T023906_C001
CS_OFFL_SIR_FDM_220160818T025954_20160818T031811_C001
CS_OFFL_SIR_FDM_220160818T035232_20160818T040648_C001
CS_OFFL_SIR_FDM_220160818T044118_20160818T051629_C001
CS_OFFL_SIR_FDM_220160818T053250_20160818T055557_C001
CS_OFFL_SIR_FDM_220160818T060917_20160818T060923_C001
CS_OFFL_SIR_FDM_220160818T062735_20160818T063912_C001
CS_OFFL_SIR_FDM_220160818T064449_20160818T065519_C001
CS_OFFL_SIR_FDM_220160818T071131_20160818T073836_C001
CS_OFFL_SIR_FDM_220160818T074223_20160818T074920_C001
CS_OFFL_SIR_FDM_220160818T080150_20160818T083305_C001
CS_OFFL_SIR_FDM_220160818T092545_20160818T092831_C001
CS_OFFL_SIR_FDM_220160818T094034_20160818T101322_C001
CS_OFFL_SIR_FDM_220160818T103111_20160818T105028_C001
CS_OFFL_SIR_FDM_220160818T111659_20160818T115204_C001
CS_OFFL_SIR_FDM_220160818T120941_20160818T123535_C001
CS_OFFL_SIR_FDM_220160818T125519_20160818T131001_C001
CS_OFFL_SIR_FDM_220160818T131443_20160818T133138_C001
CS_OFFL_SIR_FDM_220160818T140511_20160818T142256_C001
CS_OFFL_SIR_FDM_220160818T144435_20160818T145502_C001
CS_OFFL_SIR_FDM_220160818T154626_20160818T154849_C001
CS_OFFL_SIR_FDM_220160818T155011_20160818T155722_C001
CS_OFFL_SIR_FDM_220160818T155845_20160818T160056_C001
CS_OFFL_SIR_FDM_220160818T162534_20160818T163114_C001
CS_OFFL_SIR_FDM_220160818T163155_20160818T164909_C001

Ocean Retracking Quality Flag Description The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

CS_OFFL_SIR_FDM_2_20160818T170528_20160818T173031_C001 CS_OFFL_SIR_FDM_2_20160818T175326_20160818T175428_C001 CS_OFFL_SIR_FDM_2_20160818T180439_20160818T182826_C001 CS_OFFL_SIR_FDM_2_20160818T190038_20160818T191611_C001 CS_OFFL_SIR_FDM_2_20160818T193211_20160818T193730_C001 CS_OFFL_SIR_FDM_2_20160818T194105_20160818T200129_C001 CS_OFFL_SIR_FDM_2_20160818T211134_20160818T211225_C001 CS_OFFL_SIR_FDM_2_20160818T213034_20160818T213952_C001 CS_OFFL_SIR_FDM_2_20160818T22334_20160818T223858_C001 CS_OFFL_SIR_FDM_2_20160818T22322723_20160818T223858_C001 CS_OFFL_SIR_FDM_2_20160818T231522_20160818T23334_C001 CS_OFFL_SIR_FDM_2_20160818T231522_20160818T232528_C001 CS_OFFL_SIR_FDM_2_20160818T231522_20160818T232528_C001 CS_OFFL_SIR_FDM_2_20160818T231522_20160818T232528_C001 Ocean Retracking Quality Flag The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.