


IDEAS+ Daily Report for FDM data:

14/03/2017



Demont Dreduction Deter	16-Mar-2017	Check	Status
Report Production Date:	16-Mai-2017	Server check: science-pds.cryosat.esa.int	Nominal
Processor Used:	CrucSat los Processor	Server check: calval-pds.cryosat.esa.int	Nominal
Processor Used:	CryoSat Ice Processor	Product Software Check	Nominal
Data Used:	L1 and L2 Fast Delivery Marine (FDM)	Product Format Check	Nominal
	Mode and L0 Data	Product Header Analysis	See Section 4.2
		Star Tracker Usage Check	See Section 5.3
		Calibration Usage Check	Nominal
		Auxiliary Data File Usage Check	Nominal
		Auxiliary Correction Error Check	See Section 6.4
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8

Mission / Instrument News 13-Mar-2017 None L0 data missing on 14-Mar-2017 from ~09:30 to ~13:50 due to an unplanned ground segment anomaly. 14-Mar-2017 15-Mar-2017 Nothing planned



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

0

4.2 L0 Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsisten	cies and/or errors raised by the processing chain.
Number of products with errors: 4		
Product	Test Failed	
CS_OPER_SIR1SAR_020170314T214457_20170314T215444_0001.HDR	Percentage of processing	errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170314T232101_20170314T232152_0001.HDR		errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20170314T201243_20170314T202506_0001.HDR		errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020170314T010307_20170314T010723_0001.HDR	Percentage of processing	errors detected greater than minimum acceptable threshold.
5. Level	1B FDM Data Quality	/ Check
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensur	e it consists of both an XML header	file (.HDR) and a binary product file (.DBL).
Number of products with errors: 0		
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsisten	cies and/or errors raised by the ground-segment processing chain
Number of products with errors: 0		
5.3 L1B FDM Star Tracker Usage Check		
Each product is checked in order to ensure a valid star tracker file has been used in	processing.	
Number of products with errors: 3		
Product	Test Failed	
CS_OFFL_SIR_FDM_1B_20170314T014338_20170314T015046_C001	No Star Tracker file used in	n the processing of this product
CS_OFFL_SIR_FDM_1B_20170314T195511_20170314T200201_C001		n the processing of this product
CS_OFFL_SIR_FDM_1B_20170314T213627_20170314T213848_C001	No Star Tracker file used ir	n the processing of this product
5.4 L1B FDM Calibration Usage Check		
Each product is checked in order to ensure the necessary calibration files have bee	n used in processing.	
Number of products with errors: 0		
5.5 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-det	ermined baseline and also to check t	he validity of Auxiliary Data Files is correct
Number of products with errors: 0		
CALLAR FRM Asselling Operation France Observe		
5.6 L1B FDM Auxiliary Correction Error Check		
CryoSat L1B data includes a correction error flag (field 54) for each measurement re Number of products with errors: 0	ecord. The bit value of this flag indica	tes any problems when set.
5.7 L1B FDM Measurement Confidence Data Check		
CryoSat L1B data includes a measurement confidence flag (field 18) for each meas	urement record. The bit value of this	flag indicates any problems when set.
Number of products with errors: 3		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20170314T014338_20170314T015046_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170314T195511_20170314T200201_C001	Attitude correction missing	The attitude has not been corrected
	-	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170314T213627_20170314T213848_C001	Attitude correction missing	The attitude has not been corrected
6. Leve	I 2 FDM Data Quality	Check
6.1 L2 FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ensur	e it consists of both an XML header	file (.HDR) and a binary product file (.DBL).
Number of products with errors: 0		
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and SP	H in order to identify any inconsisten	cies and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
6.3 L2 FDM Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-det	ermined baseline and also to check t	he validity of Auxiliary Data Files is correct.
Number of products with errors: 0		
6.4 L2 FDM Auxiliary Correction Error Check		
Each product is checked to detect auxiliary corrections flagged by the ground-statio	n processing chain as missing or cor	ntaining errors.
Number of products with errors: 36	,	
Product	Test Failed	Description

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170314T003957_20170314T005552_C001		There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

CS_OFFL_SIR_FDM_2__20170314T005557_20170314T010214_C001 CS_OFFL_SIR_FDM_2__20170314T011524_20170314T013731_C001 CS OFFL SIR FDM 2 20170314T014338 20170314T015046 C001 CS_OFFL_SIR_FDM_2__20170314T015046_20170314T015150_C001 CS OFFL SIR FDM 2 20170314T020917 20170314T022456 C001 CS_OFFL_SIR_FDM_2__20170314T022459_20170314T024111_C001 CS_OFFL_SIR_FDM_2__20170314T025907_20170314T031133_C001 CS OFFL SIR FDM 2 20170314T035114 20170314T040233 C001 CS_OFFL_SIR_FDM_2__20170314T040436_20170314T042019_C001 CS OFFL SIR FDM 2 20170314T043550 20170314T044819 C001 CS_OFFL_SIR_FDM_2__20170314T045300_20170314T050445_C001 CS OFFL SIR FDM 2 20170314T054357 20170314T055918 C001 CS OFFL SIR FDM 2 20170314T061206 20170314T063931 C001 CS_OFFL_SIR_FDM_2__20170314T071311_20170314T073856_C001 CS_OFFL_SIR_FDM_2__20170314T080915_20170314T081942_C001 CS_OFFL_SIR_FDM_2__20170314T085159_20170314T091823_C001 CS OFFL SIR FDM 2 20170314T094829 20170314T100616 C001 CS OFFL SIR FDM 2 20170314T134850 20170314T141145 C001 CS_OFFL_SIR_FDM_2__20170314T143726_20170314T144732_C001 CS_OFFL_SIR_FDM_2__20170314T145213_20170314T150026_C001 CS OFFL SIR FDM 2 20170314T152003 20170314T153617 C001 CS_OFFL_SIR_FDM_2__20170314T153831_20170314T155305_C001 CS OFFL SIR FDM 2 20170314T160901 20170314T162436 C001 CS_OFFL_SIR_FDM_2__20170314T162705_20170314T163558_C001 CS_OFFL_SIR_FDM_2__20170314T170418_20170314T171400_C001 CS_OFFL_SIR_FDM_2__20170314T172048_20170314T173546_C001 CS_OFFL_SIR_FDM_2__20170314T174823_20170314T180522_C001 CS OFFL SIR FDM 2 20170314T180754 20170314T181005 C001 CS_OFFL_SIR_FDM_2__20170314T184726_20170314T191436_C001 CS_OFFL_SIR_FDM_2__20170314T202507_20170314T203611_C001 CS OFFL SIR FDM 2 20170314T204150 20170314T205321 C001 CS_OFFL_SIR_FDM_2__20170314T210643_20170314T213534_C001 CS_OFFL_SIR_FDM_2__20170314T214308_20170314T214457_C001 CS_OFFL_SIR_FDM_2__20170314T215812_20170314T223255_C001 CS_OFFL_SIR_FDM_2__20170314T224511_20170314T225135_C001 Sea State Bias Correction, Altimetric There is an error with the Altimetric Wind Speed and Sea State Bias Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction. Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction Sea State Bias Correction Sea State Bias Correction Sea State Bias Correction. Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction. Altimetric Wind Speed Sea State Bias Correction. Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction, Mean Sea Surface height, Altimetric Wind Speed

Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed, the Sea State Bias Correction and the Mean Sea Surface Height for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 3

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170314T014338_20170314T015046_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170314T195511_20170314T200201_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170314T213627_20170314T213848_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 18

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170314T003957_20170314T005552_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T022459_20170314T024111_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T025907_20170314T031133_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T035114_20170314T040233_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T040436_20170314T042019_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
	CFI Retracked Range Flag CFI Retracked Range Flag

6.7 L2 FDM SWH and Backscatter Measurement Check

18

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of	products	with	errors:
-----------	----------	------	---------

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170314T003957_20170314T005552_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T022459_20170314T024111_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T025907_20170314T031133_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T035114_20170314T040233_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T040436_20170314T042019_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T043550_20170314T044819_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T045300_20170314T050445_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T061206_20170314T063931_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T143726_20170314T144732_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T145213_20170314T150026_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T153831_20170314T155305_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T160901_20170314T162436_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T162705_20170314T163558_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T170418_20170314T171400_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T184726_20170314T191436_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T202507_20170314T203611_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T210643_20170314T213534_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170314T215812_20170314T223255_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

			errors:

38

Product CS OFFL SIR FDM 2 20170314T000630 20170314T000742 C001 CS OFFL SIR FDM 2 20170314T002802 20170314T003711 C001 CS OFFL SIR FDM 2 20170314T003957 20170314T005552 C001 CS OFFL SIR FDM 2 20170314T005557 20170314T010214 C001 CS OFFL SIR FDM 2 20170314T020917 20170314T022456 C001 CS_OFFL_SIR_FDM_2__20170314T022459_20170314T024111_C001 CS_OFFL_SIR_FDM_2__20170314T025524_20170314T025550_C001 CS_OFFL_SIR_FDM_2__20170314T025907_20170314T031133_C001 CS OFFL SIR FDM 2 20170314T035114 20170314T040233 C001 CS_OFFL_SIR_FDM_2__20170314T040436_20170314T042019_C001 CS_OFFL_SIR_FDM_2__20170314T043550_20170314T044819_C001 CS OFFL SIR FDM 2 20170314T045300 20170314T050445 C001 CS_OFFL_SIR_FDM_2__20170314T061206_20170314T063931_C001 CS_OFFL_SIR_FDM_2__20170314T071311_20170314T073856_C001 CS OFFL SIR FDM 2 20170314T080915 20170314T081942 C001 CS OFFL SIR FDM 2 20170314T085159 20170314T091823 C001 CS OFFL SIR FDM 2 20170314T094829 20170314T100616 C001 CS_OFFL_SIR_FDM_2__20170314T134850_20170314T141145_C001 CS_OFFL_SIR_FDM_2__20170314T143726_20170314T144732_C001 CS_OFFL_SIR_FDM_2__20170314T145213_20170314T150026_C001 CS OFFL SIR FDM 2 20170314T153831 20170314T155305 C001 CS_OFFL_SIR_FDM_2__20170314T160901_20170314T162436_C001 CS OFFL SIR FDM 2 20170314T162705 20170314T163558 C001 CS_OFFL_SIR_FDM_2__20170314T170313_20170314T170345_C001 CS_OFFL_SIR_FDM_2__20170314T170418_20170314T171400_C001 CS OFFL SIR FDM 2 20170314T172048 20170314T173546 C001 CS_OFFL_SIR_FDM_2__20170314T174823_20170314T180522_C001 CS_OFFL_SIR_FDM_2__20170314T184726_20170314T191436_C001 CS_OFFL_SIR_FDM_2__20170314T192732_20170314T195305_C001 CS OFFL SIR FDM 2 20170314T202507 20170314T203611 C001 CS_OFFL_SIR_FDM_2__20170314T204150_20170314T205321_C001 CS OFFL SIR FDM 2 20170314T210643 20170314T213534 C001 CS_OFFL_SIR_FDM_2__20170314T214308_20170314T214457_C001 CS OFFL SIR FDM 2 20170314T215812 20170314T223255 C001 CS OFFL SIR FDM 2 20170314T231542 20170314T231639 C001 CS_OFFL_SIR_FDM_2__20170314T232153_20170314T232513_C001 CS_OFFL_SIR_FDM_2__20170314T233752_20170314T234621_C001 CS_OFFL_SIR_FDM_2__20170314T234906_20170315T001213_C001

Ocean Retracking Quality Flag Ocean Retracking Quality Flag

Test Failed

Description The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	152	152	152	0	0
SIR1SAR_0_	114	114	114	0	0
SIR1SIN_0_	80	80	80	0	0
SIR2SIN_0_	56	56	56	0	0
SIR_FDM_1B	152	152	152	0	0
SIR_FDM_2	149	149	149	0	0

7.1 QCC Errors	
Number of QCC reports with errors:	0

7.2 QCC Warnings

7.3 Missing QCC Reports

Number of products with missing QCC reports:

0