

. 14-Apr-2017

None 15-Apr-2017 Nothing planned

IDEAS+ Daily Report for FDM data:

14/04/2017

Report Production Date:	18-Apr-2017	Check	Status
Report Production Date:		Server check: science-pds.cryosat.esa.int	Nominal
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal
Processor Used.		Product Software Check	Nominal
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal
		Product Header Analysis	See Section 4.2
		Star Tracker Usage Check	See Section 5.3
		Calibration Usage Check	Nominal
		Auxiliary Data File Usage Check	Nominal
		Auxiliary Correction Error Check	See Section 6.4
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8

	label Cavarage
	lobal Coverage
Global Coverage - North Pole	Global Coverage - South Pole
	Surface Type Open Ocean Closed Sea Continental Ice Land

3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL - A
Star Tracker 1 & 2

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain. Number of products with errors: 5

Product	Test Failed
CS_OPER_SIR1SAR_020170414T121253_20170414T122120_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170414T233600_20170414T233851_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20170414T011415_20170414T011516_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170414T011350_20170414T011409_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020170414T144004_20170414T144138_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

5. Level 1B FDM Data Quality Check

5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

•

5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.				
Number of products with errors: 3				
Product	Test Failed			
CS_OFFL_SIR_FDM_1B_20170413T234814_20170414T002329_C001	No Star Tracker file used in the processing of this product			
CS_OFFL_SIR_FDM_1B_20170414T182748_20170414T183423_C001	No Star Tracker file used in the processing of this product			
CS_OFFL_SIR_FDM_1B_20170414T201012_20170414T201115_C001	No Star Tracker file used in the processing of this product			

5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

0

Number of products with errors:

5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors: 0

5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 4 Test Failed Description Product CS_OFFL_SIR_FDM_1B_20170413T234814_20170414T002329_C001 Attitude correction missing The attitude has not been corrected The tracking echo has returned an error and the Rx1 Echo Error flag is set, CS_OFFL_SIR_FDM_1B_20170414T141110_20170414T142551_C001 Echo error, TRK echo error indicating a degraded echo CS_OFFL_SIR_FDM_1B_20170414T182748_20170414T183423_C001 Attitude correction missing The attitude has not been corrected CS_OFFL_SIR_FDM_1B_20170414T201012_20170414T201115_C001 Attitude correction missing The attitude has not been corrected

6. Level 2 FDM Data Quality Check

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
Number of products with errors:
0

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors:

Product	Test Failed	Description
CS OFFL SIR FDM 2 20170414T004103 20170414T011330 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
C3_011E_31K_1DM_2_201704141004103_201704141011330_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220170414T014531_20170414T020218_C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
C3_011 E_31(_1 DM_2201704141014331_201704141020210_0001	Wind Speed	Correction for one or more records

CS_OFFL_SIR_FDM_2_	_20170414T022404_20170414T023513_C001
CS_OFFL_SIR_FDM_2_	_20170414T023716_20170414T025238_C001
CS_OFFL_SIR_FDM_2_	_20170414T030822_20170414T031311_C001
CS_OFFL_SIR_FDM_2_	_20170414T032601_20170414T033731_C001
CS_OFFL_SIR_FDM_2_	_20170414T044509_20170414T051206_C001
CS_OFFL_SIR_FDM_2_	_20170414T054539_20170414T061102_C001
CS_OFFL_SIR_FDM_2_	_20170414T062423_20170414T063623_C001
CS_OFFL_SIR_FDM_2_	_20170414T071437_20170414T075055_C001
CS_OFFL_SIR_FDM_2_	_20170414T080412_20170414T081537_C001
CS_OFFL_SIR_FDM_2_	_20170414T081849_20170414T083855_C001
CS_OFFL_SIR_FDM_2_	_20170414T094340_20170414T100552_C001
CS_OFFL_SIR_FDM_2_	_20170414T104953_20170414T110926_C001
CS_OFFL_SIR_FDM_2_	_20170414T131010_20170414T131846_C001
CS_OFFL_SIR_FDM_2_	_20170414T132454_20170414T133323_C001
CS_OFFL_SIR_FDM_2_	_20170414T133805_20170414T133916_C001
CS_OFFL_SIR_FDM_2_	_20170414T141110_20170414T142551_C001
CS_OFFL_SIR_FDM_2_	_20170414T144149_20170414T145711_C001
CS_OFFL_SIR_FDM_2_	_20170414T145915_20170414T150837_C001
CS_OFFL_SIR_FDM_2_	_20170414T153607_20170414T154659_C001
CS_OFFL_SIR_FDM_2_	_20170414T155309_20170414T160749_C001
CS_OFFL_SIR_FDM_2_	_20170414T162126_20170414T163831_C001
CS_OFFL_SIR_FDM_2_	_20170414T163926_20170414T164336_C001
CS_OFFL_SIR_FDM_2_	_20170414T171007_20170414T171021_C001
CS_OFFL_SIR_FDM_2_	_20170414T172013_20170414T172327_C001
CS_OFFL_SIR_FDM_2_	_20170414T172330_20170414T174704_C001
CS_OFFL_SIR_FDM_2_	_20170414T180021_20170414T182503_C001
CS_OFFL_SIR_FDM_2_	_20170414T185856_20170414T190850_C001
CS_OFFL_SIR_FDM_2_	_20170414T191428_20170414T192542_C001
CS_OFFL_SIR_FDM_2_	_20170414T193917_20170414T200814_C001
CS_OFFL_SIR_FDM_2_	_20170414T201545_20170414T201728_C001
CS_OFFL_SIR_FDM_2_	_20170414T203045_20170414T210442_C001
CS_OFFL_SIR_FDM_2_	_20170414T221022_20170414T221900_C001

Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 4

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170413T234814_20170414T002329_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170414T141110_20170414T142551_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220170414T182748_20170414T183423_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170414T201012_20170414T201115_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 20

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170414T004103_20170414T011330_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T022404_20170414T023513_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T023716_20170414T025238_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T032601_20170414T033731_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T054539_20170414T061102_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T071437_20170414T075055_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_OFFL_SIR_FDM_220170414T131010_20170414T131846_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T141110_20170414T142551_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T144149_20170414T145711_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T145915_20170414T150837_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T153607_20170414T154659_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T155309_20170414T160749_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T163926_20170414T164336_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T171007_20170414T171021_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T172013_20170414T172327_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T172330_20170414T174704_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T193917_20170414T200814_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T201545_20170414T201728_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T203045_20170414T210442_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T221022_20170414T221900_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 20

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170414T004103_20170414T011330_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T022404_20170414T023513_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T023716_20170414T025238_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T032601_20170414T033731_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T054539_20170414T061102_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T071437_20170414T075055_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T131010_20170414T131846_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T141110_20170414T142551_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T144149_20170414T145711_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T145915_20170414T150837_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T153607_20170414T154659_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T155309_20170414T160749_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T163926_20170414T164336_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T171007_20170414T171021_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T172013_20170414T172327_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T172330_20170414T174704_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T193917_20170414T200814_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170414T201545_20170414T201728_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_2__20170414T221022_20170414T221900_C001

CFI Backscatter Status Flag, SWH Squared Averaging Status Flag

CFI Backscatter Status Flag, SWH Squared Averaging Status Flag The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product CS_OFFL_SIR_FDM_2__20170413T234814_20170414T002329_C001 CS OFFL SIR FDM 2 20170414T004103 20170414T011330 C001 CS OFFL SIR FDM 2 20170414T014531 20170414T020218 C001 CS OFFL SIR FDM 2 20170414T022404 20170414T023513 C001 CS_OFFL_SIR_FDM_2__20170414T023716_20170414T025238_C001 CS_OFFL_SIR_FDM_2__20170414T030822_20170414T031311_C001 CS_OFFL_SIR_FDM_2__20170414T032601_20170414T033731_C001 CS_OFFL_SIR_FDM_2__20170414T044509_20170414T051206_C001 CS_OFFL_SIR_FDM_2__20170414T054539_20170414T061102_C001 CS OFFL SIR FDM 2 20170414T062423 20170414T063623 C001 CS_OFFL_SIR_FDM_2__20170414T071437_20170414T075055_C001 CS_OFFL_SIR_FDM_2__20170414T081849_20170414T083855_C001 CS OFFL SIR FDM 2 20170414T085215 20170414T085328 C001 CS_OFFL_SIR_FDM_2__20170414T100838_20170414T101723_C001 CS_OFFL_SIR_FDM_2__20170414T104953_20170414T110926_C001 CS OFFL SIR FDM 2 20170414T115218 20170414T115538 C001 CS OFFL SIR FDM 2 20170414T122120 20170414T124423 C001 CS_OFFL_SIR_FDM_2__20170414T131010_20170414T131846_C001 CS OFFL SIR FDM 2 20170414T132454 20170414T133323 C001 CS_OFFL_SIR_FDM_2__20170414T135257_20170414T140856_C001 CS OFFL SIR FDM 2 20170414T141110 20170414T142551 C001 CS OFFL SIR FDM 2 20170414T144149 20170414T145711 C001 CS_OFFL_SIR_FDM_2__20170414T145915_20170414T150837_C001 CS OFFL SIR FDM 2 20170414T153607 20170414T154659 C001 CS_OFFL_SIR_FDM_2__20170414T155309_20170414T160749_C001 CS_OFFL_SIR_FDM_2__20170414T162126_20170414T163831_C001 CS OFFL SIR FDM 2 20170414T163926 20170414T164336 C001 CS_OFFL_SIR_FDM_2__20170414T171007_20170414T171021_C001 CS_OFFL_SIR_FDM_2__20170414T172013_20170414T172327_C001 CS OFFL SIR FDM 2 20170414T172330 20170414T174704 C001 CS_OFFL_SIR_FDM_2__20170414T180021_20170414T182503_C001 CS_OFFL_SIR_FDM_2__20170414T193917_20170414T200814_C001 CS OFFL SIR FDM 2 20170414T201545 20170414T201728 C001 CS_OFFL_SIR_FDM_2__20170414T203045_20170414T210442_C001 CS OFFL SIR FDM 2 20170414T214837 20170414T214850 C001 CS_OFFL_SIR_FDM_2__20170414T221022_20170414T221900_C001 CS_OFFL_SIR_FDM_2__20170414T222145_20170414T224405_C001 CS_OFFL_SIR_FDM_2__20170414T225710_20170414T231016_C001

Test Failed Ocean Retracking Quality Flag Description The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	158	158	158	0	0
SIR1SAR_0_	130	130	130	0	0
SIR1SIN_0_	100	100	99	1	0
SIR2SIN_0_	103	103	103	0	0
SIR_FDM_1B	158	158	158	0	0
SIR_FDM_2	153	153	153	0	0

7.1 QCC Errors

Number	of QCC	reports	with	errors:

7.2 QCC Warnings

Number of QCC reports with warnings

		Total number of occurrences of each warning										
		1	0	0	0	0	0	0	0	0		
Product Type	Product Start Time	QF	-	-	-	-	-	-	-	-		
SIR1SIN_0_	20170414T011350	х										
Test Description Key:												
Abbreviation	Test name	Test name		Details								
QF	QualityFlag	QualityFlag		The quality flag should be set to zero.								
7.3 Missing QCC Reports												
Number of products with missing QCC reports: 0												

0

1