


# IDEAS+ Daily Report for FDM data:

# <u>26/04/2017</u>

an aut Draduction Data	07 Apr 2017	Check	Status	
Report Production Date:	27-Apr-2017	Server check: science-pds.cryosat.esa.int	Nominal	
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
Processor used.	CryoSat ice Processor	Product Software Check	Nominal	
Data Used:	L1 and L2 Fast Delivery Marine (FDM)	Product Format Check	Nominal	
Data Used:	Mode and L0 Data	Product Header Analysis	See Section 4.2	
	·	Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8	
		LL		
lission / Instrument News				
25-Apr-2017 None				
26-Apr-2017 None				
27-Apr-2017 Nothing planner	l			



## 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

4. Level 0 Data Quality Check

### 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

4.2 L0 Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and S	PH in order to identify any inconsistencies	and/or errors raised by the processing chain.
Number of products with errors: 3		
	Test Failed	
CS_OPER_SIR1SIN_020170426T052658_20170426T053046_0001.HDR CS_OPER_SIR2SIN_020170426T005856_20170426T010035_0001.HDR		rs detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020170426T105559_20170426T105830_0001.HDR		rs detected greater than minimum acceptable threshold.
5   eve	el 1B FDM Data Quality C	heck
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ens	ure it consists of both an YML beader file.	(HDP) and a binany product file (IDPL)
Number of products with errors: 0		
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and S Number of products with errors: 0	PH in order to identify any inconsistencies	and/or errors raised by the ground-segment processing chain.
5.3 L1B FDM Star Tracker Usage Check		
Each product is checked in order to ensure a valid star tracker file has been used	in processing.	
Number of products with errors: 2		
	Test Failed	
CS_OFFL_SIR_FDM_1B_20170426T181608_20170426T181905_C001 CS_OFFL_SIR_FDM_1B_20170426T195534_20170426T195618_C001	No Star Tracker file used in the No Star Tracker file used in the	
5.4 L1B FDM Calibration Usage Check		
Each product is checked in order to ensure the necessary calibration files have be Number of products with errors: 0	een used in processing.	
5.5 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-de	etermined baseline and also to check the v	alidity of Auxiliary Data Files is correct.
Number of products with errors: 0		
5.6 L1B FDM Auxiliary Correction Error Check		
CryoSat L1B data includes a correction error flag (field 54) for each measurement	record. The bit value of this flag indicates	any problems when set.
Number of products with errors: 0		
5.7 L1B FDM Measurement Confidence Data Check		
CryoSat L1B data includes a measurement confidence flag (field 18) for each mea	asurement record. The bit value of this flag	indicates any problems when set.
Number of products with errors: 4		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20170426T102433_20170426T102448_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20170426T181608_20170426T181905_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170426T195251_20170426T195344_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20170426T195534_20170426T195618_C001	Attitude correction missing	The attitude has not been corrected
6. Lev	el 2 FDM Data Quality Cl	neck
6.1 L2 FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ens	ure it consists of both an XML header file	.HDR) and a binary product file (.DBL).
Number of products with errors: 0		
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and S	PH in order to identify any inconsistencies	and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
6.3 L2 FDM Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-de	etermined baseline and also to check the v	ralidity of Auxiliary Data Files is correct.
Number of products with errors: 0		
6.4 L2 FDM Auxiliary Correction Error Check		
Each product is checked to detect auxiliary corrections flagged by the ground-stat	ion processing chain as missing or contair	ing errors.
Number of products with errors: 36		
Product	Test Failed Sea State Bias Correction, Altimetric	Description There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220170425T233344_20170426T000207_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220170426T002622_20170426T003634_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

CS\_OFFL\_SIR\_FDM\_2\_\_20170426T004114\_20170426T004252\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T004256\_20170426T005844\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T013146\_20170426T014355\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T021106\_20170426T022037\_C001 CS OFFL SIR FDM 2 20170426T031646 20170426T032036 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T032053\_20170426T032359\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T040010\_20170426T041649\_C001 CS OFFL SIR FDM 2 20170426T053047 20170426T055625 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T070916\_20170426T073623\_C001 CS OFFL SIR FDM 2 20170426T074925 20170426T082351 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T083802\_20170426T083849\_C001 CS OFFL SIR FDM 2 20170426T092851 20170426T095113 C001 CS OFFL SIR FDM 2 20170426T095359 20170426T100310 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T104152\_20170426T105433\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T111409\_20170426T114102\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T115824\_20170426T120523\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T120546\_20170426T122939\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T131007\_20170426T131708\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T133846\_20170426T135413\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T140031\_20170426T141209\_C001 CS OFFL SIR FDM 2 20170426T144339 20170426T145907 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T152031\_20170426T152740\_C001 CS OFFL SIR FDM 2 20170426T152903 20170426T153350 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T160643\_20170426T162917\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T170838\_20170426T173159\_C001 CS OFFL SIR FDM 2 20170426T174536 20170426T181103 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T184140\_20170426T185408\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T192433\_20170426T194553\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T194556\_20170426T195141\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T200201\_20170426T200302\_C001 CS OFFL SIR FDM 2 20170426T201528 20170426T205007 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T210318\_20170426T210610\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T211235\_20170426T211340\_C001 CS OFFL SIR FDM 2 20170426T224228 20170426T225535 C001

Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction. Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction Sea State Bias Correction, Altimetric Wind Speed Sea State Bias Correction Sea State Bias Correction Sea State Bias Correction. Altimetric Wind Speed Sea State Bias Correction, Altimetric Wind Speed

Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

There is an error with the Altimetric Wind Speed and Sea State Bias

#### 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170426T102433_20170426T102448_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220170426T181608_20170426T181905_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170426T195251_20170426T195344_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220170426T195534_20170426T195618_C001	Attitude correction missing	The attitude has not been corrected

#### 6.6 L2 FDM Range Measurement Check

Number of products with errors:

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 25

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170426T002622_20170426T003634_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T004114_20170426T004252_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T004256_20170426T005844_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T013146_20170426T014355_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T021106_20170426T022037_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

	1	
CS_OFFL_SIR_FDM_220170426T031646_20170426T032036_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T032053_20170426T032359_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T040010_20170426T041649_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T053047_20170426T055625_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20170426T070916_20170426T073623_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T074925_20170426T082351_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T083802_20170426T083849_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T095359_20170426T100310_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T111409_20170426T114102_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T133846_20170426T135413_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T140031_20170426T141209_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T144339_20170426T145907_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T152031_20170426T152740_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T152903_20170426T153350_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T174536_20170426T181103_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T192433_20170426T194553_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T194556_20170426T195141_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T200201_20170426T200302_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T211235_20170426T211340_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T224228_20170426T225535_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

### 6.7 L2 FDM SWH and Backscatter Measurement Check

25

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20170426T004114_20170426T004252_C001		The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T013146_20170426T014355_C001	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20170426T031646_20170426T032036_C001	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T040010_20170426T041649_C001	Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20170426T070916_20170426T073623_C001		The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_220170426T095359_20170426T100310_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T111409_20170426T114102_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T133846_20170426T135413_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T140031_20170426T141209_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T144339_20170426T145907_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T152031_20170426T152740_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T152903_20170426T153350_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T174536_20170426T181103_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T192433_20170426T194553_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T194556_20170426T195141_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T200201_20170426T200302_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T211235_20170426T211340_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170426T224228_20170426T225535_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

#### 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors: 43

Product CS\_OFFL\_SIR\_FDM\_2\_\_20170426T002622\_20170426T003634\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T004114\_20170426T004252\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T004256\_20170426T005844\_C001 CS OFFL SIR FDM 2 20170426T013146 20170426T014355 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T021106\_20170426T022037\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T022312\_20170426T023752\_C001 CS OFFL SIR FDM 2 20170426T031646 20170426T032036 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T032053\_20170426T032359\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T040010\_20170426T041649\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T043040\_20170426T045508\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T053047\_20170426T055625\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T070916\_20170426T073623\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T074925\_20170426T082351\_C001 CS OFFL SIR FDM 2 20170426T083802 20170426T083849 C001 CS OFFL SIR FDM 2 20170426T092851 20170426T095113 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T095359\_20170426T100310\_C001 CS OFFL SIR FDM 2 20170426T101533 20170426T101934 C001 CS OFFL SIR FDM 2 20170426T104152 20170426T105433 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T110804\_20170426T111359\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T111409\_20170426T114102\_C001 CS OFFL SIR FDM 2 20170426T115824 20170426T120523 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T120546\_20170426T122939\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T131007\_20170426T131708\_C001 CS OFFL SIR FDM 2 20170426T133846 20170426T135413 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T140031\_20170426T141209\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T142707\_20170426T144159\_C001 CS OFFL SIR FDM 2 20170426T144339 20170426T145907 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170426T152031\_20170426T152740\_C001 CS OFFL SIR FDM 2 20170426T152903 20170426T153350 C001

Test Failed Ocean Retracking Quality Flag Ocean Retracking Quality Flag

The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

Description

CS_OFFL_SIR_FDM_220170426T160643_20170426T162917_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T170838_20170426T173159_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T174536_20170426T181103_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T184140_20170426T185408_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T185944_20170426T191106_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T192433_20170426T194553_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T194556_20170426T195141_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T200201_20170426T200302_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T201528_20170426T205007_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T211235_20170426T211340_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T215539_20170426T220417_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T220702_20170426T222921_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T224228_20170426T225535_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170426T230519_20170426T230958_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

# 7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	170	170	170	0	0
SIR1SAR_0_	125	125	125	0	0
SIR1SIN_0_	114	114	114	0	0
SIR2SIN_0_	120	120	120	0	0
SIR_FDM_1B	170	170	170	0	0
SIR_FDM_2	166	166	166	0	0

7.1 QCC Errors		
Number of QCC reports with errors:	0	
7.2 QCC Warnings		
Number of QCC reports with warnings	0	
7.3 Missing QCC Reports		
Number of products with missing QCC reports:	0	