




1. Overview


| Report Production Date: | 08-May-2017 |
|-------------------------|--|
| Processor Used: | CryoSat Ice Processor |
| Data Used: | L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data |


| Check | Status |
|---|--|
| Server check: science-pds.cryosat.esa.int | Nominal |
| Server check: calval-pds.cryosat.esa.int | Nominal |
| Product Software Check | Nominal |
| Product Format Check | Nominal |
| Product Header Analysis | See Section 4.2 |
| Star Tracker Usage Check | See Section 5.3 |
| Calibration Usage Check | Nominal |
| Auxiliary Data File Usage Check | Nominal |
| Auxiliary Correction Error Check | See Section 6.4 |
| Measurement Confidence Data Check | See Section 5.7, 6.5, 6.6, 6.7 and 6.8 |


| M | Mission / Instrument News | | |
|---|---------------------------|-----------------|--|
| (| 04-May-2017 | None | |
| (| 05-May-2017 | None | |
| (| 06-May-2017 | Nothing planned | |

2. Global Coverage









3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

| SIRAL instrument(s) in use: | SIRAL - A |
|-----------------------------|--------------------|
| Star Tracker(s) in use: | Star Tracker 1 & 2 |

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

0

4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

| Product | Test Failed |
|--|---|
| CS_OPER_SIR1SAR_020170505T175329_20170505T175906_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SAR_020170505T070015_20170505T070550_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SAR_0_20170505T023226_20170505T023921_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_020170505T023047_20170505T023052_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_020170505T022646_20170505T022704_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_020170505T123511_20170505T123630_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_020170505T023015_20170505T023041_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_020170505T023056_20170505T023226_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR1SIN_020170505T022708_20170505T022950_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |
| CS_OPER_SIR2SIN_020170505T091346_20170505T091433_0001.HDR | Percentage of processing errors detected greater than minimum acceptable threshold. |

5. Level 1B FDM Data Quality Check

5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

Number of products with errors:

| Product | Test Failed |
|---|---|
| CS_OFFL_SIR_FDM_1B_20170505T171351_20170505T171931_C001 | No Star Tracker file used in the processing of this product |
| CS_OFFL_SIR_FDM_1B_20170505T185351_20170505T185610_C001 | No Star Tracker file used in the processing of this product |
| CS_OFFL_SIR_FDM_1B_20170505T203420_20170505T203439_C001 | No Star Tracker file used in the processing of this product |

5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

Number of products with errors:

5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

| Product | Test Failed | Description |
|---|-----------------------------|-------------------------------------|
| CS_OFFL_SIR_FDM_1B_20170505T171351_20170505T171931_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_1B_20170505T185351_20170505T185610_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_1B_20170505T203420_20170505T203439_C001 | Attitude correction missing | The attitude has not been corrected |

6. Level 2 FDM Data Quality Check

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors: 0

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

| Product | Test Failed | Description |
|--|---|---|
| CS_OFFL_SIR_FDM_220170505T001307_20170505T001314_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more |
| CS_OFFL_SIR_FDM_220170505T010817_20170505T011948_C001 | Sea State Bias Correction, Altimetric | records There is an error with the Altimetric Wind Speed and Sea State Bias |
| CS_OFFL_SIR_FDM_220170505T012152_20170505T013725_C001 | Wind Speed Sea State Bias Correction, Altimetric | Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias |
| | Wind Speed | Correction for one or more records There is an error with the Sea State Bias Correction for one or more |
| CS_OFFL_SIR_FDM_2_20170505T015321_20170505T020541_C001 | Sea State Bias Correction | records |
| CS_OFFL_SIR_FDM_220170505T021022_20170505T022215_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T032944_20170505T035357_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T035400_20170505T035651_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T043053_20170505T045547_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T060935_20170505T063525_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T064900_20170505T070015_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T080849_20170505T081011_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T081211_20170505T081506_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T082819_20170505T090201_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T093447_20170505T095413_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T100723_20170505T104109_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T113208_20170505T113225_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T114739_20170505T120213_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T125548_20170505T131006_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T132632_20170505T134200_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T134401_20170505T135324_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T142105_20170505T143248_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T143821_20170505T144652_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T144720_20170505T145235_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T164508_20170505T170858_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T174219_20170505T175329_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T182356_20170505T185236_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T190041_20170505T190140_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T191549_20170505T194924_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T203934_20170505T203939_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T205503_20170505T210412_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T210625_20170505T212847_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T223327_20170505T230659_C001 | Sea State Bias Correction | There is an error with the Sea State Bias Correction for one or more records |
| CS_OFFL_SIR_FDM_220170505T232541_20170505T235709_C001 | Sea State Bias Correction, Altimetric Wind Speed | There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records |
| | | |

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

| Product | Test Failed | Description |
|---|-----------------------------|-------------------------------------|
| CS_OFFL_SIR_FDM_220170505T171351_20170505T171931_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_220170505T185351_20170505T185610_C001 | Attitude correction missing | The attitude has not been corrected |
| CS_OFFL_SIR_FDM_220170505T203420_20170505T203439_C001 | Attitude correction missing | The attitude has not been corrected |

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

| Product | Test Failed | Description |
|--|--------------------------|---|
| CS_OFFL_SIR_FDM_220170505T010817_20170505T011948_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T021022_20170505T0222215_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T043053_20170505T045547_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T060935_20170505T063525_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T100723_20170505T104109_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T113208_20170505T113225_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |

| CS_OFFL_SIR_FDM_220170505T114739_20170505T120213_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
|---|--------------------------|---|
| CS_OFFL_SIR_FDM_220170505T132632_20170505T134200_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T134401_20170505T135324_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T143821_20170505T144652_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T164508_20170505T170858_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T174219_20170505T175329_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T182356_20170505T185236_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T191549_20170505T194924_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T205503_20170505T210412_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |
| CS_OFFL_SIR_FDM_220170505T232541_20170505T235709_C001 | CFI Retracked Range Flag | The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records. |

6.7 L2 FDM SWH and Backscatter Measurement Check

16

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Test Failed Product Description The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag. SWH CS_OFFL_SIR_FDM_2__20170505T010817_20170505T011948_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T021022_20170505T022215_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T043053_20170505T045547_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T060935_20170505T063525_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T100723_20170505T104109_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T113208_20170505T113225_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag, SWH CS OFFL SIR FDM 2 20170505T114739 20170505T120213 C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be CFI Backscatter Status Flag, SWH CS OFFL SIR FDM 2 20170505T132632 20170505T134200 C001 Squared Averaging Status Flag ignored for these records The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS OFFL SIR FDM 2 20170505T134401 20170505T135324 C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS OFFL SIR FDM 2 20170505T143821 20170505T144652 C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag. SWH CS_OFFL_SIR_FDM_2__20170505T164508_20170505T170858_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag. SWH CS_OFFL_SIR_FDM_2__20170505T174219_20170505T175329_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ianored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T182356_20170505T185236_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag. SWH CS_OFFL_SIR_FDM_2__20170505T191549_20170505T194924_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T205503_20170505T210412_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records CFI Backscatter Status Flag, SWH CS_OFFL_SIR_FDM_2__20170505T232541_20170505T235709_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

| Product | Test Failed | Description |
|--|-------------------------------|--|
| CS_OFFL_SIR_FDM_220170505T001307_20170505T001314_C001 | Ocean Retracking Quality Flag | The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. |
| CS_OFFL_SIR_FDM_220170505T001626_20170505T002856_C001 | Ocean Retracking Quality Flag | The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. |
| CS_OFFL_SIR_FDM_220170505T010817_20170505T011948_C001 | Ocean Retracking Quality Flag | The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. |
| CS_OFFL_SIR_FDM_220170505T012152_20170505T013725_C001 | Ocean Retracking Quality Flag | The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. |
| CS_OFFL_SIR_FDM_2_20170505T015321_20170505T020541_C001 | Ocean Retracking Quality Flag | The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. |

CS_OFFL_SIR_FDM_2__20170505T021022_20170505T022215_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T032944 20170505T035357 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T035400_20170505T035651_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T043053_20170505T045547_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T052637 20170505T053801 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T060935_20170505T063525_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T074818_20170505T074953_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T093447 20170505T095413 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T100723_20170505T104109_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T110622_20170505T112902_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T113208 20170505T113225 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T114739_20170505T120213_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T120936 20170505T121716 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T121742_20170505T121812_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T125548_20170505T131006_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T132632 20170505T134200 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T134401_20170505T135324_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T142105_20170505T143248_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T143821 20170505T144652 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T152726_20170505T153043_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T160447_20170505T163145_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T164508_20170505T170858_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T174219 20170505T175329 C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T182356 20170505T185236 C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20170505T190041 20170505T190140 C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T191549_20170505T194924_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T205503_20170505T210412_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T223327_20170505T230659_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T232146_20170505T232411_C001 Ocean Retracking Quality Flag CS_OFFL_SIR_FDM_2__20170505T232541_20170505T235709_C001 Ocean Retracking Quality Flag

The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

| Product type | Nb. Products | Nb. QCC Reports | Nb. Valid | Nb. Warnings | Nb. Errors | |
|--------------|--------------|-----------------|-----------|--------------|------------|--|
| SIR1LRM_0_ | 158 | 158 | 158 | 0 | 0 | |
| SIR1SAR_0_ | 121 | 121 | 120 | 1 | 0 | |
| SIR1SIN_0_ | 105 | 105 | 100 | 5 | 0 | |
| SIR2SIN_0_ | 107 | 107 | 107 | 0 | 0 | |
| SIR_FDM_1B | 158 | 158 | 158 | 0 | 0 | |
| SIR_FDM_2 | 155 | 155 | 155 | 0 | 0 | |

7.1 QCC Errors

Number of QCC reports with errors:

0

7.2 QCC Warnings

Number of QCC reports with warnings

6

| Total number | of | occurrences | of | each | warning |
|--------------|----|-------------|----|------|---------|
| | | | | | |

| | | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------|--------------------|----|---|---|---|---|---|---|---|---|
| Product Type | Product Start Time | QF | - | - | - | - | - | - | - | - |
| SIR1SAR_0_ | 20170505T023226 | Х | | | | | | | | |
| SIR1SIN_0_ | 20170505T022646 | x | | | | | | | | |
| SIR1SIN_0_ | 20170505T022708 | х | | | | | | | | |
| SIR1SIN_0_ | 20170505T023015 | x | | | | | | | | |
| SIR1SIN_0_ | 20170505T023047 | x | | | | | | | | |
| SIR1SIN_0_ | 20170505T023056 | x | | | | | | | | |

| Test Description Key: | | | | |
|-----------------------|-------------|---|--|--|
| Abbreviation | Test name | Details | | |
| QF | QualityFlag | The quality flag should be set to zero. | | |

7.3 Missing QCC Reports