

IDEAS+ Daily Report for FDM data:


<u>31/05/2017</u>



1. Overview

Depart Production Deter	01-Jun-2017	Check	Status	
Report Production Date:		Server check: science-pds.cryosat.esa.int	Nominal	
Durana an Uranda	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
Processor Used:		Product Software Check	Nominal	
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal	
		Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8	

Mission / Instru	Mission / Instrument News		
30-May-2017	None		
31-May-2017	SIRAL unavailability on 31-May-2017 from 11:57:41 to 13:44:30 due to a planned orbit manoeuvre.		
01-Jun-2017	Nothing planned		



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

4.2 L0 Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and S	PH in order to identify any inconsistencie	es and/or errors raised by the processing chain.
Number of products with errors: 5		
Product	Test Failed	
CS_OPER_SIR1SAR_020170531T052341_20170531T052455_0001.HDR		rors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020170531T164840_20170531T165838_0001.HDR		rors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020170531T061459_20170531T061722_0001.HDR CS_OPER_SIR1SIN_0_20170531T033459_20170531T033834_0001.HDR		rors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020170531T065324_20170531T065455_0001.HDR		rors detected greater than minimum acceptable threshold.
5. Leve	el 1B FDM Data Quality (Check
5.1 L1B FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ens	sure it consists of both an XML beader file	(HDR) and a binary product file (DBI)
Number of products with errors: 0		
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and S Number of products with errors: 0	PH in order to identify any inconsistencie	and/or errors raised by the ground-segment processing chain.
5.3 L1B FDM Star Tracker Usage Check		
Each product is checked in order to ensure a valid star tracker file has been used	i in processing.	
Number of products with errors: 4		
Product	Test Failed	
CS_OFFL_SIR_FDM_1B_20170531T163850_20170531T164618_C001	No Star Tracker file used in th	
CS_OFFL_SIR_FDM_1B_20170531T182251_20170531T182346_C001	No Star Tracker file used in th	
CS_OFFL_SIR_FDM_1B_20170531T200200_20170531T200311_C001 CS_OFFL_SIR_FDM_1B_20170531T214338_20170531T214455_C001	No Star Tracker file used in the	
5.4 L1B FDM Calibration Usage Check		
Each product is checked in order to ensure the necessary calibration files have be Number of products with errors: 0	en usea in processing.	
5.5 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-de Number of products with errors: 0	etermined baseline and also to check the	validity of Auxiliary Data Files is correct.
5.6 L1B FDM Auxiliary Correction Error Check		
CryoSat L1B data includes a correction error flag (field 54) for each measurement	t record. The hit value of this flag indicate	a any problems when set
Number of products with errors: 0		s any problems when set.
5.7 L1B FDM Measurement Confidence Data Check		
CryoSat L1B data includes a measurement confidence flag (field 18) for each me	asurement record. The bit value of this fla	ag indicates any problems when set.
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20170531T163850_20170531T164618_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170531T182251_20170531T182346_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170531T200200_20170531T200311_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170531T214338_20170531T214455_C001	Attitude correction missing	The attitude has not been corrected
6. Lev	el 2 FDM Data Quality C	Check
6.1 L2 FDM Product Format Check		
Each product, retrieved and unpacked from the science server, is checked to ens	sure it consists of both an XML beader file	(HDR) and a binany product file (DRI)
Number of products with errors: 0		
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and S	PH in order to identify any inconsistencie	es and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
Number of products with errors: 0 6.3 L2 FDM Auxiliary Data File Usage Check		
	etermined baseline and also to check the	validity of Auxiliary Data Files is correct.

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

			errors:

30

Product
CS_OFFL_SIR_FDM_220170531T001412_20170531T001550_C001
CS_OFFL_SIR_FDM_220170531T003840_20170531T004906_C001
CS_OFFL_SIR_FDM_220170531T005045_20170531T010459_C001
CS_OFFL_SIR_FDM_220170531T013944_20170531T014257_C001
CS_OFFL_SIR_FDM_220170531T014420_20170531T015129_C001
CS_OFFL_SIR_FDM_220170531T022306_20170531T024336_C001
CS_OFFL_SIR_FDM_220170531T025833_20170531T032458_C001
CS_OFFL_SIR_FDM_220170531T034731_20170531T034833_C001
CS_OFFL_SIR_FDM_220170531T040004_20170531T042345_C001
CS_OFFL_SIR_FDM_220170531T043811_20170531T044909_C001
CS_OFFL_SIR_FDM_220170531T055732_20170531T060311_C001
CS_OFFL_SIR_FDM_220170531T061722_20170531T065101_C001
CS_OFFL_SIR_FDM_220170531T070426_20170531T070520_C001
CS_OFFL_SIR_FDM_220170531T073409_20170531T074212_C001
CS_OFFL_SIR_FDM_220170531T075712_20170531T081846_C001
CS_OFFL_SIR_FDM_220170531T082131_20170531T083051_C001
CS_OFFL_SIR_FDM_220170531T090151_20170531T090738_C001
CS_OFFL_SIR_FDM_220170531T093634_20170531T100932_C001
CS_OFFL_SIR_FDM_220170531T103249_20170531T105711_C001
CS_OFFL_SIR_FDM_220170531T111542_20170531T113205_C001
CS_OFFL_SIR_FDM_220170531T113209_20170531T114420_C001
CS_OFFL_SIR_FDM_220170531T134800_20170531T135511_C001
CS_OFFL_SIR_FDM_220170531T153509_20170531T155903_C001
CS_OFFL_SIR_FDM_220170531T161357_20170531T163845_C001
CS_OFFL_SIR_FDM_220170531T175210_20170531T181826_C001
CS_OFFL_SIR_FDM_220170531T184305_20170531T191655_C001
CS_OFFL_SIR_FDM_220170531T194012_20170531T194731_C001
CS_OFFL_SIR_FDM_220170531T202307_20170531T203148_C001
CS_OFFL_SIR_FDM_220170531T203434_20170531T205603_C001
CS_OFFL_SIR_FDM_220170531T213309_20170531T213715_C001

Test Failed	Description
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 4

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170531T163850_20170531T164618_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170531T182251_20170531T182346_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170531T200200_20170531T200311_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170531T214338_20170531T214455_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 19

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170531T001412_20170531T001550_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T003840_20170531T004906_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T005045_20170531T010459_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T013944_20170531T014257_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T014420_20170531T015129_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T022306_20170531T024336_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T034731_20170531T034833_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_OFFL_SIR_FDM_220170531T040004_20170531T042345_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T093634_20170531T100932_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T111542_20170531T113205_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T113209_20170531T114420_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T134800_20170531T135511_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T161357_20170531T163845_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T175210_20170531T181826_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T184305_20170531T191655_C001		The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T194012_20170531T194731_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T202307_20170531T203148_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T203434_20170531T205603_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T213309_20170531T213715_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Check

19

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170531T001412_20170531T001550_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T003840_20170531T004906_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T005045_20170531T010459_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T013944_20170531T014257_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T014420_20170531T015129_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T022306_20170531T024336_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T034731_20170531T034833_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T040004_20170531T042345_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T093634_20170531T100932_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T111542_20170531T113205_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T113209_20170531T114420_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T134800_20170531T135511_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T161357_20170531T163845_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T175210_20170531T181826_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T184305_20170531T191655_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T194012_20170531T194731_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T202307_20170531T203148_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T203434_20170531T205603_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170531T213309_20170531T213715_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170530T235920_20170531T001156_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more record
CS_OFFL_SIR_FDM_220170531T001412_20170531T001550_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more record
CS_OFFL_SIR_FDM_220170531T003840_20170531T004906_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more record
CS_OFFL_SIR_FDM_220170531T005045_20170531T010459_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more record
CS_OFFL_SIR_FDM_220170531T012852_20170531T013316_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more record
CS_OFFL_SIR_FDM_220170531T013944_20170531T014257_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more recom-
CS_OFFL_SIR_FDM_220170531T014420_20170531T015129_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more recom-
CS_OFFL_SIR_FDM_220170531T022306_20170531T024336_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more recor
CS_OFFL_SIR_FDM_220170531T025833_20170531T032458_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more recor
CS_OFFL_SIR_FDM_220170531T034731_20170531T034833_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more recor
CS_OFFL_SIR_FDM_220170531T040004_20170531T042345_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more recor
CS_OFFL_SIR_FDM_220170531T053422_20170531T055508_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more record
CS_OFFL_SIR_FDM_220170531T061722_20170531T065101_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more reco
CS_OFFL_SIR_FDM_220170531T072711_20170531T073355_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more reco
CS_OFFL_SIR_FDM_220170531T075712_20170531T081846_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Or Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T082131_20170531T083051_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
CS_OFFL_SIR_FDM_220170531T084230_20170531T084704_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T093634_20170531T100932_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
CS_OFFL_SIR_FDM_220170531T103249_20170531T105711_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T111542_20170531T113205_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T113209_20170531T114420_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T134800_20170531T135511_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T135633_20170531T142014_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T143434_20170531T145811_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T161357_20170531T163845_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T175210_20170531T181826_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T184305_20170531T191655_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T194012_20170531T194731_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T194737_20170531T195002_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
CS_OFFL_SIR_FDM_220170531T202307_20170531T203148_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI O Retracker was not successfully executed for one or more reco
CS_OFFL_SIR_FDM_220170531T203434_20170531T205603_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Or Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T212446_20170531T213214_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ou Retracker was not successfully executed for one or more reco
S_OFFL_SIR_FDM_220170531T213309_20170531T213715_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Oc Retracker was not successfully executed for one or more reco

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	123	123	123	0	0
SIR1SAR_0_	87	87	87	0	0
SIR1SIN_0_	87	87	87	0	0
SIR2SIN_0_	92	92	92	0	0
SIR_FDM_1B	123	123	123	0	0
SIR_FDM_2	122	122	122	0	0
7.1 QCC Errors Number of QCC reports with er	rors: 0				
7.2 QCC Warnings					

7.3 Missing QCC Reports

Number of products with missing QCC reports:

0