


# IDEAS+ Daily Report for FDM data:

## <u>27/08/2017</u>

Report Production Date:	20 Aug 2017	Check	Status	
Report Production Date:	30-Aug-2017	Server check: science-pds.cryosat.esa.int	Nominal	
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
Processor Used.		Product Software Check	Nominal	
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal	
Data Oseu.		Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8	

mission / misu unient news				
26-Aug-2017	None			
27-Aug-2017	None			
28-Aug-2017	Nothing planned			



### 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

### 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of	products	with errors:
-----------	----------	--------------

### 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

 Number of products with errors:
 3

Product	Test Failed
CS_OPER_SIR1SAR_020170827T214218_20170827T214848_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020170827T164527_20170827T165314_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020170827T014653_20170827T014735_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

### 5. Level 1B FDM Data Quality Check

### 5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL) Number of products with errors:

### 5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors:

### 5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

3

N	lum	ber	of	proc	lucts	s witl	h error	s:
---	-----	-----	----	------	-------	--------	---------	----

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20170827T113542_20170827T114135_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20170827T145615_20170827T145643_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20170827T182029_20170827T182040_C001	No Star Tracker file used in the processing of this product

### 5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing

0

Number of products with errors:

### 5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors:

### 5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set

Number of products with errors:

### 5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set. 5

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20170827T002102_20170827T002631_C001		The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20170827T113542_20170827T114135_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170827T145615_20170827T145643_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170827T182029_20170827T182040_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170827T192552_20170827T193914_C001		The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo

## 6. Level 2 FDM Data Quality Check

### 6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

#### Number of products with errors:

### 6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors:

### 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors:

### 6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors: 42 Product Test Failed Description Sea State Bias Correction, Altimetric There is an error with the Altimetric Wind Speed and Sea State Bias CS OFFL SIR FDM 2 20170827T003121 20170827T005539 C001 Wind Speed Correction for one or more records Sea State Bias Correction, Altimetric There is an error with the Altimetric Wind Speed and Sea State Bias CS\_OFFL\_SIR\_FDM\_2\_\_20170827T015658\_20170827T020147\_C001 Wind Speed Correction for one or more records There is an error with the Sea State Bias Correction for one or more CS OFFL SIR FDM 2 20170827T021013 20170827T021147 C001 Sea State Bias Correction records

CS\_OFFL\_SIR\_FDM\_2\_\_20170827T023044\_20170827T023206\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T023406\_20170827T023415\_C001 CS OFFL SIR FDM 2 20170827T033917 20170827T033919 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T043026\_20170827T050602\_C001 CS OFFL SIR FDM 2 20170827T061013 20170827T061751 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T061755\_20170827T062413\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T063131\_20170827T064556\_C001 CS OFFL SIR FDM 2 20170827T065826 20170827T071549 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T071743\_20170827T073202\_C001 CS OFFL SIR FDM 2 20170827T074910 20170827T080355 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T080556\_20170827T081519\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T083738\_20170827T085443\_C001 CS OFFL SIR FDM 2 20170827T090014 20170827T090855 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T094849\_20170827T095210\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T101727\_20170827T102607\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T102641\_20170827T105245\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T110907\_20170827T113211\_C001 CS OFFL SIR FDM 2 20170827T120450 20170827T121524 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T122102\_20170827T123124\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T124744\_20170827T131512\_C001 CS OFFL SIR FDM 2 20170827T131841 20170827T132537 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T133742\_20170827T140929\_C001 CS OFFL SIR FDM 2 20170827T150128 20170827T150134 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T151635\_20170827T152536\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T152820\_20170827T154935\_C001 CS OFFL SIR FDM 2 20170827T165314 20170827T172815 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T183129\_20170827T184613\_C001 CS OFFL SIR FDM 2 20170827T185054 20170827T190748 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T192552\_20170827T193914\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T194128\_20170827T195837\_C001 CS OFFL SIR FDM 2 20170827T202051 20170827T202929 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T202932\_20170827T203113\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T203253\_20170827T204638\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T210317\_20170827T210422\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T212036\_20170827T212506\_C001 CS OFFL SIR FDM 2 20170827T212749 20170827T213338 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T213500\_20170827T213704\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170827T220447\_20170827T222457\_C001 CS OFFL SIR FDM 2 20170827T234056 20170828T000434 C001

Sea State Bias Correction, Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction Sea State Bias Correction Sea State Bias Correction. Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction Sea State Bias Correction. Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction Sea State Bias Correction, Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, A Wind Speed Sea State Bias Correction Sea State Bias Correction, A Wind Speed Sea State Bias Correction. Wind Speed Sea State Bias Correction, Wind Speed Sea State Bias Correction, A Wind Speed

A 14	
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
	records There is an error with the Sea State Bias Correction for one or more
Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
	Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	There is an error with the Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
	There is an error with the Sea State Bias Correction for one or more
Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
, autricult	Correction for one or more records

### 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors: 5

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170827T002102_20170827T002631_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220170827T113542_20170827T114135_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170827T145615_20170827T145643_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170827T182029_20170827T182040_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170827T192552_20170827T193914_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo

### 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 28

Product	Test Failed	Description
		The master fail flag is set by the CFI call, for one or more records,
CS_OFFL_SIR_FDM_220170827T003121_20170827T005539_C001	5 S	indicating the values stored in fields #13, #14, #15 and #16 should be
		ignored for these records.

CS_OFFL_SIR_FDM_220170827T015658_20170827T020147_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T023406_20170827T023415_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T043026_20170827T050602_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T061013_20170827T061751_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T061755_20170827T062413_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T063131_20170827T064556_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T065826_20170827T071549_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T071743_20170827T073202_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T074910_20170827T080355_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T080556_20170827T081519_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T083738_20170827T085443_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T094849_20170827T095210_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T101727_20170827T102607_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T102641_20170827T105245_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T124744_20170827T131512_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T131841_20170827T132537_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T133742_20170827T140929_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T151635_20170827T152536_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T183129_20170827T184613_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T185054_20170827T190748_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T194128_20170827T195837_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T202051_20170827T202929_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T203253_20170827T204638_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T212749_20170827T213338_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T213500_20170827T213704_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T220447_20170827T222457_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T234056_20170828T000434_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

### 6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 28 Test Failed Description Product The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag, SWH CS\_OFFL\_SIR\_FDM\_2\_\_20170827T003121\_20170827T005539\_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag, SWH CS\_OFFL\_SIR\_FDM\_2\_\_20170827T015658\_20170827T020147\_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, CFI Backscatter Status Flag, SWH CS\_OFFL\_SIR\_FDM\_2\_\_20170827T023406\_20170827T023415\_C001 indicating the values stored in fields #41, #42, #43 and #44 should be Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be CFI Backscatter Status Flag, SWH CS\_OFFL\_SIR\_FDM\_2\_\_20170827T043026\_20170827T050602\_C001 Squared Averaging Status Flag ignored for these records. The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be CFI Backscatter Status Flag, SWH Squared Averaging Status Flag CS\_OFFL\_SIR\_FDM\_2\_\_20170827T061013\_20170827T061751\_C001 ignored for these records.

CS_OFFL_SIR_FDM_220170827T061755_20170827T062413_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T063131_20170827T064556_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T065826_20170827T071549_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T071743_20170827T073202_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T074910_20170827T080355_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T080556_20170827T081519_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T083738_20170827T085443_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T094849_20170827T095210_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T101727_20170827T102607_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T102641_20170827T105245_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T124744_20170827T131512_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T131841_20170827T132537_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T133742_20170827T140929_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T151635_20170827T152536_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T183129_20170827T184613_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T185054_20170827T190748_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T194128_20170827T195837_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T202051_20170827T202929_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T203253_20170827T204638_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T212749_20170827T213338_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T213500_20170827T213704_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T220447_20170827T222457_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170827T234056_20170828T000434_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

## 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 42

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170827T003121_20170827T005539_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T015658_20170827T020147_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T021013_20170827T021147_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T023406_20170827T023415_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T025141_20170827T032639_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T043026_20170827T050602_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T052817_20170827T055057_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T061013_20170827T061751_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T061755_20170827T062413_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T063131_20170827T064556_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T065826_20170827T071549_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T071743_20170827T073202_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T074910_20170827T080355_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T080556_20170827T081519_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

CS_OFFL_SIR_FDM_220170827T083738_20170827T085443_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T090014_20170827T090855_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T094849_20170827T095210_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T101727_20170827T102607_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T102641_20170827T105245_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T110907_20170827T113211_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T120450_20170827T121524_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T122102_20170827T123124_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T124744_20170827T131512_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T131841_20170827T132537_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T133742_20170827T140929_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T151635_20170827T152536_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T165314_20170827T172815_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T174737_20170827T181921_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T183129_20170827T184613_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T185054_20170827T190748_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T192552_20170827T193914_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T194128_20170827T195837_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T202051_20170827T202929_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T202932_20170827T203113_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T203253_20170827T204638_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T210929_20170827T211544_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T212036_20170827T212506_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T212749_20170827T213338_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T213500_20170827T213704_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T220447_20170827T222457_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T224132_20170827T230426_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170827T234056_20170828T000434_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

# 7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	147	147	147	0	0
SIR1SAR_0_	98	98	98	0	0
SIR1SIN_0_	98	98	98	0	0
SIR2SIN_0_	106	106	106	0	0
SIR_FDM_1B	147	147	147	0	0
SIR FDM 2	144	144	144	0	0

Number of QCC reports with errors:	0
7.2 QCC Warnings	
Number of QCC reports with warnings	0
7.3 Missing QCC Reports	
Number of products with missing QCC reports:	0