


# IDEAS+ Daily Report for FDM data:

# <u>15/09/2017</u>

an aut Duaduation Data	10 Con 2017	Check	Status
Report Production Date:	18-Sep-2017	Server check: science-pds.cryosat.esa.int	Nominal
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal
Processor Used.		Product Software Check	Nominal
Dete Head	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal
Data Used:		Product Header Analysis	See Section 4.2
		Star Tracker Usage Check	See Section 5.3
		Calibration Usage Check	Nominal
		Auxiliary Data File Usage Check	Nominal
		Auxiliary Correction Error Check	See Section 6.4
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8

15-Sep-2017None16-Sep-2017Nothing planned



## 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

## 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

### 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain. Number of products with errors: 11

Product	Test Failed
CS_OPER_SIR1SAR_020170915T040453_20170915T041508_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_0_20170915T131804_20170915T132144_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_0_20170915T110231_20170915T110807_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_0_20170915T063529_20170915T063615_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170915T220407_20170915T220755_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170915T103849_20170915T104309_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170915T022323_20170915T022345_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170915T003217_20170915T003401_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_020170915T190411_20170915T190753_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020170915T104815_20170915T105104_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020170915T103849_20170915T104259_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

## 5. Level 1B FDM Data Quality Check

## 5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

#### 5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors:

### 5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

3

### Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20170915T102830_20170915T102915_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20170915T134224_20170915T134350_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20170915T165914_20170915T170653_C001	No Star Tracker file used in the processing of this product

# 5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing. 0

Number of products with errors:

### 5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

## Number of products with errors:

#### 5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors:

## 5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

#### Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20170915T102830_20170915T102915_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170915T104513_20170915T104815_C001	Echo error, TRK echo error	The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20170915T134224_20170915T134350_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20170915T165914_20170915T170653_C001	Attitude correction missing	The attitude has not been corrected

# 6. Level 2 FDM Data Quality Check

#### 6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). 0 Number of products with errors:

#### 6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

#### 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors: 0

### 6.4 L2 FDM Auxiliary Correction Error Check

lumber of	f produ	cts with	n errors:	
-----------	---------	----------	-----------	--

Product CS\_OFFL\_SIR\_FDM\_2\_\_20170915T004408\_20170915T005240\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T005523\_20170915T010456\_C001 CS OFFL SIR FDM 2 20170915T011751 20170915T012122 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T024408\_20170915T025952\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T031738\_20170915T035258\_C001 CS\_OFEL\_SIR\_EDM\_2\_\_20170915T042024\_20170915T043803\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T045717\_20170915T051658\_C001 CS OFFL SIR FDM 2 20170915T051836 20170915T053256 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T054455\_20170915T060339\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T063615\_20170915T065107\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T065308\_20170915T070230 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T072346\_20170915T074150\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T075745\_20170915T075913\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T081603\_20170915T083012\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T090433\_20170915T090646\_C001 CS OFFL SIR FDM 2 20170915T090755 20170915T092209 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T092212\_20170915T093937\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T103002\_20170915T103222\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T105104\_20170915T110231\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T113507\_20170915T120214\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T120545\_20170915T121237\_C001 CS OFFL SIR FDM 2 20170915T122523 20170915T125616 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T140401\_20170915T143635\_C001 CS\_OFFL\_SIR\_EDM\_2\_\_20170915T154029\_20170915T161528\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T163318\_20170915T165859\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T171858\_20170915T173320\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T173801\_20170915T175451\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T182835\_20170915T184800\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T190753\_20170915T191346\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T191349\_20170915T191724\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T195031\_20170915T195124\_C001 CS OFFL SIR FDM 2 20170915T200927 20170915T201212 C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T201334\_20170915T202045\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T202208\_20170915T202422\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T205359\_20170915T205433\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T221528\_20170915T221749\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T222741\_20170915T225129\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T230739\_20170915T231826\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T235336\_20170915T235358\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T235450\_20170915T235511\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20170915T235534\_20170916T000157\_C001

Test Failed		Description There is an e
Sea State Bias Co		records
Sea State Blas Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
	orrection, Altimetric	There is an e Correction fo
	orrection, Altimetric	There is an e Correction fo
	orrection, Altimetric	There is an e Correction fo
•	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co	orrection	There is an e records
	orrection, Altimetric	There is an e
	orrection, Altimetric	Correction fo There is an e
Wind Speed		Correction fo There is an e
Sea State Bias Co		records There is an e
Wind Speed	orrection, Altimetric	Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co	orrection	There is an e records
Sea State Bias Co	orrection	There is an e records
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co	orrection	There is an e records
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co	orrection, Altimetric	There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed	,	Correction fo There is an e
Sea State Bias Co		records
Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co	orrection, Altimetric	There is an e
	orrection, Altimetric	Correction fo There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed	orrection, Altimetric	Correction fo There is an e
Wind Speed	orrection, Altimetric	Correction fo
Sea State Bias Co	orrection	There is an e records
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co	orrection, Altimetric	There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed Sea State Bias Co	orrection, Altimetric	Correction fo There is an e
Wind Speed		Correction fo
Wind Speed	orrection, Altimetric	There is an e Correction fo
Sea State Bias Co Wind Speed	orrection, Altimetric	There is an e Correction fo

Description
There is an error with the Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Sea State Bias Correction for one or more
records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Sea State Bias Correction for one or more
records
There is an error with the Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Sea State Bias Correction for one or more
records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Sea State Bias Correction for one or more
records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Sea State Bias Correction for one or more
records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Correction for one or more records
There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

### 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

#### Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170915T102830_20170915T102915_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170915T104513_20170915T104815_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220170915T134224_20170915T134350_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220170915T165914_20170915T170653_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_2201709151165914_201709151170653_C001	Attitude correction missing	I he attitude has not been corrected

#### 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 26

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170915T005523_20170915T010456_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T031738_20170915T035258_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T042024_20170915T043803_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T045717_20170915T051658_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T051836_20170915T053256_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T054455_20170915T060339_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T065308_20170915T070230_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T072346_20170915T074150_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T081603_20170915T083012_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T090433_20170915T090646_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T103002_20170915T103222_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T113507_20170915T120214_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T120545_20170915T121237_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T122523_20170915T125616_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T154029_20170915T161528_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T173801_20170915T175451_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T182835_20170915T184800_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T190753_20170915T191346_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T191349_20170915T191724_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T200927_20170915T201212_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T201334_20170915T202045_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T202208_20170915T202422_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T221528_20170915T221749_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T222741_20170915T225129_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T230739_20170915T231826_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T235534_20170916T000157_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

## 6.7 L2 FDM SWH and Backscatter Measurement Check

26

Number of products with errors:

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170915T005523_20170915T010456_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T031738_20170915T035258_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T042024_20170915T043803_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T045717_20170915T051658_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T051836_20170915T053256_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T054455_20170915T060339_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

CS_OFFL_SIR_FDM_220170915T065308_201	70915T070230_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T072346_201	70915T074150_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T081603_201	70915T083012_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T090433_201	70915T090646_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T103002_201	70915T103222_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T113507_201	70915T120214_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T120545_201	70915T121237_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T122523_201	70915T125616_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T154029_201	70915T161528_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T173801_201	70915T175451_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T182835_201	70915T184800_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T190753_201	70915T191346_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T191349_201	70915T191724_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T200927_201	70915T201212_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T201334_201	70915T202045_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T202208_201	70915T202422_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T221528_201	70915T221749_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T222741_201	70915T225129_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T230739_201	70915T231826_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220170915T235534_201	70916T000157_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

## 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 46

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220170915T004408_20170915T005240_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T005523_20170915T010456_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T013918_20170915T021141_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T022345_20170915T022539_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T024408_20170915T025952_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T031738_20170915T035258_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T041508_20170915T041929_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T042024_20170915T043803_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T045717_20170915T051658_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T051836_20170915T053256_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T054455_20170915T060339_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T060635_20170915T061836_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T063615_20170915T065107_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T065308_20170915T070230_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T072346_20170915T074150_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T081603_20170915T083012_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T090433_20170915T090646_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T090755_20170915T092209_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T092212_20170915T093937_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220170915T103002_20170915T103222_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T103239_20170915T103257_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T105104_20170915T110231_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T113507_20170915T120214_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T120545_20170915T121237_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T122523_20170915T125616_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T140401_20170915T143635_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T152837_20170915T152942_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T154029_20170915T161528_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T163318_20170915T165859_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T165914_20170915T170653_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T171858_20170915T173320_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T173801_20170915T175451_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T182835_20170915T184800_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T190753_20170915T191346_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T191349_20170915T191724_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T192000_20170915T193343_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T200927_20170915T201212_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T201334_20170915T202045_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T202208_20170915T202422_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T205359_20170915T205433_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T205648_20170915T211228_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T212848_20170915T215250_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T221528_20170915T221749_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T222741_20170915T225129_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T230739_20170915T231826_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220170915T235534_20170916T000157_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

# 7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	141	141	141	0	0
SIR1SAR_0_	97	97	97	0	0
SIR1SIN_0_	109	109	109	0	0
SIR2SIN_0_	113	113	113	0	0
SIR_FDM_1B	141	141	141	0	0
SIR FDM 2	141	141	141	0	0

7.1 QCC Errors	
Number of QCC reports with errors:	0
7.2 QCC Warnings	
Number of QCC reports with warnings	0
7.3 Missing QCC Reports	
Number of products with missing QCC reports:	0