

# IDEAS+ Daily Report for FDM data:

# <u>27/12/2017</u>


See Section 5.7, 6.5, 6.6, 6.7 and 6.8



Benert Breduction Deter	04-Jan-2018	Check	Status	
Report Production Date:		Server check: science-pds.cryosat.esa.int	Nominal	
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
Processor Used.		Product Software Check	Nominal	
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal	
Data Oseu.		Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	

Measurement Confidence Data Check

Mission / Instru	iment News
26-Dec-2017	None
27-Dec-2017	L0 data missing on 27/12/2017 due to an unplanned ground segment anomaly: 12:31:19 - 12:44:19 (SAR & SARIn); 12:44:19 - 17:33:04 (all modes).
28-Dec-2017	Nothing planned



## 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

### 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

#### 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

 Number of products with errors:
 6

Product	Test Failed
CS_OPER_SIR1SAR_020171227T154653_20171227T155034_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020171227T025306_20171227T025524_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_0_20171227T210118_20171227T210506_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20171227T091228_20171227T091324_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_0_20171227T141400_20171227T141615_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020171227T014552_20171227T015204_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

## 5. Level 1B FDM Data Quality Check

#### 5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

## 5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

#### 5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

Number of products	with errors:	3

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20171227T054658_20171227T055342_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20171227T072926_20171227T073037_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20171227T123245_20171227T123413_C001	No Star Tracker file used in the processing of this product

#### 5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

 Number of products with errors:
 0

3

#### 5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
Number of products with errors:
0

#### 5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

#### 5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20171227T054658_20171227T055342_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20171227T072926_20171227T073037_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20171227T123245_20171227T123413_C001	Attitude correction missing	The attitude has not been corrected

## 6. Level 2 FDM Data Quality Check

#### 6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

#### 6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

#### 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

## 6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors: 29

CS_OFFL_SIR_FDM_2_201712267233910_20171227T000336_C001       Sea State Bias Correction, Altimetric       There is an error with the Altimetric Wind Speed and Sea State Bias         CS_OFFL_SIR_FDM_2_20171227T002210_20171227T003802_C001       Sea State Bias Correction, Altimetric       There is an error with the Altimetric Wind Speed and Sea State Bias         CS_OFFL_SIR_FDM_2_20171227T002210_20171227T003802_C001       Wind Speed       There is an error with the Altimetric Wind Speed and Sea State Bias	Product	Test Failed	Description
CS DEEL SIR EDM 2 201712271002210 201712271003802 C001			
	CS OFFL SIR FDM 2 201712271002210 201712271003802 C001		
CS_OFFL_SIR_FDM_2_20171227T003805_20171227T003926_C001 Sea State Bias Correction, Altimetric Wind Speed and Sea State Bias Correction for one or more records	CS OFFL SIR FDM 2 201712271003805 201712271003926 C001		

CS_OFFL_SIR_FDM_220171227T004407_20171227T005207_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T011214_20171227T012806_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T020116_20171227T021555_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T021734_20171227T023213_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T025524_20171227T030520_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T043921_20171227T044241_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T052007_20171227T054520_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T063340_20171227T064332_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T065923_20171227T072709_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T073452_20171227T073657_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T074950_20171227T082311_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T084207_20171227T084329_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T091325_20171227T091614_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T092918_20171227T093810_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T103922_20171227T104351_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T110805_20171227T114127_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T120011_20171227T123119_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T183332_20171227T184353_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T184931_20171227T190619_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T192912_20171227T194113_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T201258_20171227T204539_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T205908_20171227T210005_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T215142_20171227T221330_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T221503_20171227T222545_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T225517_20171227T231443_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220171227T233121_20171228T000356_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

## 6.5 L2 FDM Measurement Confidence Data Check

3

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220171227T054658_20171227T055342_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220171227T072926_20171227T073037_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220171227T123245_20171227T123413_C001	Attitude correction missing	The attitude has not been corrected

#### 6.6 L2 FDM Range Measurement Check

Number of products with errors:

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 16

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220171227T002210_20171227T003802_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T003805_20171227T003926_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T004407_20171227T005207_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T020116_20171227T021555_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T021734_20171227T023213_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T025524_20171227T030520_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T052007_20171227T054520_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T063340_20171227T064332_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T065923_20171227T072709_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T073452_20171227T073657_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T110805_20171227T114127_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_0FFL_SIR_FDM_220171227T192912_20171227T194113_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T201258_20171227T204539_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T215142_20171227T221330_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T221503_20171227T222545_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T233121_20171228T000356_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

#### 6.7 L2 FDM SWH and Backscatter Measurement Check

16

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_2_20171227T002210_20171227T003802_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20171227T003805_20171227T003926_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20171227T004407_20171227T005207_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T020116_20171227T021555_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T021734_20171227T023213_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T025524_20171227T030520_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T052007_20171227T054520_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T063340_20171227T064332_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T065923_20171227T072709_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T073452_20171227T073657_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T110805_20171227T114127_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T192912_20171227T194113_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T201258_20171227T204539_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20171227T215142_20171227T221330_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220171227T221503_20171227T222545_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20171227T233121_20171228T000356_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

## 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors: 27

Product	Test Failed	Description
Floude	Test Falleu	
CS OFFL SIR FDM 2 20171227T002210 20171227T003802 C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
		Retracker was not successfully executed for one or more records.
CS OFFL SIR FDM 2 20171227T003805 20171227T003926 C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
	···· · · · · · · · · · · · · · · · · ·	Retracker was not successfully executed for one or more records.
CS OFFL SIR FDM 2 20171227T004407 20171227T005207 C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
	Cocar rectacking Quality ridg	Retracker was not successfully executed for one or more records.
CS OFFL SIR FDM 2 20171227T013020 20171227T014509 C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
C3_011E_31K_1DM1_2201712271013020_201712271014309_C001	Ocean Retracking Quality Liag	Retracker was not successfully executed for one or more records.
00 OFFL OID FDM 2 20171227T020116 20171227T021EEE 0001	Ossen Detrocking Quelity Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T020116_20171227T021555_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T021734_20171227T023213_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T025524_20171227T030520_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T031213_20171227T032636_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T034055_20171227T040322_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T043921_20171227T044241_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T052007_20171227T054520_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
		The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220171227T063340_20171227T064332_C001	Ocean Retracking Quality Flag	
		Retracker was not successfully executed for one or more records.
CS OFFL SIR FDM 2 20171227T065923 20171227T072709 C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
	5 (1 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	Retracker was not successfully executed for one or more records.

Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
	Ocean Retracking Quality Flag Ocean Retracking Quality Flag

# 7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	No. Products	No. QCC Reports	No. Valid	No. Warnings	No. Errors
SIR1LRM_0_	123	123	123	0	0
SIR1SAR_0_	105	105	105	0	0
SIR1SIN_0_	91	91	91	0	0
SIR2SIN_0	104	104	104	0	0
SIR_FDM_1B	123	123	123	0	0
SIR_FDM_2	122	122	122	0	0

7.1 QCC Errors	
Number of QCC reports with errors:	0
7.2 QCC Warnings	
Number of QCC reports with warnings	0
7.3 Missing QCC Reports	
Number of products with missing QCC reports:	0