


IDEAS+ Daily Report for FDM data:

05/05/2018

		1. Overview	
Report Production Date:	08-May-2018	Check	Status
		Server check: science-pds.cryosat.esa.int	Nominal
Processor Used:	CryoSat Ice Processor	Server check: calval-pds.cryosat.esa.int	Nominal
Processor Used:		Product Software Check	Nominal
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data	Product Format Check	Nominal
Data Oseu.		Product Header Analysis	See Section 4.2
		Star Tracker Usage Check	See Section 5.3
		Calibration Usage Check	Nominal
		Auxiliary Data File Usage Check	Nominal
		Auxiliary Correction Error Check	See Section 6.4
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8

Mission / Instrument News		
04-May-2018	None	
05-May-2018	None	
06-May-2018	Nothing planned	



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain. Number of products with errors: 13

0

Product	Test Failed	
CS_OPER_SIR1SAR_020180505T221952_20180505T222717_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SAR_020180505T154220_20180505T154937_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SAR_020180505T041226_20180505T042013_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SAR_0_20180505T122439_20180505T123218_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SIN_020180505T010053_20180505T010501_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SIN_020180505T132300_20180505T132412_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SIN_020180505T050756_20180505T050905_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SIN_020180505T063544_20180505T063723_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SIN_020180505T173047_20180505T173240_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR1SIN_020180505T072830_20180505T073046_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR2SIN_020180505T090412_20180505T090924_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR2SIN_020180505T121939_20180505T122439_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
CS_OPER_SIR2SIN_020180505T145306_20180505T145431_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.	
5. Level 1B FDM Data Quality Check		

5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

2

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20180505T022310_20180505T022345_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20180505T235031_20180505T235539_C001	No Star Tracker file used in the processing of this product

5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

3

Number of products with errors:

5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
Number of products with errors:
0

5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors:
0

5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product		Description
CS_OFFL_SIR_FDM_1B_20180505T022109_20180505T022219_C001		The tracking echo has returned an error and the Rx1 Echo Error flag is set, indicating a degraded echo
CS_OFFL_SIR_FDM_1B_20180505T022310_20180505T022345_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20180505T235031_20180505T235539_C001	Attitude correction missing	The attitude has not been corrected

6. Level 2 FDM Data Quality Check

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

35

Test Failed

Product
CS_OFFL_SIR_FDM_220180505T001258_20180505T004229_C001
CS_OFFL_SIR_FDM_220180505T005005_20180505T005034_C001
CS_OFFL_SIR_FDM_220180505T010502_20180505T013828_C001
CS_OFFL_SIR_FDM_220180505T015153_20180505T015758_C001
CS_OFFL_SIR_FDM_220180505T024403_20180505T031749_C001
CS_OFFL_SIR_FDM_220180505T033103_20180505T035034_C001
CS_OFFL_SIR_FDM_220180505T040833_20180505T040837_C001
CS_OFFL_SIR_FDM_220180505T042223_20180505T045604_C001
CS_OFFL_SIR_FDM_220180505T051039_20180505T054611_C001
CS_OFFL_SIR_FDM_220180505T060554_20180505T061318_C001
CS_OFFL_SIR_FDM_220180505T061800_20180505T061925_C001
CS_OFFL_SIR_FDM_220180505T061928_20180505T063532_C001
CS_OFFL_SIR_FDM_220180505T074753_20180505T075820_C001
CS_OFFL_SIR_FDM_220180505T083828_20180505T084224_C001
CS_OFFL_SIR_FDM_220180505T084900_20180505T085208_C001
CS_OFFL_SIR_FDM_220180505T085331_20180505T090040_C001
CS_OFFL_SIR_FDM_220180505T093220_20180505T095336_C001
CS_OFFL_SIR_FDM_220180505T110918_20180505T113326_C001
CS_OFFL_SIR_FDM_220180505T141452_20180505T141535_C001
CS_OFFL_SIR_FDM_220180505T150541_20180505T152757_C001
CS_OFFL_SIR_FDM_220180505T160345_20180505T160839_C001
CS_OFFL_SIR_FDM_220180505T161839_20180505T163115_C001
CS_OFFL_SIR_FDM_220180505T164519_20180505T171824_C001
CS_OFFL_SIR_FDM_220180505T173500_20180505T174151_C001
CS_OFFL_SIR_FDM_220180505T174205_20180505T180625_C001
CS_OFFL_SIR_FDM_220180505T182445_20180505T184122_C001
CS_OFFL_SIR_FDM_220180505T184129_20180505T185333_C001
CS_OFFL_SIR_FDM_220180505T191841_20180505T193059_C001
CS_OFFL_SIR_FDM_220180505T195735_20180505T200200_C001
CS_OFFL_SIR_FDM_220180505T200355_20180505T201843_C001
CS_OFFL_SIR_FDM_220180505T205713_20180505T210424_C001
CS_OFFL_SIR_FDM_220180505T210547_20180505T212947_C001
CS_OFFL_SIR_FDM_220180505T214331_20180505T220712_C001
CS_OFFL_SIR_FDM_220180505T223422_20180505T230843_C001
CS_OFFL_SIR_FDM_220180505T232229_20180505T235014_C001

Test Failed	Description
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction	records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Mind On and	Or mote to an error with the Alametric with Opeeu and Oca Oldle Dids

Description

Wind Speed Correction for one or more records Sea State Bias Correction, Altimetric There is an error with the Altimetric Wind Speed and Sea State Bias Wind Speed Correction for one or more records There is an error with the Sea State Bias Correction for one or more Sea State Bias Correction records Sea State Bias Correction, Altimetric There is an error with the Altimetric Wind Speed and Sea State Bias Wind Speed Correction for one or more records There is an error with the Sea State Bias Correction for one or more Sea State Bias Correction records

6.5 L2 FDM Measurement Confidence Data Check

3

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180505T022109_20180505T022219_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220180505T022310_20180505T022345_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220180505T235031_20180505T235539_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

Number of products with errors:

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 18

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180505T024403_20180505T031749_C001	° °	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T042223_20180505T045604_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T051039_20180505T054611_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T061800_20180505T061925_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

· ·	
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
	CFI Retracked Range Flag CFI Retracked Range Flag

6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

18
18

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180505T024403_20180505T031749_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T042223_20180505T045604_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T051039_20180505T054611_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T061800_20180505T061925_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T061928_20180505T063532_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T074753_20180505T075820_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T083828_20180505T084224_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T084900_20180505T085208_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T093220_20180505T095336_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T141452_20180505T141535_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T150541_20180505T152757_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T160345_20180505T160839_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T182445_20180505T184122_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T184129_20180505T185333_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T191841_20180505T193059_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T200355_20180505T201843_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T205713_20180505T210424_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180505T210547_20180505T212947_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

40

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_220180505T001258_20180505T004229_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T010502_20180505T013828_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T022901_20180505T023057_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T024403_20180505T031749_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T033103_20180505T035034_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T042223_20180505T045604_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T051039_20180505T054611_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T061800_20180505T061925_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T061928_20180505T063532_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T070830_20180505T072051_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T074753_20180505T075820_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T075959_20180505T081436_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T083828_20180505T084224_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T084900_20180505T085208_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T085331_20180505T090040_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T093220_20180505T095336_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T100727_20180505T103332_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T110918_20180505T113326_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T120357_20180505T121939_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T124343_20180505T130429_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T130645_20180505T131304_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T132612_20180505T140015_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T141452_20180505T141535_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T143503_20180505T144309_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T150541_20180505T152757_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T153042_20180505T154003_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T160345_20180505T160839_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T164519_20180505T171824_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T174205_20180505T180625_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T182445_20180505T184122_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T184129_20180505T185333_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T191841_20180505T193059_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T193948_20180505T194828_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T200355_20180505T201843_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T202023_20180505T202445_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T205713_20180505T210424_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T210547_20180505T212947_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T214331_20180505T220712_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T223422_20180505T230843_C001	Ocean Retracking Quality Flag
CS_OFFL_SIR_FDM_220180505T232229_20180505T235014_C001	Ocean Retracking Quality Flag

Description The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below

Product type	No. Products	No. QCC Reports	No. Valid	No. Warnings	No. Errors
SIR1LRM_0_	153	153	153	0	0
SIR1SAR_0_	118	118	118	0	0
SIR1SIN_0_	105	105	105	0	0
SIR2SIN_0_	111	111	111	0	0
SIR_FDM_1B	153	153	153	0	0
SIR_FDM_2	150	150	150	0	0

Number of QCC reports with errors:	0
7.2 QCC Warnings	
Number of QCC reports with warnings	0
7.3 Missing QCC Reports	
Number of products with missing QCC reports:	0