

IDEAS+ Daily Report for FDM data:


<u>24/07/2018</u>



1. Overview

Report Production Date:	25-Jul-2018	Check	Status	
	25-Jul-2018	Server check: science-pds.cryosat.esa.int	Nominal	
		Server check: calval-pds.cryosat.esa.int	Nominal	
Processor Used:	CryoSat Ice Processor	Product Software Check	Nominal	
Dete Head	L1 and L2 Fast Delivery Marine (FDM)	Product Format Check	Nominal	
Data Used:	Mode and L0 Data	Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8	

wission / insur			
23-Jul-2018	None		
24-Jul-2018	None		
25-Jul-2018	Nothing planned		
	2	2. Global Coverage	
		Ū	
	Clabel Coverage North Data		Clabel Coverence Covide Date



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

or all products, a series of pre-defined checks are carried out on the MPH and	d SPH in order to identify any inconsistenci	es and/or errors raised by the processing chain.		
Number of products with errors: 6				
Product	Test Failed			
S_OPER_SIR1SAR_020180724T084150_20180724T084726_0001.HDR		rors detected greater than minimum acceptable threshold.		
S_OPER_SIR1SAR_020180724T235646_20180725T000111_0001.HDR	Percentage of processing er	rors detected greater than minimum acceptable threshold.		
S_OPER_SIR1SAR_020180724T041405_20180724T042101_0001.HDR	Percentage of processing er	rrors detected greater than minimum acceptable threshold.		
S_OPER_SIR1SAR_020180724T190643_20180724T191125_0001.HDR	Percentage of processing er	rors detected greater than minimum acceptable threshold.		
S_OPER_SIR1SAR_0_20180724T001344_20180724T001723_0001.HDR	Percentage of processing er	rrors detected greater than minimum acceptable threshold.		
S_OPER_SIR1SIN_0_20180724T185209_20180724T185601_0001.HDR	Percentage of processing er	rors detected greater than minimum acceptable threshold.		
5. Le	vel 1B FDM Data Quality	Check		
5.1 L1B FDM Product Format Check				
ach product, retrieved and unpacked from the science server, is checked to e	ensure it consists of both an XML header fil	e (.HDR) and a binary product file (.DBL).		
umber of products with errors: 0				
.2 L1B FDM Product Header Analysis				
or all products, a series of pre-defined checks are carried out on the MPH and	d SPH in order to identify any inconsistenci	es and/or errors raised by the ground-segment processing chain.		
lumber of products with errors: 0		· · -		
.3 L1B FDM Star Tracker Usage Check				
ach product is checked in order to ensure a valid star tracker file has been us	sed in processing.			
lumber of products with errors: 2				
roduct	Test Failed			
S_OFFL_SIR_FDM_1B_20180724T190108_20180724T190146_C001	No Star Tracker file used in	No Star Tracker file used in the processing of this product		
S_OFFL_SIR_FDM_1B_20180724T221500_20180724T221624_C001	No Star Tracker file used in	the processing of this product		
.4 L1B FDM Calibration Usage Check				
ach product is checked in order to ensure the necessary calibration files have	e been used in processing.			
Number of products with errors: 0				
i.5 L1B FDM Auxilary Data File Usage Check				
· ·				
ach product is checked for missing Data Set Descriptors with respect to a pre	e-determined baseline and also to check the	validity of Auxiliary Data Files is correct.		
umber of products with errors: 0				
5.6 L1B FDM Auxiliary Correction Error Check	est-second. The bit value of this flow indicate			
.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurem	ent record. The bit value of this flag indicate	es any problems when set.		
.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurem	ent record. The bit value of this flag indicate	es any problems when set.		
5.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurem umber of products with errors: 0	ent record. The bit value of this flag indicate	es any problems when set.		
5.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurem umber of products with errors: 0 5.7 L1B FDM Measurement Confidence Data Check				
5.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurem umber of products with errors: 0 5.7 L1B FDM Measurement Confidence Data Check ryoSat L1B data includes a measurement confidence flag (field 18) for each r				
A.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 C.7 L1B FDM Measurement Confidence Data Check ryoSat L1B data includes a measurement confidence flag (field 18) for each reaction of products with errors: ryoSat L1B data includes a measurement confidence flag (field 18) for each reaction umber of products with errors: 7		lag indicates any problems when set. Description		
.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 .7 L1B FDM Measurement Confidence Data Check ryoSat L1B data includes a measurement confidence flag (field 18) for each reaction of products with errors: ryoSat L1B data includes a measurement confidence flag (field 18) for each reaction umber of products with errors: 7 roduct 7	measurement record. The bit value of this fl	lag indicates any problems when set. Description The tracking echo has returned an error and the Rx1 Echo Error flag is s		
.6 L1B FDM Auxiliary Correction Error Check yoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 .7 L1B FDM Measurement Confidence Data Check yoSat L1B data includes a measurement confidence flag (field 18) for each r umber of products with errors: 7 roduct 5_OFFL_SIR_FDM_1B_20180724T035159_20180724T040650_C001	measurement record. The bit value of this fl	Description The tracking echo has returned an error and the Rx1 Echo Error flag is s indicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is s		
A.6 L1B FDM Auxiliary Correction Error Check yoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 7. L1B FDM Measurement Confidence Data Check yoSat L1B data includes a measurement confidence flag (field 18) for each reamber of products with errors: 7 yoOsat L1B data includes a measurement confidence flag (field 18) for each reamber of products with errors: 7 oduct S_OFFL_SIR_FDM_1B_20180724T035159_20180724T040650_C001 S_OFFL_SIR_FDM_1B_20180724T042101_20180724T043437_C001	measurement record. The bit value of this find the second	Description The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo		
.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 .7 L1B FDM Measurement Confidence Data Check ryoSat L1B data includes a measurement confidence flag (field 18) for each r umber of products with errors: 7 roduct 7 s_OFFL_SIR_FDM_1B_20180724T035159_20180724T040850_C001 s_OFFL_SIR_FDM_1B_20180724T042101_20180724T043437_C001 s_OFFL_SIR_FDM_1B_20180724T051310_20180724T054526_C001	measurement record. The bit value of this fit Test Failed Echo error, TRK echo error Echo error, TRK echo error	Description The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo		
A. Contraction Control Check ryoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 A. T L1B FDM Measurement Confidence Data Check ryoSat L1B data includes a measurement confidence flag (field 18) for each reaction of products with errors: 7 roduct 7 S_OFFL_SIR_FDM_1B_20180724T035159_20180724T040650_C001 S_OFFL_SIR_FDM_1B_20180724T0402101_20180724T040437_C001 S_OFFL_SIR_FDM_1B_20180724T051310_20180724T054526_C001 S_OFFL_SIR_FDM_1B_20180724T051310_20180724T054526_C001	measurement record. The bit value of this fit Test Failed Echo error, TRK echo error Echo error, TRK echo error Echo error, TRK echo error	Description The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo		
5.6 L1B FDM Auxiliary Correction Error Check TryoSat L1B data includes a correction error flag (field 54) for each measurement Tumber of products with errors: 0 5.7 L1B FDM Measurement Confidence Data Check TryoSat L1B data includes a measurement confidence flag (field 18) for each r	Test Failed Echo error, TRK echo error	Description The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has not been corrected The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo		
5.6 L1B FDM Auxiliary Correction Error Check ryoSat L1B data includes a correction error flag (field 54) for each measurement umber of products with errors: 0 5.7 L1B FDM Measurement Confidence Data Check ryoSat L1B data includes a measurement confidence flag (field 18) for each r umber of products with errors: 7 roduct 7 s _OFFL_SIR_FDM_1B_20180724T042101_20180724T040650_C001 S_OFFL_SIR_FDM_1B_20180724T042101_20180724T043437_C001 S_OFFL_SIR_FDM_1B_20180724T051310_20180724T054526_C001 S_OFFL_SIR_FDM_1B_20180724T185601_20180724T19053_C001 S_OFFL_SIR_FDM_1B_20180724T190108_20180724T190146_C001	measurement record. The bit value of this fl Test Failed Echo error, TRK echo error Echo error, TRK echo error Echo error, TRK echo error Echo error, TRK echo error Attitude correction missing	Description The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The tracking echo has returned an error and the Rx1 Echo Error flag is sindicating a degraded echo The attitude has not been corrected		

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL). Number of products with errors: 0

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. Number of products with errors: 0

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors:
0

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

39

Number of products with errors:

Product CS OFFL SIR FDM 2 20180724T002913 20180724T003624 C001 CS_OFFL_SIR_FDM_2__20180724T003708_20180724T004146_C001 CS OFFL SIR FDM 2 20180724T010344 20180724T013857 C001 CS_OFFL_SIR_FDM_2__20180724T015803_20180724T022812_C001 CS_OFFL_SIR_FDM_2__20180724T024212_20180724T024839_C001 CS OFFL SIR FDM 2 20180724T030325 20180724T031820 C001 CS_OFFL_SIR_FDM_2__20180724T033521_20180724T034540_C001 CS_OFFL_SIR_FDM_2__20180724T035159_20180724T040650_C001 CS_OFFL_SIR_FDM_2__20180724T043902_20180724T044145_C001 CS_OFFL_SIR_FDM_2__20180724T051310_20180724T054526_C001 CS OFFL SIR FDM 2 20180724T054749 20180724T054834 C001 CS_OFFL_SIR_FDM_2__20180724T061322_20180724T063533_C001 CS_OFFL_SIR_FDM_2__20180724T065139_20180724T071701_C001 CS OFFL SIR FDM 2 20180724T071705 20180724T071946 C001 CS_OFFL_SIR_FDM_2__20180724T075148_20180724T081539_C001 CS OFFL SIR FDM 2 20180724T092814 20180724T093730 C001 CS_OFFL_SIR_FDM_2__20180724T101139_20180724T104417_C001 CS_OFFL_SIR_FDM_2__20180724T104607_20180724T104709_C001 CS OFFL SIR FDM 2 20180724T110248 20180724T110333 C001 CS_OFFL_SIR_FDM_2__20180724T111641_20180724T113241_C001 CS OFFL SIR FDM 2 20180724T115000 20180724T122542 C001 CS_OFFL_SIR_FDM_2__20180724T123539_20180724T123625_C001 CS_OFFL_SIR_FDM_2__20180724T124742_20180724T125203_C001 CS_OFFL_SIR_FDM_2__20180724T125258_20180724T131036_C001 CS_OFFL_SIR_FDM_2__20180724T132945_20180724T134838_C001 CS_OFFL_SIR_FDM_2__20180724T135111_20180724T140539_C001 CS_OFFL_SIR_FDM_2__20180724T150840_20180724T152340_C001 CS_OFFL_SIR_FDM_2__20180724T152542_20180724T153504_C001 CS_OFFL_SIR_FDM_2__20180724T155614_20180724T155656_C001 CS_OFFL_SIR_FDM_2__20180724T155723_20180724T161424_C001 CS_OFFL_SIR_FDM_2__20180724T164821_20180724T170246_C001 CS_OFFL_SIR_FDM_2__20180724T173957_20180724T181226_C001 CS_OFFL_SIR_FDM_2__20180724T182820_20180724T185209_C001 CS_OFFL_SIR_FDM_2__20180724T192347_20180724T193505_C001 CS_OFFL_SIR_FDM_2__20180724T200712_20180724T203325_C001 CS_OFFL_SIR_FDM_2__20180724T203819_20180724T204421_C001 CS_OFFL_SIR_FDM_2__20180724T205754_20180724T212922_C001 CS_OFFL_SIR_FDM_2__20180724T214611_20180724T215038_C001 CS_OFFL_SIR_FDM_2__20180724T232644_20180724T234316_C001

Test Failed Sea State Bias Correction, Altimetric	Description There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction	records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
Wind Speed	Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 7

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180724T035159_20180724T040650_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220180724T042101_20180724T043437_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220180724T051310_20180724T054526_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220180724T185601_20180724T190053_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220180724T190108_20180724T190146_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220180724T191747_20180724T192043_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220180724T221500_20180724T221624_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 25

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180724T002913_20180724T003624_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T010344_20180724T013857_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T024212_20180724T024839_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T030325_20180724T031820_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T035159_20180724T040650_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T043902_20180724T044145_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T051310_20180724T054526_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T054749_20180724T054834_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T071705_20180724T071946_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T092814_20180724T093730_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T101139_20180724T104417_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T110248_20180724T110333_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T115000_20180724T122542_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T124742_20180724T125203_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T125258_20180724T131036_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T132945_20180724T134838_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T135111_20180724T140539_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T150840_20180724T152340_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T152542_20180724T153504_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T155614_20180724T155656_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T155723_20180724T161424_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T173957_20180724T181226_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T192347_20180724T193505_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T200712_20180724T203325_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T205754_20180724T212922_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Check

25

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Test Failed	Description
CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag CFI Backscatter Status Flag Squared Averaging Status Flag CFI Backscatter Status Flag, SWH Squared Averaging Status Flag CFI Backscatter Status Flag, SWH Squared Averaging Status Flag CFI Backscatter Status Flag, SWH

CS_OFFL_SIR_FDM_220180724T043902_20180724T044145_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T051310_20180724T054526_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T054749_20180724T054834_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T071705_20180724T071946_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T092814_20180724T093730_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T101139_20180724T104417_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T110248_20180724T110333_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T115000_20180724T122542_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T124742_20180724T125203_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T125258_20180724T131036_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T132945_20180724T134838_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T135111_20180724T140539_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T150840_20180724T152340_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T152542_20180724T153504_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T155614_20180724T155656_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T155723_20180724T161424_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T173957_20180724T181226_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T192347_20180724T193505_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T200712_20180724T203325_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180724T205754_20180724T212922_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 44

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180724T001723_20180724T002725_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T002913_20180724T003624_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T003708_20180724T004146_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T010344_20180724T013857_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T015803_20180724T022812_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T024212_20180724T024839_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T024852_20180724T030120_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T030325_20180724T031820_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T033521_20180724T034540_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T035159_20180724T040650_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T043902_20180724T044145_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T051310_20180724T054526_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T054749_20180724T054834_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T061322_20180724T063533_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T065139_20180724T071701_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T071705_20180724T071946_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T075148_20180724T081539_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T084726_20180724T090454_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T091713_20180724T092356_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

	1	
CS_OFFL_SIR_FDM_220180724T092814_20180724T093730_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T101139_20180724T104417_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T110248_20180724T110333_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T111641_20180724T113241_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T115000_20180724T122542_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T123539_20180724T123625_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T124742_20180724T125203_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS OFFL SIR FDM 2 20180724T125258 20180724T131036 C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean
		Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220180724T132945_20180724T134838_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T135111_20180724T140539_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T141757_20180724T143610_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T143914_20180724T145113_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T150840_20180724T152340_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T152542_20180724T153504_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T155614_20180724T155656_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T155723_20180724T161424_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T164821_20180724T170246_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T173957_20180724T181226_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS OFFL SIR FDM 2 20180724T182820 20180724T185209 C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean
		Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean
CS_OFFL_SIR_FDM_220180724T192347_20180724T193505_C001	Ocean Retracking Quality Flag	Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T200712_20180724T203325_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T203819_20180724T204421_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T205754_20180724T212922_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T222147_20180724T222410_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220180724T223634_20180724T230925_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	lb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_FDM_1B	131	131	131	0	0
SIR_FDM_2	130	130	130	0	0
7.1 QCC Errors					
Number of QCC reports with errors:	(0			
7.2 QCC Warnings					
Number of QCC reports with warnings	(0			
7.3 Missing QCC Reports					
lumber of products with missing QCC re	ports:	0			
		-			