


# IDEAS+ Daily Report for FDM data:

# <u>01/08/2018</u>



anort Braduction Data	02 Aug 2018	Check	Status	
Report Production Date:	02-Aug-2018	Server check: science-pds.cryosat.esa.int	Nominal	
Processor Used:	CrucSat los Processor	Server check: calval-pds.cryosat.esa.int	Nominal	
Processor Useu.	CryoSat Ice Processor	Product Software Check	Nominal	
Data Used:	L1 and L2 Fast Delivery Marine (FDM)	Product Format Check	Nominal	
Data Useu.	Mode and L0 Data	Product Header Analysis	See Section 4.2	
		Star Tracker Usage Check	See Section 5.3	
		Calibration Usage Check	Nominal	
		Auxiliary Data File Usage Check	Nominal	
		Auxiliary Correction Error Check	See Section 6.4	
		Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8	

Mission / Instrument News	
31-Jul-2018	None
01-Aug-2018	SIRAL unavailability on 01-Aug-2018 from ~18:40 onwards due to a platform anomaly.
02-Aug-2018	Nothing planned



## 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1 & 2

4. Level 0 Data Quality Check

#### 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

0

Number of products with errors:

#### 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

 Number of products with errors:
 1

Product	Test Failed	
CS_OPER_SIR1SIN_020180801T071001_20180801T072012_0001.HDR	Percentage of processing error	s detected greater than minimum acceptable threshold.
5. Lev	el 1B FDM Data Quality C	heck
5.1 L1B FDM Product Format Check	· · · · · · · · · · · · · · · · · · ·	
3.1 LTB FDM FTOduct Format Check		
Each product, retrieved and unpacked from the science server, is checked to en Number of products with errors: 0	sure it consists of both an XML header file (	HDR) and a binary product file (.DBL).
5.2 L1B FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and	SPH in order to identify any inconsistencies	and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
5.3 L1B FDM Star Tracker Usage Check		
Each product is checked in order to ensure a valid star tracker file has been use	d in processing.	
Number of products with errors: 1		
Product	Test Failed	
CS_OFFL_SIR_FDM_1B_20180801T003715_20180801T003942_C001	No Star Tracker file used in the	processing of this product
5.4 L1B FDM Calibration Usage Check		
Each product is checked in order to ensure the necessary calibration files have I	been used in processing.	
Number of products with errors: 0		
5.5 L1B FDM Auxilary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-	determined baseline and also to check the v	alidity of Auxiliary Data Files is correct.
Number of products with errors: 0		
5.6 L1B FDM Auxiliary Correction Error Check		
CryoSat L1B data includes a correction error flag (field 54) for each measurement	nt record. The bit value of this flag indicates	any problems when set.
Number of products with errors: 0	Ĵ	
5.7 L1B FDM Measurement Confidence Data Check		
CryoSat L1B data includes a measurement confidence flag (field 18) for each m	easurement record. The hit value of this flag	indicates any problems when set
Number of products with errors: 1		
Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20180801T003715_20180801T003942_C001	Attitude correction missing	The attitude has not been corrected
6. Le:	vel 2 FDM Data Quality Ch	leck
6.1 L2 FDM Product Format Check		
	er van it een einte of hotte op MAAL hounder file (	LIDD) and a binary wardwat file ( DDL )
Each product, retrieved and unpacked from the science server, is checked to en Number of products with errors: 0		HDR) and a binary product life (.DBL).
6.2 L2 FDM Product Header Analysis		
For all products, a series of pre-defined checks are carried out on the MPH and	SPH in order to identify any inconsistencies	and/or errors raised by the ground-segment processing chain.
Number of products with errors: 0		
6.3 L2 FDM Auxiliary Data File Usage Check		
Each product is checked for missing Data Set Descriptors with respect to a pre-	determined baseline and also to check the v	alidity of Auxiliary Data Files is correct.
Number of products with errors: 0		
6.4 L2 FDM Auxiliary Correction Error Check		
Each product is checked to detect auxiliary corrections flagged by the ground-sta	ation processing chain as missing or contain	ing errors.
Number of products with errors: 32		
Product	Test Failed Sea State Bias Correction, Altimetric	Description There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T001756_20180801T002646_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T005405_20180801T012125_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T014820_20180801T020048_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T023234_20180801T023836_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T024008_20180801T025141_C001	Wind Speed	Correction for one or more records There is an error with the Sea State Bias Correction for one or more
CS_OFFL_SIR_FDM_220180801T025345_20180801T030828_C001	Sea State Bias Correction Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T034215_20180801T035609_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220180801T043308_20180801T044713_C001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias

CS\_OFFL\_SIR\_FDM\_2\_\_20180801T050317\_20180801T052847\_C001 CS\_OFFL\_SIR\_FDM\_2\_\_20180801T060246\_20180801T062602\_C001

Correction for one or more records There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

CS_OFFL_SIR_FDM_220180801T065830_20180801T070949_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T074134_20180801T080603_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T082200_20180801T083208_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T083743_20180801T085536_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T090727_20180801T091412_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T092009_20180801T092144_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T094405_20180801T094500_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T100137_20180801T103651_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T114025_20180801T121557_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T122617_20180801T122635_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T132745_20180801T133646_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T134128_20180801T135549_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T140833_20180801T142550_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T145853_20180801T151353_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T151554_20180801T152515_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T152957_20180801T153532_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T154808_20180801T160441_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T161015_20180801T161846_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T165928_20180801T170234_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T173639_20180801T174022_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T174025_20180801T180244_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220180801T181855_20180801T184049_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

### 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 1

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180801T003715_20180801T003942_C001	Attitude correction missing	The attitude has not been corrected

## 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set. Number of products with errors: 22

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180801T001756_20180801T002646_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T005405_20180801T012125_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T014820_20180801T020048_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T023234_20180801T023836_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T024008_20180801T025141_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T034215_20180801T035609_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T050317_20180801T052847_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T060246_20180801T062602_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T083743_20180801T085536_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T090727_20180801T091412_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T092009_20180801T092144_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T100137_20180801T103651_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T114025_20180801T121557_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T132745_20180801T133646_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T134128_20180801T135549_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_OFFL_SIR_FDM_220180801T145853_20180801T151353_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T151554_20180801T152515_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T154808_20180801T160441_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T161015_20180801T161846_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T165928_20180801T170234_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T173639_20180801T174022_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T181855_20180801T184049_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

### 6.7 L2 FDM SWH and Backscatter Measurement Check

22

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

mber of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180801T001756_20180801T002646_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T005405_20180801T012125_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T014820_20180801T020048_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T023234_20180801T023836_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T024008_20180801T025141_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T034215_20180801T035609_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T050317_20180801T052847_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T060246_20180801T062602_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T083743_20180801T085536_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T090727_20180801T091412_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T092009_20180801T092144_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T100137_20180801T103651_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T114025_20180801T121557_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T132745_20180801T133646_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T134128_20180801T135549_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T145853_20180801T151353_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T151554_20180801T152515_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T154808_20180801T160441_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T161015_20180801T161846_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T165928_20180801T170234_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T173639_20180801T174022_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220180801T181855_20180801T184049_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

#### 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

 Number of products with errors:
 34

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220180801T001756_20180801T002646_C001		The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

CS_OFFL_SIR_FDM_220180801T002742_20180801T003147_C001
CS_OFFL_SIR_FDM_220180801T004115_20180801T004124_C001
CS_OFFL_SIR_FDM_220180801T005405_20180801T012125_C001
CS_OFFL_SIR_FDM_220180801T014820_20180801T020048_C001
CS_OFFL_SIR_FDM_220180801T023234_20180801T023836_C001
CS_OFFL_SIR_FDM_220180801T024008_20180801T025141_C001
CS_OFFL_SIR_FDM_220180801T025345_20180801T030828_C001
CS_OFFL_SIR_FDM_220180801T034215_20180801T035609_C001
CS_OFFL_SIR_FDM_220180801T050317_20180801T052847_C001
CS_OFFL_SIR_FDM_220180801T060246_20180801T062602_C001
CS_OFFL_SIR_FDM_220180801T064154_20180801T065635_C001
CS_OFFL_SIR_FDM_220180801T065830_20180801T070949_C001
CS_OFFL_SIR_FDM_220180801T074134_20180801T080603_C001
CS_OFFL_SIR_FDM_220180801T083743_20180801T085536_C001
CS_OFFL_SIR_FDM_220180801T090727_20180801T091412_C001
CS_OFFL_SIR_FDM_220180801T092009_20180801T092144_C001
CS_OFFL_SIR_FDM_220180801T100137_20180801T103651_C001
CS_OFFL_SIR_FDM_220180801T104646_20180801T104847_C001
CS_OFFL_SIR_FDM_220180801T110641_20180801T112307_C001
CS_OFFL_SIR_FDM_220180801T114025_20180801T121557_C001
CS_OFFL_SIR_FDM_220180801T123814_20180801T130056_C001
CS_OFFL_SIR_FDM_220180801T132745_20180801T133646_C001
CS_OFFL_SIR_FDM_220180801T134128_20180801T135549_C001
CS_OFFL_SIR_FDM_220180801T140833_20180801T142550_C001
CS_OFFL_SIR_FDM_220180801T142742_20180801T144201_C001
CS_OFFL_SIR_FDM_220180801T145853_20180801T151353_C001
CS_OFFL_SIR_FDM_220180801T151554_20180801T152515_C001
CS_OFFL_SIR_FDM_220180801T154808_20180801T160441_C001
CS_OFFL_SIR_FDM_220180801T161015_20180801T161846_C001
CS_OFFL_SIR_FDM_220180801T165928_20180801T170234_C001
CS_OFFL_SIR_FDM_220180801T173639_20180801T174022_C001
CS_OFFL_SIR_FDM_220180801T174025_20180801T180244_C001
CS_OFFL_SIR_FDM_220180801T181855_20180801T184049_C001

Ocean Retracking Quality Flag The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

#### 7. QCC Report Analysis

Ocean Retracking Quality Flag

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_FDM_1B	109	109	109	0	0
SIR_FDM_2	109	109	109	0	0
7.1 QCC Errors					
Number of QCC reports with errors:	0				
7.2 QCC Warnings					
7.2 QCC Warnings					
Number of QCC reports with warnings	0				
7.3 Missing QCC Reports					
Number of products with missing QCC r	eports: 0				
and the second	CREATE THE REPORT OF THE REPORT				