




# 1. Overview


Report Production Date:	11-Feb-2019			
Processor Used:	CryoSat Ice Processor			
Data Used:	L1 and L2 Fast Delivery Marine (FDM)  Mode and L0 Data			


Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	See Section 4.2
Star Tracker Usage Check	See Section 5.3
Calibration Usage Check	Nominal
Auxiliary Data File Usage Check	Nominal
Auxiliary Correction Error Check	See Section 6.4
Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8


Mission / Instru	ment News
09-Feb-2019	None
10-Feb-2019	None
11-Feb-2019	Nothing planned

# 2. Global Coverage









# 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

# 4. Level 0 Data Quality Check

# 4.1 L0 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

#### 4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

Number of products with errors:

		4	2

Product	Test Failed
CS_OPER_SIR1SAR_0_20190210T164655_20190210T165328_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020190210T105103_20190210T110057_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020190210T123100_20190210T123952_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020190210T223251_20190210T223409_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020190210T045850_20190210T050409_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20190210T185215_20190210T185338_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020190210T062152_20190210T063735_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020190210T223409_20190210T223451_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020190210T223451_20190210T223535_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020190210T210350_20190210T210801_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020190210T050409_20190210T050645_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020190210T183611_20190210T183916_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

# 5. Level 1B FDM Data Quality Check

#### 5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

#### 5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

#### 5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20190210T090853_20190210T090907_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20190210T122234_20190210T122352_C001	No Star Tracker file used in the processing of this product

## 5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

Number of products with errors: 0

## 5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

#### 5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

## 5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20190210T074705_20190210T082058_C001	Block degraded, Echo error, TRK echo error	Data block degraded and not processed
CS_OFFL_SIR_FDM_1B_20190210T090853_20190210T090907_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20190210T122234_20190210T122352_C001	Attitude correction missing	The attitude has not been corrected

## 6. Level 2 FDM Data Quality Check

# 6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

#### 6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

## 6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

#### 0

## 6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors:

20

Product	Test Failed	Description
CS OFFL SIR FDM 2 20190209T235753 20190210T000421 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
00_01   2_011_0   211_2_201002001200100_201002101000121_00001	Wind Speed	Correction for one or more records  There is an error with the Sea State Bias Correction for one or more
CS_OFFL_SIR_FDM_220190210T001709_20190210T005058_C001	Sea State Bias Correction	records
CS OFFL SIR FDM 2 20190210T015550 20190210T023037 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Wind Speed	Correction for one or more records  There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T030027_20190210T031805_C001	Sea State Bias Correction, Altimetric Wind Speed	Correction for one or more records
CS OFFL SIR FDM 2 20190210T042542 20190210T044327 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records  There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T053309_20190210T054232_C001	Wind Speed	Correction for one or more records
CS OFFL SIR FDM 2 20190210T063735 20190210T064139 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records  There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T074705_20190210T082058_C001	Wind Speed	Correction for one or more records
CS OFFL SIR FDM 2 20190210T083401 20190210T085924 C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
	Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T093307_20190210T094233_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220190210T110514_20190210T113845_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
00 OFFI OID FDM 0 00400040T400040 00400040T400400 0004	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T122912_20190210T123100_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220190210T124422_20190210T131832_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20190210T142224 20190210T145623 C001	Sea State Bias Correction, Mean Sea	There is an error with the Altimetric Wind Speed, the Sea State Bias
C3_OFFL_3IR_FDM_2201902101142224_201902101143023_C001	Surface height, Altimetric Wind Speed	Correction and the Mean Sea Surface Height for one or more records
CS_OFFL_SIR_FDM_220190210T153920_20190210T154623_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20190210T161927 20190210T163546 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
05_011	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records  There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T170837_20190210T172023_C001	Wind Speed	Correction for one or more records
CS OFFL SIR FDM 2 20190210T172330 20190210T172416 C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
	Sea State Bias Correction, Altimetric	records There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T174757_20190210T175823_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220190210T180002_20190210T181503_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20190210T183027 20190210T183125 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
C3_OFFL_3IK_FDIW_2201902101163027_201902101163125_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220190210T183916_20190210T184221_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20190210T185001 20190210T185215 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
00_011E_011X_1 BM_2E201002101100001_201002101100210_0001	Wind Speed Sea State Bias Correction, Altimetric	Correction for one or more records  There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_220190210T185338_20190210T190039_C001	Wind Speed	Correction for one or more records
CS OFFL SIR FDM 2 20190210T193540 20190210T195407 C001	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
	Wind Speed	Correction for one or more records  There is an error with the Sea State Bias Correction for one or more
CS_OFFL_SIR_FDM_220190210T205645_20190210T205752_C001	Sea State Bias Correction	records
CS_OFFL_SIR_FDM_220190210T210801_20190210T213346_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
OR OFFI CID FDM 2 204400440T205445 204400440T220552 2004	Sea State Bias Correction, Altimetric	There is an error with the Altimetric Wind Speed and Sea State Bias
CS_OFFL_SIR_FDM_2_20190210T225115_20190210T230500_C001	Wind Speed	Correction for one or more records
CS_OFFL_SIR_FDM_220190210T230646_20190210T231321_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20190210T232529 20190211T000028 C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more
00_011E_011C1DWI_Z201002101202020_201002111000020_0001	Cod Cidio Dias Correction	records

## 6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220190210T074705_20190210T082058_C001	Echo error	The Echo Rx1 Error flag is set, indicating a degraded raw echo
CS_OFFL_SIR_FDM_220190210T090853_20190210T090907_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220190210T122234_20190210T122352_C001	Attitude correction missing	The attitude has not been corrected
		#N/A

## 6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 14

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220190210T015550_20190210T023037_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T030027_20190210T031805_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T053309_20190210T054232_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

CS_OFFL_SIR_FDM_220190210T063735_20190210T064139_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T074705_20190210T082058_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T093307_20190210T094233_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T110514_20190210T113845_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T142224_20190210T145623_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T161927_20190210T163546_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T174757_20190210T175823_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T183916_20190210T184221_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T185338_20190210T190039_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T193540_20190210T195407_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220190210T210801_20190210T213346_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

## 6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

umber of products with errors:

Number of products with errors.					
Product	Test Failed	Description			
CS_OFFL_SIR_FDM_2_20190210T015550_20190210T023037_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T030027_20190210T031805_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T053309_20190210T054232_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_220190210T063735_20190210T064139_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_220190210T074705_20190210T082058_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_220190210T093307_20190210T094233_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T110514_20190210T113845_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T142224_20190210T145623_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T161927_20190210T163546_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T174757_20190210T175823_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T183916_20190210T184221_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T185338_20190210T190039_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T193540_20190210T195407_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			
CS_OFFL_SIR_FDM_2_20190210T210801_20190210T213346_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.			

## 6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220190210T001709_20190210T005058_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220190210T012408_20190210T014334_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220190210T015550_20190210T023037_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220190210T025511_20190210T025931_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220190210T030027_20190210T031805_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220190210T035840_20190210T040548_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220190210T042542_20190210T044327_C001	Ocean Retracking Quality Flag	The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

CS\_OFFL\_SIR\_FDM\_2\_\_20190210T051528\_20190210T053107\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T053309 20190210T054232 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T061023\_20190210T062132\_C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T063735\_20190210T064139\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T074705 20190210T082058 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T083401\_20190210T085924\_C001 Ocean Retracking Quality Flag  ${\tt CS\_OFFL\_SIR\_FDM\_2\_20190210T093058\_20190210T093303\_C001}$ Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T093307 20190210T094233 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T101253\_20190210T104136\_C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T110514\_20190210T113845\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T124422 20190210T131832 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T142224\_20190210T145623\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T150956 20190210T153903 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T161804\_20190210T161923\_C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T161927\_20190210T163546\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T174757 20190210T175823 C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T180002 20190210T181503 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T183916\_20190210T184221\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T185338 20190210T190039 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T193034\_20190210T193435\_C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T193540\_20190210T195407\_C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T200716\_20190210T203318\_C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T205645 20190210T205752 C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T210801 20190210T213346 C001 Ocean Retracking Quality Flag CS OFFL SIR FDM 2 20190210T225115 20190210T230500 C001 Ocean Retracking Quality Flag CS\_OFFL\_SIR\_FDM\_2\_\_20190210T232529\_20190211T000028\_C001 Ocean Retracking Quality Flag

The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records. The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

# 7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

5 1 11					
Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	167	167	167	0	0
SIR1SAR_0_	104	104	104	0	0
SIR1SIN_0_	101	101	101	0	0
SIR2SIN_0_	104	104	103	1	0
SIR_FDM_1B	167	167	167	0	0
SIR FDM 2	164	164	164	0	0

# 7.1 QCC Errors

Number of QCC reports with errors:

0

# 7.2 QCC Warnings

Number of QCC reports with warnings

Total number of occurrences of each warning

			Total name of occurrence of vacin name							
		1	0	0	0	0	0	0	0	0
Product Type	Product Start Time	QF	-	-	-	-	-	-	-	-
SIR2SIN 0	20190210T183611	X								

Test Description Key:				
Abbreviation	Test name	Details		
QF	QualityFlag	The quality flag should be set to zero.		

## 7.3 Missing QCC Reports

Number of products with missing QCC reports:

0