


1. Overview


Report Production Date:	15-Jan-2021
Processor Used:	CryoSat Ice Processor
Data Used:	L1 and L2 Fast Delivery Marine (FDM) Mode and L0 Data


Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	See Section 4.2, 5.2 and 6.2
Star Tracker Usage Check	See Section 5.3
Calibration Usage Check	Nominal
Auxiliary Data File Usage Check	Nominal
Auxiliary Correction Error Check	See Section 6.4
Measurement Confidence Data Check	See Section 5.7, 6.5, 6.6, 6.7 and 6.8
QCC Error/ Warning Check	See Section 7.1 and 7.2


Mission / Instr	ument News
30-Dec-2020	None
31-Dec-2020	None
01-Jan-2021	Nothing planned

2. Global Coverage









3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

4. Level 0 Data Quality Check

4.1 L0 Product Format Check

4.2 L0 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the processing chain.

16

Number of products with errors:

Product	Test Failed
CS_OPER_SIR1LRM_020201231T010447_20201231T013730_0001.DBL	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1LRM_020201231T214344_20201231T220825_0001.DBL	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020201231T005125_20201231T010059_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020201231T040428_20201231T041010_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020201231T072613_20201231T072834_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020201231T085343_20201231T085456_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SAR_020201231T090926_20201231T091610_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20201231T023954_20201231T024222_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20201231T032018_20201231T032339_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR1SIN_0_20201231T222737_20201231T223222_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_0_20201231T000122_20201231T000148_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020201231T082332_20201231T083025_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020201231T092520_20201231T092919_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020201231T200210_20201231T200351_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_020201231T205605_20201231T205727_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.
CS_OPER_SIR2SIN_0_20201231T221727_20201231T221850_0001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

5. Level 1B FDM Data Quality Check

5.1 L1B FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

5.2 L1B FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20201231T004243_20201231T004510_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_1B_20201231T022317_20201231T022345_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_1B_20201231T022345_20201231T022431_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_1B_20201231T054734_20201231T054738_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_1B_20201231T054738_20201231T055029_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).

5.3 L1B FDM Star Tracker Usage Check

Each product is checked in order to ensure a valid star tracker file has been used in processing.

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_1B_20201231T022317_20201231T022345_C001	No Star Tracker file used in the processing of this product
CS_OFFL_SIR_FDM_1B_20201231T054734_20201231T054738_C001	No Star Tracker file used in the processing of this product

5.4 L1B FDM Calibration Usage Check

Each product is checked in order to ensure the necessary calibration files have been used in processing.

Number of products with errors:

5.5 L1B FDM Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

5.6 L1B FDM Auxiliary Correction Error Check

CryoSat L1B data includes a correction error flag (field 54) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

5.7 L1B FDM Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_1B_20201231T022317_20201231T022345_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_1B_20201231T054734_20201231T054738_C001	Attitude correction missing	The attitude has not been corrected

6.1 L2 FDM Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

6.2 L2 FDM Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_FDM_220201231T004243_20201231T004510_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_220201231T022317_20201231T022345_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_220201231T022345_20201231T022431_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_220201231T054734_20201231T054738_C001.DBL	FOS Predicted Orbit (MPL_ORBPRE) used instead of the DORIS Navigator Orbit (DOR_NAV).
CS_OFFL_SIR_FDM_220201231T054738_20201231T055029_C001.DBL	Product filename start/stop differs slightly from start/stop validity due to rounding.
CS_OFFL_SIR_FDM_220201231T074102_20201231T074210_C001.DBL	Product filename start/stop differs slightly from start/stop validity due to rounding.

6.3 L2 FDM Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

6.4 L2 FDM Auxiliary Correction Error Check

Each product is checked to detect auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors:

30

0

6

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220201231T001348_20201231T003432_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T004921_20201231T005125_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T010447_20201231T013730_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T015324_20201231T015755_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T022831_20201231T022837_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T024403_20201231T025252_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T025528_20201231T031726_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T042224_20201231T045557_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T051443_20201231T054617_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T060244_20201231T061323_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T061919_20201231T062016_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T062126_20201231T063531_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T071027_20201231T072204_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T074801_20201231T075536_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T075650_20201231T075825_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T080005_20201231T081413_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T083025_20201231T083130_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T084749_20201231T085212_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T085456_20201231T090045_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T093201_20201231T095305_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T110808_20201231T113248_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T114753_20201231T122011_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T124326_20201231T130340_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T130657_20201231T131141_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T132739_20201231T140013_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T150624_20201231T152805_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T153051_20201231T154029_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T164551_20201231T171532_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T171640_20201231T171906_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T173430_20201231T173436_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T173454_20201231T180633_C001	Sea State Bias Correction	There is an error with the Sea State Bias Correction for one or more records
S_OFFL_SIR_FDM_220201231T182918_20201231T185330_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS OFFL SIR FDM 2 20201231T185757 20201231T185800 C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

CS_OFFL_SIR_FDM_220201231T191510_20201231T193112_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T202035_20201231T202318_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T205816_20201231T210318_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T210602_20201231T212941_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T223437_20201231T230811_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records
CS_OFFL_SIR_FDM_220201231T232302_20201231T234812_C001	Sea State Bias Correction, Altimetric Wind Speed	There is an error with the Altimetric Wind Speed and Sea State Bias Correction for one or more records

6.5 L2 FDM Measurement Confidence Data Check

CryoSat L2 data includes a measurement confidence flag (field 8) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220201231T022317_20201231T022345_C001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_FDM_220201231T054734_20201231T054738_C001	Attitude correction missing	The attitude has not been corrected

6.6 L2 FDM Range Measurement Check

CryoSat L2 data includes a CFI (field 17) and OCOG (field 22) Range Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220201231T004921_20201231T005125_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T010447_20201231T013730_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T024403_20201231T025252_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T025528_20201231T031726_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T042224_20201231T045557_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T051443_20201231T054617_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T061919_20201231T062016_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T062126_20201231T063531_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T071027_20201231T072204_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T074801_20201231T075536_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T075650_20201231T075825_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T084749_20201231T085212_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T085456_20201231T090045_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T110808_20201231T113248_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T124326_20201231T130340_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T132739_20201231T140013_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T150624_20201231T152805_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T164551_20201231T171532_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T182918_20201231T185330_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T191510_20201231T193112_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T202035_20201231T202318_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T205816_20201231T210318_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T210602_20201231T212941_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T223437_20201231T230811_C001	CFI Retracked Range Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #13, #14, #15 and #16 should be ignored for these records.

6.7 L2 FDM SWH and Backscatter Measurement Check

CryoSat L2 data includes a SWH-Squared Averaging Status flag (field 39) and an CFI (field 45) and OCOG (field 51) Backscatter Averaging Status flag for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

25

Product	Test Failed	Description
CS OFFL SIR FDM 2 20201231T004921 20201231T005125 C001	CFI Backscatter Status Flag, SWH	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be
C5_OFFL_SIK_FDM_2202012311004921_202012311003125_C001	Squared Averaging Status Flag	ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T010447_20201231T013730_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T024403_20201231T025252_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T025528_20201231T031726_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T042224_20201231T045557_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T051443_20201231T054617_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T061919_20201231T062016_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T062126_20201231T063531_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T071027_20201231T072204_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T074801_20201231T075536_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T075650_20201231T075825_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T084749_20201231T085212_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T085456_20201231T090045_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T110808_20201231T113248_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T124326_20201231T130340_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T132739_20201231T140013_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T150624_20201231T152805_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T164551_20201231T171532_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T182918_20201231T185330_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T191510_20201231T193112_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T202035_20201231T202318_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T205816_20201231T210318_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_220201231T210602_20201231T212941_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T223437_20201231T230811_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.
CS_OFFL_SIR_FDM_2_20201231T232302_20201231T234812_C001	CFI Backscatter Status Flag, SWH Squared Averaging Status Flag	The master fail flag is set by the CFI call, for one or more records, indicating the values stored in fields #41, #42, #43 and #44 should be ignored for these records.

6.8 L2 FDM Ocean Retracking Quality Check

CryoSat L2 data includes an ocean retracking quality flag (field 66) for each 20-Hz measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

40

Product	Test Failed	Description
CS_OFFL_SIR_FDM_220201231T001348_20201231T003432_C001		The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220201231T004921_20201231T005125_C001		The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_220201231T010447_20201231T013730_C001		The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.
CS_OFFL_SIR_FDM_2_20201231T022831_20201231T022837_C001		The Ocean Retracking Quality Flag is set indicating the CFI Ocean Retracker was not successfully executed for one or more records.

CS_OFFL_SIR_FDM_220201231T022850_20201231T023154_C001	Ocean Retracking Quality Flag	The
CS OFFL SIR FDM 2 20201231T024403 20201231T025252 C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T025528_20201231T031726_C001	Ocean Retracking Quality Flag	Re ^s
CS OFFL SIR FDM 2 20201231T042224 20201231T045557 C001	Ocean Retracking Quality Flag	The
CS OFFL SIR FDM 2 20201231T051443 20201231T054617 C001		Re
	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_2_20201231T060244_20201231T061323_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T061804_20201231T061917_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T061919_20201231T062016_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T062126_20201231T063531_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T065300_20201231T070619_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T070833_20201231T071017_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T071027_20201231T072204_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T074801_20201231T075536_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T075650_20201231T075825_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T080005_20201231T081413_C001	Ocean Retracking Quality Flag	The Re
CS_OFFL_SIR_FDM_220201231T084749_20201231T085212_C001	Ocean Retracking Quality Flag	The Re
CS_OFFL_SIR_FDM_220201231T085456_20201231T090045_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T100748_20201231T103116_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T110808_20201231T113248_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T114753_20201231T122011_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T124326_20201231T130340_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T132739_20201231T140013_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T150624_20201231T152805_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T155142_20201231T155245_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T161058_20201231T161702_C001	Ocean Retracking Quality Flag	The
CS OFFL SIR FDM 2 20201231T164551 20201231T171532 C001	Ocean Retracking Quality Flag	The
CS OFFL SIR FDM 2 20201231T173454 20201231T180633 C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T182918_20201231T185330_C001	Ocean Retracking Quality Flag	The
CS_OFFL_SIR_FDM_220201231T191510_20201231T193112_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T200435_20201231T201855_C001	Ocean Retracking Quality Flag	The
CS OFFL SIR FDM 2 202012311200405_202012311201035_0001	Ocean Retracking Quality Flag	Re
		Re
CS_OFFL_SIR_FDM_2_20201231T205816_20201231T210318_C001	Ocean Retracking Quality Flag	Re The
CS_OFFL_SIR_FDM_2_20201231T210602_20201231T212941_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T214344_20201231T220825_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T223437_20201231T230811_C001	Ocean Retracking Quality Flag	Re
CS_OFFL_SIR_FDM_220201231T232302_20201231T234812_C001	Ocean Retracking Quality Flag	Re
7	OCC Report Analysis	

he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more rec he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean tetracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean tetracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. ne Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records ne Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more re he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean tetracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean tetracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. ne Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records. he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records he Ocean Retracking Quality Flag is set indicating the CFI Ocean etracker was not successfully executed for one or more records.

7. QCC Report Analysis

The Quality Control for CryoSat (QCC) facility performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR1LRM_0_	190	190	190	0	0
SIR1SAR_0_	115	115	115	0	0
SIR1SIN_0_	102	102	102	0	0
SIR2SIN_0_	112	112	112	0	0
SIR_FDM_1B	190	190	2	0	188
SIR_FDM_2	187	187	132	55	0

7.1 QCC Errors

Number of QCC reports with errors:

188

Total number of occurrences of each error

Product Type	UVOB	-	-	-	-	-	=	-	-	-	-
SIR_FDM_1B	188										

Test Description Key:		
Abbreviation	Test name	Details
UVOB	UnitVectorOrBlank_6	The three array elements should form a unit vector (using a scale factor of 10^-6)

Number of QCC reports with warnings

Total number of occurrences of each warning

Product Type	MVSIO	MVSIOFD	RAGCOFOFD	RBSZO	RBSZOFD	RSSBCO	-	-	-	-	-
SIR_FDM_1B	0	0	1	0	0	0					
SIR FDM 2	39	41	0	36	46	6					

Test Description Key:							
Abbreviation	Test name	Details					
MVSIO	MissingValueShortIntOcean	The value should not be a 'missing value' for surface type 0 only					
MVSIOFD	MissingValueShortIntOceanFD2	The value should not be a 'missing value' for surface type 0 only					
RAGCOFOFD	RangeAGCOrFlaggedOceanFD3	The AGC should be between 0 and 6200 or the AGC_Inconsistency flag should be set for surface type = ocean					
RBSZO	RangeBackscatterSigmaZeroOcean	The backscatter sigma zero should be between 700 and 3000 (or missing) for surface type = ocean					
RBSZOFD	RangeBackscatterSigmaZeroOceanFD2	The backscatter sigma zero should be between 700 and 3000 (or missing) for surface type = ocean					
RSSBCO	RangeSeaStateBiasCorrectionOcean	The sea state bias correction should be between -500mm and 0mm (or missing) for surface type = ocean					

7.3 Missing QCC Reports

Number of products with missing QCC reports:

- -