



| CRYDSAT | IDEAS Daily Report for IC | <u>DP data:</u> | <u>01/06/2014</u> | IDEAS |
|--|---|-----------------------------------|-----------------------------------|-----------------------------------|
| | | 1. Overview | | |
| | | | leck | Status |
| Report Production Date: | 04-Jun-2014 | | ce-pds.cryosat.esa.int | Nominal |
| | Intermediate Ocean Products (IOP) | | al-pds.cryosat.esa.int | Nominal |
| Data Used: | L1B and L2 Science Data | | ftware Check | Nominal |
| | | | ormat Check | Nominal |
| | | Product Hea | ader Analysis | Nominal |
| | | Auxiliary Data F | ile Usage Check | Nominal |
| | | Auxiliary Correc | ction Error Check | Nominal |
| | | Measurement Con | fidence Data Check | See Section 4.5, 4.6, 5.5 and 5.6 |
| | | | | |
| ssion / Instrument News 1-May-2014 None | | | | |
| 01-Jun-2014 None 02-Jun-2014 Nothing planned | 1 | | | |
| | | 2. Global Covera | ige | |
| Global | Coverage (north pole view) | | Global Coverc | ige (south pole view) |
| | | | i 'n o | |
| | | Global Coverage | | Mode Coverage |
| | 3. I | Instrument Config | uration | |
| e SIRAL instrument configurat | ion for the day of acquisition is provided below. | | | |
| SIRAL instrument(s) in t | use: SIRAL - A | | | |
| | 4. IOP | Level 1B Data Qua | ality Check | |
| 1 L1B Product Form | at Check | | | |
| ch product, retrieved and unpa | acked from the science server, is checked to ensi | sure it consists of both an XML h | neader file (.HDR) and a binary p | product file (.DBL). |
| imber of products with error | s: 0 | | | |
| umber of products with error 2 L1B Product Head | | | | |

| 4.3 L1B Auxilary Data File Usage Check | | | | | | |
|---|--------------------------------------|--|--|--|--|--|
| Each product is checked for missing Data Set Descriptors with repsect to a pre-d Number of products with errors: 0 | letermined baseline and also to o | check the validity of Auxiliary Data Files is correct. | | | | |
| 4.4 L1B Auxiliary Correction Error Check | | | | | | |
| Each product is checked to detect auxiliary corrections flagged by the ground-sta Number of products with errors: 0 | ation processing chain as missing | g or containing errors. | | | | |
| 4.5 L1B Measurement Confidence Data Check | | | | | | |
| CryoSat L1B data includes a measurement confidence flag (field 12) for each me Number of products with errors: 1 | easurement record. The bit value | of this flag indicates any problems when set. | | | | |
| Product | Test Failed | Description | | | | |
| CS_OFFL_SIR_IOP_1B_20140601T013020_20140601T013504_B001 | Power scaling error | There has been an error in the scaling of the L1B waveform | | | | |
| 4.6 L1B Waveform Group Data Check | | | | | | |
| CryoSat L1B data includes a waveform data flag (field 65) for each measuremen | t record. The bit value of this flag | g indicates any problems when set. | | | | |
| Loss of Echo Flag: This flag is currently set for a large number of products over land, indicating that the tracking echo is missing. | | | | | | |
| Number of products with errors: 46 | | | | | | |
| 5.101 | P Level 2 Data Qua | lity Chook | | | | |
| | Level 2 Data Qua | | | | | |
| 5.1 L2 Product Format Check | | | | | | |
| Each product, retrieved and unpacked from the science server, is checked to ens Number of products with errors: 0 | sure it consists of both an XML h | eader file (.HDR) and a binary product file (.DBL) | | | | |
| 5.2 L2 Product Header Analysis | | | | | | |
| For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain. | | | | | | |
| Number of products with errors: 0 | | | | | | |
| 5.3 L2 Auxiliary Data File Usage Check | | | | | | |
| Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. | | | | | | |
| Number of products with errors: 0 | | | | | | |
| 5.4 L2 Measurement Confidence Data Check | | | | | | |
| CryoSat L2 data includes a quality flag (field 14) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains. | | | | | | |
| Number of products with errors: 0 | | | | | | |
| 5.5 L2 Range Measurement Check | | | | | | |
| Each product is checked to detect range measurements flagged by the processir | ng chain as missing or containing | g errors. | | | | |
| Ocean Range Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected. | | | | | | |
| Ice Range Averaging Status Flag: This flag is currently set for some products over land and continental ice. | | | | | | |
| Number of products with errors: 221 | | | | | | |
| 5.6 L2 SWH and Backscatter Measurement Check | | | | | | |
| Each product is checked to detect parameters related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors. | | | | | | |
| SWH Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected. | | | | | | |
| Ocean Backscatter Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected. | | | | | | |

Ice Backscatter Averaging Status Flag: This flag is currently set for some products over land and continental ice. 200

Number of products with errors: