


IDEAS+ Daily Report for IOP data:

<u>19/09/2014</u>





	e Check
Each product is checked for missing Data Set D	escriptors with repsect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
Number of products with errors:	0
4.4 L1B Auxiliary Correction Erro	or Check
Each product is checked to detect auxiliary corre	ections flagged by the ground-station processing chain as missing or containing errors.
Number of products with errors:	0
4.5 L1B Measurement Confidence	ce Data Check
CryoSat L1B data includes a measurement cont	idence flag (field 12) for each measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors:	0
4.6 L1B Waveform Group Data C	heck
CryoSat L1B data includes a waveform data flaç	g (field 65) for each measurement record. The bit value of this flag indicates any problems when set.
Loss of Echo Flag: This flag is currently set for	a large number of products over land, indicating that the tracking echo is missing.
Number of products with errors:	46
	5. IOP Level 2 Data Quality Check
5.1 L2 Product Format Check	
Each product, retrieved and unpacked from the	science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL)
Number of products with errors:	0
5.2 L2 Product Header Analysis	
For all products, a series of pre-defined checks	are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.
	0
Number of products with errors:	
Number of products with errors: 5.3 L2 Auxiliary Data File Usage	Check
5.3 L2 Auxiliary Data File Usage	Check escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
5.3 L2 Auxiliary Data File Usage Each product is checked for missing Data Set D	
5.3 L2 Auxiliary Data File Usage	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
5.3 L2 Auxiliary Data File Usage Each product is checked for missing Data Set D Number of products with errors: 5.4 L2 Measurement Confidence	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
<ul> <li>5.3 L2 Auxiliary Data File Usage</li> <li>Each product is checked for missing Data Set D</li> <li>Number of products with errors:</li> <li>5.4 L2 Measurement Confidence</li> <li>CryoSat L2 data includes a quality flag (field 14)</li> </ul>	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. 0 Data Check
5.3 L2 Auxiliary Data File Usage Each product is checked for missing Data Set D Number of products with errors: 5.4 L2 Measurement Confidence	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. 0 P Data Check for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains. 0
<ul> <li>5.3 L2 Auxiliary Data File Usage</li> <li>Each product is checked for missing Data Set D</li> <li>Number of products with errors:</li> <li>5.4 L2 Measurement Confidence</li> <li>CryoSat L2 data includes a quality flag (field 14)</li> <li>Number of products with errors:</li> <li>5.5 L2 Range Measurement Check</li> </ul>	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. 0 P Data Check for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains. 0
<ul> <li>5.3 L2 Auxiliary Data File Usage</li> <li>Each product is checked for missing Data Set D</li> <li>Number of products with errors:</li> <li>5.4 L2 Measurement Confidence</li> <li>CryoSat L2 data includes a quality flag (field 14)</li> <li>Number of products with errors:</li> <li>5.5 L2 Range Measurement Check</li> <li>Each product is checked to detect range measu</li> </ul>	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. 0  Data Check for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains. 0  ck
<ul> <li>5.3 L2 Auxiliary Data File Usage</li> <li>Each product is checked for missing Data Set D</li> <li>Number of products with errors:</li> <li>5.4 L2 Measurement Confidence</li> <li>CryoSat L2 data includes a quality flag (field 14)</li> <li>Number of products with errors:</li> <li>5.5 L2 Range Measurement Checked to detect range measu</li> <li>Ocean Range Averaging Status Flag: This flag</li> </ul>	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. 0 Data Check for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains. 0 Ck rements flagged by the processing chain as missing or containing errors.
<ul> <li>5.3 L2 Auxiliary Data File Usage</li> <li>Each product is checked for missing Data Set D</li> <li>Number of products with errors:</li> <li>5.4 L2 Measurement Confidence</li> <li>CryoSat L2 data includes a quality flag (field 14)</li> <li>Number of products with errors:</li> <li>5.5 L2 Range Measurement Checked to detect range measu</li> <li>Ocean Range Averaging Status Flag: This flag</li> </ul>	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. 0 <b>Data Check</b> for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains. 0 <b>ck</b> rements flagged by the processing chain as missing or containing errors. g is currently set for products over land and sea ice, but this is to be expected.

SWH Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ocean Backscatter Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ice Backscatter Averaging Status Flag: This flag is currently set for some products over land and continental ice. 171

Number of products with errors: