

IDEAS+ Daily Report for IOP data:

<u>15/03/2015</u>




Report Production Date:	25-Mar-2015	Check	Status
		Server check: science-pds.cryosat.esa.int	Nominal
Data Used:	Intermediate Ocean Products (IOP)	Server check: calval-pds.cryosat.esa.int	Nominal
Data Used:	L1B and L2 Science Data	Product Software Check	Nominal
		Product Format Check	Nominal
		Product Header Analysis	Nominal
		Auxiliary Data File Usage Check	Nominal
		Auxiliary Correction Error Check	Nominal
		Measurement Confidence Data Check	See Section 4.6, 5.5 and 5.6

14-Mar-2015	None
15-Mar-2015	None

16-Mar-2015 SIRAL unavailability on 16-March-2015 from 21:46:10 to 23:54:24 due to a planned orbit manoeuvre.

2. Global Coverage



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL - A

0

SIRAL instrument(s) in use:

4. IOP Level 1B Data Quality Check

4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

.3 L1B Auxilary Data File Usa	де Спеск
ach product is checked for missing Data Se	t Descriptors with repsect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
umber of products with errors:	0
.4 L1B Auxiliary Correction E	rror Check
ach product is checked to detect auxiliary co	orrections flagged by the ground-station processing chain as missing or containing errors.
umber of products with errors:	0
.5 L1B Measurement Confide	nce Data Check
ryoSat L1B data includes a measurement c	onfidence flag (field 12) for each measurement record. The bit value of this flag indicates any problems when set.
umber of products with errors:	0
.6 L1B Waveform Group Data	Check
ryoSat L1B data includes a waveform data	flag (field 65) for each measurement record. The bit value of this flag indicates any problems when set.
oss of Echo Flag: This flag is currently set	for a large number of products over land, indicating that the tracking echo is missing.
umber of products with errors:	48
	5. IOP Level 2 Data Quality Check
.1 L2 Product Format Check	
ch product, retrieved and unpacked from the	he science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL)
umber of products with errors:	0
.2 L2 Product Header Analysi	S
or all products, a series of pre-defined chec	ks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.
umber of products with errors:	0
.3 L2 Auxiliary Data File Usag	je Check
ach product is checked for missing Data Se	t Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
umber of products with errors:	0
.4 L2 Measurement Confiden	ce Data Check
ryoSat L2 data includes a quality flag (field	14) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains.
umber of products with errors:	0
.5 L2 Range Measurement Ch	ieck
ach product is checked to detect range mea	asurements flagged by the processing chain as missing or containing errors.
	flag is currently set for products over land and sea ice, but this is to be expected.
e Range Averaging Status Flag: This flag	is currently set for some products over land and continental ice.
umber of products with errors:	241
.6 L2 SWH and Backscatter M	leasurement Check

Ocean Backscatter Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ice Backscatter Averaging Status Flag: This flag is currently set for some products over land and continental ice. 215

Number of products with errors: