

Report Production Date:

Data Used:

IDEAS+ Daily Report for IOP data:

08-Apr-2015


04/04/2015

Nominal

Nominal

Nominal

See Section 4.6, 5.5 and 5.6



Mission / Instrument News	
03-Apr-2015 04-Apr-2015	None
04-Apr-2015	None
05-Apr-2015	Nothing planned


2. Global Coverage

Product Header Analysis

Auxiliary Data File Usage Check

Auxiliary Correction Error Check

Measurement Confidence Data Check



SIRAL instrument(s) in use:

4. IOP Level 1B Data Quality Check

4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

SIRAL - A

4.3 L1B Auxilary Data File Usa	19e Olleck
	et Descriptors with repsect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
Number of products with errors:	0
4.4 L1B Auxiliary Correction E	Error Check
Each product is checked to detect auxiliary of	corrections flagged by the ground-station processing chain as missing or containing errors.
Number of products with errors:	0
I.5 L1B Measurement Confide	ance Data Check
CryoSat L1B data includes a measurement	confidence flag (field 12) for each measurement record. The bit value of this flag indicates any problems when set.
Number of products with errors:	0
4.6 L1B Waveform Group Data	a Check
CryoSat L1B data includes a waveform data	flag (field 65) for each measurement record. The bit value of this flag indicates any problems when set.
.oss of Echo Flag: This flag is currently se	t for a large number of products over land, indicating that the tracking echo is missing.
Number of products with errors:	43
	5. IOP Level 2 Data Quality Check
5.1 L2 Product Format Check	
Each product, retrieved and unpacked from	the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL)
Number of products with errors:	0
5.2 L2 Product Header Analys	is
For all products, a series of pre-defined che	cks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.
Number of products with errors:	0
5.3 L2 Auxiliary Data File Usa	ge Check
Each product is checked for missing Data S	et Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
Number of products with errors:	0
5.4 L2 Measurement Confider	ce Data Check
CryoSat L2 data includes a quality flag (field	14) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains.
Number of products with errors:	0
5.5 L2 Range Measurement C	heck
Each product is checked to detect range me	asurements flagged by the processing chain as missing or containing errors.
	flag is currently set for products over land and sea ice, but this is to be expected.
ce Range Averaging Status Flag: This flag	g is currently set for some products over land and continental ice.
Number of products with errors:	236
5.6 L2 SWH and Backscatter I	Neasurement Check
Each product is checked to detect paramete	rs related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors.
SWH Averaging Status Flag: This flag is o	urrently set for products over land and sea ice, but this is to be expected.

SWH Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ocean Backscatter Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ice Backscatter Averaging Status Flag: This flag is currently set for some products over land and continental ice. 201

Number of products with errors: