


IDEAS+ Daily Report for IOP data:

30/04/2015






Mission / Instrument News 29-Apr-2015 None

30-Apr-2015 SIRAL unavailability on 30-April-2015 from 05:58:18 to 07:46:48 due to a planned orbit manoeuvre.

01-May-2015 Nothing planned

2. Global Coverage



4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL).

Number of products with errors:

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

4. IOP Level 1B Data Quality Check

4.3 L1B Auxilary Data File Usage) Check
ach product is checked for missing Data Set De	escriptors with repsect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
lumber of products with errors:	0
.4 L1B Auxiliary Correction Erro	or Check
ach product is checked to detect auxiliary corre	ections flagged by the ground-station processing chain as missing or containing errors.
lumber of products with errors:	0
I.5 L1B Measurement Confidenc	e Data Check
CryoSat L1B data includes a measurement confi	idence flag (field 12) for each measurement record. The bit value of this flag indicates any problems when set.
lumber of products with errors:	0
.6 L1B Waveform Group Data C	heck
ryoSat L1B data includes a waveform data flag	(field 65) for each measurement record. The bit value of this flag indicates any problems when set.
.oss of Echo Flag: This flag is currently set for	a large number of products over land, indicating that the tracking echo is missing.
lumber of products with errors:	47
	5. IOP Level 2 Data Quality Check
.1 L2 Product Format Check	
ach product, retrieved and unpacked from the s	science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL)
lumber of products with errors:	0
5.2 L2 Product Header Analysis	
for all products, a series of pre-defined checks a	are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.
lumber of products with errors:	0
5.3 L2 Auxiliary Data File Usage	Check
each product is checked for missing Data Set De	escriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.
lumber of products with errors:	0
.4 L2 Measurement Confidence	Data Check
CryoSat L2 data includes a quality flag (field 14)	for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains.
lumber of products with errors:	0
5.5 L2 Range Measurement Chec	sk
	rements flagged by the processing chain as missing or containing errors.
ach product is checked to detect range measur	
ach product is checked to detect range measur	j is currently set for products over rand and sea ice, but this is to be expected.
cean Range Averaging Status Flag: This flag	currently set for some products over land and continental ice.
Icean Range Averaging Status Flag: This flag	

SWH Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ocean Backscatter Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ice Backscatter Averaging Status Flag: This flag is currently set for some products over land and continental ice. 207

Number of products with errors: