




1. Overview


Report Production Date:	19-Jun-2013		
Data Used:	OFFLINE L1B and L2 Science Data		


Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	Nominal
Auxiliary Data File Usage	Nominal
Auxiliary Correction Check	See Section 4.4 and 5.4
Measurement Data Set Check	See Section 4.5 and 5.5


Mission / Instrun	nent News
30-Jun-2012	SIRAL unavailability from 30-Jun-2012 17:09:20 to 01-Jul-2012 08:07:40 due to an unplanned ground segment anomaly.
01-Jul-2012	SIRAL unavailability from 30-Jun-2012 17:09:20 to 01-Jul-2012 08:07:40 due to an unplanned ground segment anomaly.
02-Jul-2012	Nothing planned


2. Global Coverage














3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A	
Star Tracker(s) in use:	Star Tracker 2 & 3	

4. Level 1B Data Quality Check

4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors:

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

0

4.3 L1B Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

0

4.4 L1B Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors:

2

Product	Test Failed	
CS_OFFL_SIR_LRM_1B_20120701T175907_20120701T181657_B001	Dynamic atmosphere correction error	
CS_OFFL_SIR_SAR_1B_20120701T115906_20120701T120258_B001	Dynamic atmosphere correction error	

4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 14) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

10

Product	Test Failed	Description
CS_OFFL_SIR_LRM_1B_20120701T080511_20120701T080551_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T080740_20120701T082413_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T083016_20120701T084125_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T084459_20120701T084650_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T084746_20120701T085225_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T085656_20120701T092159_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T092248_20120701T092455_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20120701T092602_20120701T093116_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20120701T070208_20120701T070402_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20120701T071619_20120701T071714_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20120701T075258_20120701T075344_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20120701T082413_20120701T083016_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20120701T084126_20120701T084336_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20120701T084336_20120701T084459_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20120701T084650_20120701T084746_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20120701T085226_20120701T085442_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20120701T092200_20120701T092248_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20120701T092456_20120701T092602_B001	Attitude correction missing	The attitude has not been corrected

5. Level 2 Data Quality Check

5.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors:

inscript products with circle.

5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain

Number of products with errors:

0

5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct

Number of products with errors:

0

5.4 L2 Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors:

2

Product	Test Failed
CS_OFFL_SIR_LRM_220120701T175907_20120701T181657_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SAR_2A_20120701T115906_20120701T120257_B001	Dynamic atmosphere correction error

5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

Freeboard Error: This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of

SARin x-track angle error: Currently there is an on-going investigation into the high number of errors from the 'SARIn x-track Error' Quality Flag over Antarctica.

Height error and Backscatter error: It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

Number of products with errors:

Product	Test Failed	Description	
CS_OFFL_SIR_SAR_2A_20120701T174453_20120701T174557_B001	Peakiness error	There is an error in the peakiness derivation	

6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	11	11	0	11	0
SIR_LRM_1B	84	84	63	21	0
SIR_LRM_2	84	84	1	83	0
SIR_SAR_1B	69	69	0	69	0
SIR_SAR_2A	69	69	2	67	0
SIR_SIN_1B	73	73	0	73	0
SIR SIN 2	73	73	0	73	0

6.1 QCC Errors

Number of products with QCC errors:

0

6.2 Missing QCC Reports

Number of products with missing QCC reports: