



SAR

LRM

SARin

LRM Continental ice SAR Closed sea

SARin Open ocean

3. Instrument Configuration										
The SIRAL instrument configurati	on for the day of acquisition is provided	below.								
SIRAL instrument(s) in use:	SIRAL - A									
Star Tracker(s) in use:	Star Tracker 1									
4. Level 1B Data Quality Check										
4.1 L1 Product Format Check										
Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).										
Number of products with errors	s: 0									
4.2 L1B Product Heade	er Analysis									
For all products, a series of pre-de	efined checks are carried out on the M	PH and SPH	in order to identify any inconsiste	encies and/or errors raised	by the ground-segment processing chain.					
Number of products with errors: 0										
4.3 L1B Auxilary Data	File Usage Check									
Each product is checked for missi	ing Data Set Descriptors wrt a pre-dete	rmined base	line and also to check the validity	of Auxiliary Data Files is c	orrect.					
Number of products with errors: 0										
4.4 L1B Flagged Auxili	4.4 L1B Flagged Auxiliary Correction Error Check									
	auxiliary corrections flagged by the grou	und-station p	rocessing chain as missing or co	ntaining errors						
Number of products with errors	s: 3		Teet Felled							
	002T115851_20121002T121706_B001		Test Failed Dynamic atmosphere corre							
	002T055629_20121002T060047_B001 002T175744_20121002T180313_B001		Dynamic atmosphere corre Dynamic atmosphere corre							
4.5 L1B Measurement	Confidence Data Check									
CryoSat L1B data includes a mea Number of products with errors	surement confidence flag word (field 1	4) for each m	neasurement record. The bit valu	e of this flag indicates any p	problems when set.					
	. <u> </u>		Test Failed	Description						
Product CS_OFFL_SIR_LRM_1B_201210	002T133634_20121002T135142_B001		TRK echo error	Description The tracking	echo has returned an error					
CS_OFFL_SIR_LRM_1B_201210	002T201831_20121002T201947_B001		TRK echo error	The tracking	echo has returned an error					
		5. Leve	I 2 Data Quality Ch	eck						
5.1 L2 Product Format	Check									
	cked from the science server, is check	ed to ensure	it consists of both an XML heade	er file (.HDR) and a binary p	product file (.DBL)					
Number of products with errors	s: 0									
5.2 L2 Product Header	Analysis									
For all products, a series of pre-du	efined checks are carried out on the M	PH and SPH	in order to identify any inconsist	encies and/or errors raised	by the ground-segment processing chain					
Number of products with errors			······································		-)					
5.3 L2 Auxiliary Data F	ile Usage Check									
	ing Data Set Descriptors wrt a pre-dete	rmined base	line and also to check the validity	of Auxiliary Data Files is c	orrect					
Number of products with errors										
Product		A	UX File		Comment					
CS_OFFL_SIR_GDR_2A_201210	002T230216_20121003T004129_B001		S_OPER_AUX_ORBDOR_2012 02325 0001	21001T215525_20121003T	Coverage missing for intervals [2012-10- 03T00:23:25, 2012-10-03T00:41:29]					
CS_OFFL_SIR_GDR_2A_201210	001T235306_20121002T013219_B001	CS_OPER_AUX_ORBDOR_20121002T215525_20121004T Coverage mis		Coverage missing for intervals [2012-10- 02T00:23:25, 2012-10-02T01:32:19]						
5.4 L2 Flagged Auxilia	ry Correction Error Check	'								
	auxiliary corrections flagged by the grou		rocessing chain as missing or co	ntaining errors						
Number of products with errors: 3										
Product			Test Failed							
CS_OFFL_SIR_LRM_220121002T115851_20121002T121706_B001			Dynamic atmosphere correction error							
				Dynamic atmosphere correction error Dynamic atmosphere correction error						

•

oficu

41

5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

Freeboard Error: This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of -9999

SARin x-track angle error: Currently there is an on-going investigation into the high number of errors from the 'SARIn x-track Error' Quality Flag over Antarctica.

Height error and Backscatter error: It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

Number of products with errors:

Product	Test Failed	Description					
CS_OFFL_SIR_SAR_2A_20121002T190144_20121002T190510_B001	Peakiness error	There is an error in the peakiness derivation					

6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	17	15	0	15	0
SIR_LRM_1B	128	128	89	39	0
SIR_LRM_2	128	127	1	126	0
SIR_SAR_1B	88	88	0	88	0
SIR_SAR_2A	88	88	2	86	0
SIR_SIN_1B	94	103	0	103	0
SIR_SIN_2	102	102	0	102	0

6.1 QCC Errors

Number of products with QCC errors:

6.2 Missing QCC Reports

Number of products with missing QCC reports:

Product name

CS_OFFL_SIR_GDR_2A_20121001T235306_20121002T013219_B001 CS_OFFL_SIR_LRM_1B_20121001T235328_20121002T001119_B001

0

3

CS_OFFL_SIR_LRM_2__20121001T235328_20121002T001119_B001