




1. Overview


Report Production Date:	20-Feb-2013		
Data Used:	OFFLINE L1B and L2 Science Data		

Check	Status		
Server check: science-pds.cryosat.esa.int	Nominal		
Server check: calval-pds.cryosat.esa.int	Nominal		
Product Software Check	Nominal		
Product Format Check	Nominal		
Product Header Analysis	Nominal		
Auxiliary Data File Usage	See Section 5.3		
Auxiliary Correction Check	See Section 4.4 and 5.4		
Measurement Data Set Check See Section 4.5			


Mission / Instrun	Mission / Instrument News		
08-Jan-2013	None		
09-Jan-2013	SIRAL unavailability from 09-Jan-2013 20:35:54 to 22:21:50 due to a planned orbit manoeuvre.		
10-Jan-2013	Nothing planned		


2. Global Coverage





Mode Coverage(%) LRM 67.21 SAR 19.63 SIN 12.98





3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A	
Star Tracker(s) in use:	Star Tracker 1	

4. Level 1B Data Quality Check

4.1 L1 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors:

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

0

0

4.3 L1B Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors:

_

4.4 L1B Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_LRM_1B_20130109T055950_20130109T060631_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130109T115348_20130109T120548_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SAR_1B_20130109T175612_20130109T180311_B001	Dynamic atmosphere correction error

4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 14) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_LRM_1B_20130109T064340_20130109T065605_B001	Attitude corr. miss.	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20130109T065606_20130109T065735_B001	Attitude corr. miss.	The attitude has not been corrected

5. Level 2 Data Quality Check

5.1 L2 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a binary product file (.DBL)

Number of products with errors: 0

5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain

Number of products with errors:

5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct

Number of products with errors:

Product	AUX File	Comment
CS OFFI SIR COR 24 20130100T232Q44 20130110T010857 R001	CS_OPER_AUX_ORBDOR_20130108T215525_201 30110T002325_0001	Coverage missing for intervals [2013-01- 10T00:23:25, 2013-01-10T01:08:57]

5.4 L2 Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_LRM_220130109T055950_20130109T060631_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_220130109T115348_20130109T120548_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SAR_2A_20130109T175612_20130109T180311_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_220130108T235933_20130109T000222_B001	Dynamic atmosphere correction error

5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

Freeboard Error: This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value

SARin x-track angle error: Currently there is an on-going investigation into the high number of errors from the 'SARIn x-track Error' Quality Flag over Antarctica.

Height error and Backscatter error: It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

Number of products with errors:

6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	18	17	0	17	0
SIR_LRM_1B	140	143	95	48	0
SIR_LRM_2	138	138	1	137	0
SIR_SAR_1B	152	152	0	152	0
SIR_SAR_2A	105	105	1	104	0
SIR_SIN_1B	93	92	0	92	0
SIR_SIN_2	90	89	0	89	0

6.1 QCC Errors

Number of products with QCC errors:

0

0

6.2 Missing QCC Reports

Number of products with missing QCC reports: 3

Product name

CS_OFFL_SIR_GDR_2A_20130108T224121_20130109T002034_B001 CS_OFFL_SIR_SIN_1B_20130108T235933_20130109T000222_B001

CS_OFFL_SIR_SIN_2_20130108T235933_20130109T000222_B001