



Closed sea Continental ice

SAR

Open ocean

LRM

Land

SARin

LRM Continental ice SAR Closed sea

SARin Open ocean

3. Instrument Configuration						
The SIRAL instrument configuration f	for the day of acquisition is provided below.					
SIRAL instrument(s) in use:	SIRAL - A					
Star Tracker(s) in use:	Star Tracker 1					
	4. Leve	I 1B Data Quality Check				
4.1 L1 Product Format Cl	heck					
Each product, retrieved and unpacker	d from the science server, is checked to ensur	e it consists of both an XML header file (.HDR) and a product file (.DBL).				
Number of products with errors:	0					
4.2 L1B Product Header	Analysis					
For all products, a sories of pro defin	ad checks are carried out on the MPH and SPI	H in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.				
Number of products with errors:		r in order to ruentury any inconsistencies and/or enors raised by the ground-segment processing chain.				
4.3 L1B Auxilary Data File	e Usage Check					
Each product is checked for missing I	Data Set Descriptors wrt a pre-determined bas	seline and also to check the validity of Auxiliary Data Files is correct.				
Number of products with errors:	0					
4.4 L1B Flagged Auxiliary	y Correction Error Check					
Each product is checked to spot auxi	liary corrections flagged by the ground-station	processing chain as missing or containing errors				
Number of products with errors:	4					
Product	-	Test Failed				
CS_OFFL_SIR_LRM_1B_201302047		Dynamic atmosphere correction error				
CS_OFFL_SIR_LRM_1B_20130205 CS_OFFL_SIR_SAR_1B_201302051		Dynamic atmosphere correction error Dynamic atmosphere correction error				
CS_OFFL_SIR_SAR_1B_201302051		Dynamic atmosphere correction error				
4.5 L1B Measurement Co	onfidence Data Check					
CryoSat I 18 data includes a measur	rement confidence flag word (field 14) for each	measurement record. The bit value of this flag indicates any problems when set.				
Number of products with errors:		medsarenen record. The bit value of this hay indicates any provising when set.				
	5. Leve	el 2 Data Quality Check				
5.1 L2 Product Format Cl						
		e it consists of both an XML header file (.HDR) and a binary product file (.DBL)				
Number of products with errors:	0					
5.2 L2 Product Header A	nalvsis					
		H in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain				
Number of products with errors:	0					
5.3 L2 Auxiliary Data File	Usage Check					
Each product is checked for missing l	Data Set Descriptors wrt a pre-determined bas	seline and also to check the validity of Auxiliary Data Files is correct				
Number of products with errors:	0					
5.4 L2 Flagged Auxiliary	Correction Error Check					
Each product is checked to spot auxil	liary corrections flagged by the ground-station	processing chain as missing or containing errors				
Number of products with errors:	4					
Product		Test Failed				
CS_OFFL_SIR_LRM_2201302047		Dynamic atmosphere correction error				
CS_OFFL_SIR_LRM_2201302057 CS_OFFL_SIR_SAR_2A_201302057		Dynamic atmosphere correction error Dynamic atmosphere correction error				
CS_OFFL_SIR_SAR_2A_201302057		Dynamic atmosphere correction error				

## 5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

Freeboard Error: This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of -9999

SARin x-track angle error: Currently there is an on-going investigation into the high number of errors from the 'SARIn x-track Error' Quality Flag over Antarctica.

Height error and Backscatter error: It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

## Number of products with errors:

roduct	Test Failed	Description	
S_OFFL_SIR_SAR_2A_20130205T154618_20130205T154702_B002	Peakiness error	There is an error in the peakiness derivation	

6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	16	30	0	30	0
SIR_LRM_1B	141	280	258	22	0
SIR_LRM_2	141	280	4	276	0
SIR_SAR_1B	158	269	0	269	0
SIR_SAR_2A	111	222	8	214	0
SIR_SIN_1B	100	196	0	196	0
SIR_SIN_2	96	192	0	192	0

## 6.1 QCC Errors

Number of products with QCC errors:

## 6.2 Missing QCC Reports

Number of products with missing QCC reports:

Product name

CS\_OFFL\_SIR\_GDR\_2A\_20130204T225755\_20130205T003708\_B004 CS\_OFFL\_SIR\_LRM\_1B\_20130204T235418\_20130205T000600\_B002 CS\_OFFL\_SIR\_LRM\_2\_20130204T235418\_20130205T000600\_B002

0

3