

### 1. Overview



<b>Report Production Date:</b>	17-Jul-2013
<b>Data Used:</b>	OFFLINE L1B and L2 Science Data

Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	Nominal
Auxiliary Data File Usage	See Section 5.3
Auxiliary Correction Check	See Section 4.4 and 5.4
Measurement Data Set Check	See Section 4.5 and 5.5



#### Mission / Instrument News

11-Jun-2013	None
12-Jun-2013	None
13-Jun-2013	Nothing planned

### 2. Global Coverage



Mode Coverage(%)		
	LRM	67.49
	SAR	21.64
	SIN	10.75



### 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

<b>SIRAL instrument(s) in use:</b>	SIRAL - A
<b>Star Tracker(s) in use:</b>	Star Tracker 1

## 4. Level 1B Data Quality Check

### 4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

### 4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

### 4.3 L1B Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

### 4.4 L1B Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors: 4

Product	Test Failed
CS_OFFL_SIR_LRM_1B_20130612T055751_20130612T060335_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130612T114806_20130612T122455_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130612T173707_20130612T180938_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_1B_20130611T235854_20130612T000036_B001	Dynamic atmosphere correction error

### 4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 14) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 3

Product	Test Failed	Description
CS_OFFL_SIR_LRM_1B_20130612T015241_20130612T022506_B001	TRK echo error	The tracking echo has returned an error
CS_OFFL_SIR_LRM_1B_20130612T060408_20130612T061009_B001	TRK echo error	The tracking echo has returned an error
CS_OFFL_SIR_SIN_1B_20130612T173513_20130612T173707_B001	TRK echo error	The tracking echo has returned an error

## 5. Level 2 Data Quality Check

### 5.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

### 5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain

Number of products with errors: 0

### 5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct

Number of products with errors: 2

Product	AUX File	Comment
CS_OFFL_SIR_GDR_2A_20130611T225129_20130612T003043_B001	CS_OPER_AUX_ORBDOR_20130610T215525_20130612T002325_0001	Coverage missing for intervals [2013-06-12T00:23:25, 2013-06-12T00:30:43]
CS_OFFL_SIR_GDR_2A_20130612T233953_20130613T011906_B001	CS_OPER_AUX_ORBDOR_20130611T215525_20130613T002325_0001	Coverage missing for intervals [2013-06-13T00:23:25, 2013-06-13T01:19:06]

### 5.4 L2 Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors: 4

Product	Test Failed
CS_OFFL_SIR_LRM_2__20130612T055751_20130612T060335_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_2__20130612T114806_20130612T122455_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_2__20130612T173708_20130612T180938_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_2__20130612T173513_20130612T173707_B001	Error in MSS/Geoid, and Ocean Depth Land Elevation model, correction computations

## 5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

**Freeboard Error:** This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of -9999.

**SARin x-track angle error:** Currently there is an on-going investigation into the high number of errors from the 'SARin x-track Error' Quality Flag over Antarctica.

**Height error and Backscatter error:** It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

**Number of products with errors:** 1

Product	Test Failed	Description
CS_OFFL_SIR_SAR_2A_20130612T090516_20130612T091539_B001	Peakiness error	There is an error in the peakiness derivation

## 6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	17	16	0	16	0
SIR_LRM_1B	67	67	66	0	1
SIR_LRM_2	67	67	0	67	0
SIR_SAR_1B	86	105	0	105	0
SIR_SAR_2A	86	104	2	102	0
SIR_SIN_1B	75	75	0	75	0
SIR_SIN_2	76	75	0	75	0

### 6.1 QCC Errors

**Number of products with QCC errors:** 1

Product Type	Product Start Time	Error
SIR_LRM_1B	CS_OPER_AUX_REP_QC_20130716T003727_SIR_LRM_1B20130612T173707.EEF	RRTAISSOB

Test Description Key:

Abbreviation	Test name	Details
RRTAISSOB	RangeRecordTAIStartStopOrBlank	The time value should be between the record TAI start/stop times of the SPH

### 6.2 Missing QCC Reports

**Number of products with missing QCC reports:** 4

Product name
CS_OFFL_SIR_GDR_2A_20130611T225129_20130612T003043_B001
CS_OFFL_SIR_SAR_2A_20130612T104515_20130612T104638_B001
CS_OFFL_SIR_SIN_1B_20130611T235854_20130612T000036_B001
CS_OFFL_SIR_SIN_2_20130611T235854_20130612T000036_B001