

1. Overview



Report Production Date:	02-Aug-2013
Data Used:	OFFLINE L1B and L2 Science Data

Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	Nominal
Auxiliary Data File Usage	See Section 5.3
Auxiliary Correction Check	See Section 4.4 and 5.4
Measurement Data Set Check	See Section 4.5 and 5.5



Mission / Instrument News

24-Jun-2013	None
25-Jun-2013	None
26-Jun-2013	Nothing planned

2. Global Coverage



Mode Coverage(%)		
	LRM	66.04
	SAR	19.71
	SIN	14.07



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
Star Tracker(s) in use:	Star Tracker 1

4. Level 1B Data Quality Check

4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

4.3 L1B Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

4.4 L1B Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors: 6

Product	Test Failed
CS_OFFL_SIR_LRM_1B_20130624T235511_20130625T000254_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130625T054457_20130625T060727_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130625T115047_20130625T120016_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130625T234844_20130625T234855_B001	Dynamic atmosphere correction error, GIM ionspheric correction error
CS_OFFL_SIR_SAR_1B_20130625T175850_20130625T180247_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_1B_20130625T234855_20130625T234901_B001	Dynamic atmosphere correction error, GIM ionspheric correction error

4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 14) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 5

Product	Test Failed	Description
CS_OFFL_SIR_LRM_1B_20130625T005220_20130625T010110_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20130625T104243_20130625T105749_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_LRM_1B_20130625T161030_20130625T161517_B001	TRK echo error	The tracking echo has returned an error
CS_OFFL_SIR_SAR_1B_20130625T105749_20130625T105952_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20130625T010111_20130625T010452_B001	Attitude correction missing	The attitude has not been corrected

5. Level 2 Data Quality Check

5.1 L2 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain

Number of products with errors: 0

5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct

Number of products with errors: 1

Product	AUX File	Comment
CS_OFFL_SIR_GDR_2A_20130624T232513_20130625T010427_B001	CS_OPER_AUX_ORBDOR_20130623T215525_20130625T002325_0001	Coverage missing for intervals [2013-06-25T00:23:25, 2013-06-25T01:04:27]

5.4 L2 Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors: 4

Product	Test Failed
CS_OFFL_SIR_LRM_2_20130624T235511_20130625T000254_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_2_20130625T054457_20130625T060727_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_2_20130625T115047_20130625T120016_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SAR_2A_20130625T175851_20130625T180246_B001	Dynamic atmosphere correction error

5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

Freeboard Error: This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of -9999.

SARin x-track angle error: Currently there is an on-going investigation into the high number of errors from the 'SARin x-track Error' Quality Flag over Antarctica.

Height error and Backscatter error: It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

Number of products with errors: 2

Product	Test Failed	Description
CS_OFFL_SIR_SAR_2A_20130625T030712_20130625T031439_B001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2A_20130625T193846_20130625T194750_B001	Peakiness error	There is an error in the peakiness derivation

6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	16	14	0	14	0
SIR_LRM_1B	142	141	141	0	0
SIR_LRM_2	142	141	0	141	0
SIR_SAR_1B	104	113	0	113	0
SIR_SAR_2A	104	113	5	108	0
SIR_SIN_1B	116	121	0	121	0
SIR_SIN_2	114	120	0	120	0

6.1 QCC Errors

Number of products with QCC errors: 0

6.2 Missing QCC Reports

Number of products with missing QCC reports: 3

Product name
CS_OFFL_SIR_GDR_2A_20130624T232513_20130625T010427_B001
CS_OFFL_SIR_LRM_1B_20130624T235511_20130625T000254_B001
CS_OFFL_SIR_LRM_2_20130624T235511_20130625T000254_B001