

### 1. Overview



<b>Report Production Date:</b>	30-Aug-2013
<b>Data Used:</b>	OFFLINE L1B and L2 Science Data

Check	Status
Server check: science-pds.cryosat.esa.int	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal
Product Software Check	Nominal
Product Format Check	Nominal
Product Header Analysis	Nominal
Auxiliary Data File Usage	See Section 5.3
Auxiliary Correction Check	See Section 4.4 and 5.4
Measurement Data Set Check	See Section 4.5 and 5.5



#### Mission / Instrument News

22-Jul-2013	None
23-Jul-2013	None
24-Jul-2013	Nothing planned

### 2. Global Coverage



Mode Coverage(%)		
<span style="display:inline-block; width:15px; height:15px; background-color:blue;"></span>	LRM	65.98
<span style="display:inline-block; width:15px; height:15px; background-color:lightblue;"></span>	SAR	21.04
<span style="display:inline-block; width:15px; height:15px; background-color:grey;"></span>	SARin	12.80



### 3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

<b>SIRAL instrument(s) in use:</b>	SIRAL - A
<b>Star Tracker(s) in use:</b>	Star Tracker 1

## 4. Level 1B Data Quality Check

### 4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

### 4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

### 4.3 L1B Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

### 4.4 L1B Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors: 4

Product	Test Failed
CS_OFFL_SIR_LRM_1B_20130723T114817_20130723T120419_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130723T174748_20130723T180902_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_1B_20130722T235804_20130723T000017_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_1B_20130723T055922_20130723T060119_B001	Dynamic atmosphere correction error

### 4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 14) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 3

Product	Test Failed	Description
CS_OFFL_SIR_LRM_1B_20130723T232659_20130723T233613_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SAR_1B_20130723T102457_20130723T102458_B001	Attitude correction missing	The attitude has not been corrected
CS_OFFL_SIR_SIN_1B_20130723T233613_20130723T233942_B001	Attitude correction missing	The attitude has not been corrected

## 5. Level 2 Data Quality Check

### 5.1 L2 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

### 5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain

Number of products with errors: 0

### 5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct

Number of products with errors: 2

Product	AUX File	Comment
CS_OFFL_SIR_GDR_2A_20130722T225056_20130723T003010_B001	CS_OPER_AUX_ORBDOR_20130721T215525_20130723T002325_0001	Coverage missing for intervals [2013-07-23T00:23:25, 2013-07-23T00:30:09]
CS_OFFL_SIR_GDR_2A_20130723T233919_20130724T011833_B001	CS_OPER_AUX_ORBDOR_20130722T215525_20130724T002325_0001	Coverage missing for intervals [2013-07-24T00:23:25, 2013-07-24T01:18:33]

### 5.4 L2 Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors: 4

Product	Test Failed
CS_OFFL_SIR_LRM_2_20130723T114817_20130723T120419_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_2_20130723T174748_20130723T180902_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_2_20130722T235804_20130723T000017_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_SIN_2_20130723T055922_20130723T060119_B001	Dynamic atmosphere correction error

## 5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

**Freeboard Error:** This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of -9999.

**SARin x-track angle error:** Currently there is an on-going investigation into the high number of errors from the 'SARin x-track Error' Quality Flag over Antarctica.

**Height error and Backscatter error:** It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

**Number of products with errors:** 1

Product	Test Failed	Description
CS_OFFL_SIR_SAR_2A_20130723T104529_20130723T104703_B001	Peakiness error	There is an error in the peakiness derivation

## 6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	18	14	0	14	0
SIR_LRM_1B	131	132	97	35	0
SIR_LRM_2	130	130	0	130	0
SIR_SAR_1B	107	116	0	116	0
SIR_SAR_2A	105	115	5	110	0
SIR_SIN_1B	103	112	0	112	0
SIR_SIN_2	113	112	0	112	0

### 6.1 QCC Errors

**Number of products with QCC errors:** 0

### 6.2 Missing QCC Reports

**Number of products with missing QCC reports:** 5

Product name
CS_OFFL_SIR_GDR_2A_20130722T225056_20130723T003010_B001
CS_OFFL_SIR_GDR_2A_20130723T233919_20130724T011833_B001
CS_OFFL_SIR_SAR_1B_20130723T171224_20130723T171320_B001
CS_OFFL_SIR_SIN_1B_20130722T235804_20130723T000017_B001
CS_OFFL_SIR_SIN_2_20130722T235804_20130723T000017_B001