


<u>29/07/2013</u>



		Check	Status	
		Server check: science-pds.cryosat.esa.int	Nominal	
		Server check: calval-pds.cryosat.esa.int	Nominal	
		Product Software Check	Nominal	
Demant Developetion Deter	19-Sep-2013	Product Format Check	Nominal	
Report Production Date:		Product Header Analysis	Nominal	
Data Used: OFFLINE L1B and L2 Science		Auxiliary Data File Usage	See Section 5.3	
Data Oseu.	Data	Auxiliary Correction Check	See Section 4.4 and 5.4	
	<u> </u>	Measurement Data Set Check	See Section 4.5 and 5.5	

1. Overview

Mission / Instrun	nent News
28-Jul-2013	None
29-Jul-2013	None
30-Jul-2013	Nothing planned



The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A	
Star Tracker(s) in use:	Star Tracker 1 & 2	

4. Level 1B Data Quality Check

4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors:

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors:

4.3 L1B Auxilary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct. Number of products with errors: 0

4.4 L1B Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

4

3

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_LRM_1B_20130728T235809_20130729T000016_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130729T055955_20130729T061420_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130729T114106_20130729T120301_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_1B_20130729T174025_20130729T180138_B001	Dynamic atmosphere correction error

4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 14) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_LRM_1B_20130729T040950_20130729T041629_B001	TRK echo error	A blank block has been inserted for record padding
CS_OFFL_SIR_LRM_1B_20130729T064237_20130729T070726_B001	TRK echo error	A blank block has been inserted for record padding
CS_OFFL_SIR_SIN_1B_20130729T165412_20130729T165513_B001	Attitude correction missing	The attitude has not been corrected

5. Level 2 Data Quality Check

5.1 L2 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are carried out on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain Number of products with errors: 0

5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors wrt a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct

Number of products with errors:
1

Product
AUX File
Comm

CC
CC
CC
CONTRACTOR AUX CONDUCT
CONTRACTOR AUX CONDUCT</

CS_OFFL_SIR_GDR_2A_20130729T233200_20130730T011113_B001 CS_OPER_AUX_ORBDOR_20130728T215525_20130730T Coverage missing for intervals [2013-07-002325_0001 Coverage missing for intervals [2013-07-002325_001 Coverage missing for intervals [2013-07-0000 Coverage missing

5.4 L2 Flagged Auxiliary Correction Error Check

Each product is checked to spot auxiliary corrections flagged by the ground-station processing chain as missing or containing errors

Number of products with errors:

Product	Test Failed
CS_OFFL_SIR_LRM_220130728T235809_20130729T000016_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_220130729T040950_20130729T041629_B001	Error in MSS/Geoid, and Ocean Depth Land Elevation model, correction computations
CS_OFFL_SIR_LRM_220130729T055955_20130729T061420_B001	Dynamic atmosphere correction error
CS_OFFL_SIR_LRM_220130729T174025_20130729T180138_B001	Dynamic atmosphere correction error

5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 43) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the ground-segment processing chains

Presently, there are several common data Quality Flag errors raised by the Level 2 products which are either expected due to changes made to the IPF processor in Baseline B or else are due to known issues with the data processors. The investigation of the known issues are on-going and are due to be resolved with the next update of the Level 2 processors. All common known issues are summarised in the list below, followed by a table highlighting any additional issues which may arise from this test.

Freeboard Error: This Quality Flag is correctly set in all products as this parameter is currently not provided in the L2 products and the Freeboard value is presently set to the default value of -9999.

SARin x-track angle error: Currently there is an on-going investigation into the high number of errors from the 'SARIn x-track Error' Quality Flag over Antarctica.

Height error and Backscatter error: It has been noted that the number of errors arising from the 'Backscatter Error' and 'Height Error' Quality Flag is much higher than expected over land areas and this is currently part of an on-going investigation by expert teams.

Number of products with errors:

Product	Test Failed	Description
CS_OFFL_SIR_SAR_2A_20130729T005021_20130729T005258_B001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2A_20130729T170706_20130729T170742_B001	Peakiness error	There is an error in the peakiness derivation

6. QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

Nb. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	23	22	0	22	0
SIR_LRM_1B	118	130	92	38	0
SIR_LRM_2	130	130	0	130	0
SIR_SAR_1B	95	107	0	107	0
SIR_SAR_2A	98	106	3	103	0
SIR_SIN_1B	113	121	0	121	0
SIR_SIN_2	120	122	0	122	0

6.1 QCC Errors

Number of products with QCC errors:

6.2 Missing QCC Reports

Number of products with missing QCC reports:

Product name

CS_OFFL_SIR_GDR_2A_20130728T224336_20130729T002250_B001 CS_OFFL_SIR_LRM_1B_20130728T235809_20130729T000016_B001 CS_OFFL_SIR_LRM_1B_20130729T170835_20130729T170951_B001

6

CS_OFFL_SIR_LRM_1B_20130729T172820_20130729T173740_B001

CS_OFFL_SIR_LRM_2__20130728T235809_20130729T000016_B001

CS OFFL SIR SIN 1B 20130729T095844 20130729T100021 B001