

1. Overview

Report Production Date:
28-Apr-2015

Data Used:	OFFLINE L1B and L2 Science Data	Geophysical Ocean Products (GOP) L1B and L2 Science Data
Check	Status	Status
Server check: science-pds.cryosat.esa.int	Nominal	Nominal
Server check: calval-pds.cryosat.esa.int	Nominal	Nominal
Product Software Check	Nominal	Nominal
Product Format Check	Nominal	Nominal
Product Header Analysis	See Section 4.2	Nominal
Auxiliary Data File Usage Check	See Section 5.3	Nominal
Auxiliary Correction Data Check	Nominal	Nominal
Measurement Confidence Data Check	See Section 5.5	See Section 7.6, 8.5 and 8.6

Mission / Instrument News


16-Mar-2015	SIRAL unavailability on 16-March-2015 from 21:46:10 to 23:54:24 due to a planned orbit manoeuvre. Data generated with new Baseline-C IPFs but old GDR-D orbit files.
17-Mar-2015	Data generated with new Baseline-C IPFs but old GDR-D orbit files.
18-Mar-2015	Data generated with new Baseline-C IPFs but old GDR-D orbit files.

Report Contents


2	Global Coverage	OFFLINE Science Data	4	Level 1B Data Quality Check	GOP Science Data	7	Level 1B Data Quality Check
3	Instrument Configuration	4.1	L1B Product Format Check	7.1	L1B Product Format Check		
		4.2	L1B Product Header Analysis	7.2	L1B Product Header Analysis		
		4.3	L1B Auxiliary Data File Usage Check	7.3	L1B Auxiliary Data File Usage Check		
		4.4	L1B Auxiliary Correction Error Check	7.4	L1B Auxiliary Correction Error Check		
		4.5	L1B Measurement Confidence Data Check	7.5	L1B Measurement Confidence Data Check		
				7.6	L1B Waveform Group Data Check		
		5	Level 2 Data Quality Check	8	Level 2 Data Quality Check		
		5.1	L2 Product Format Check	8.1	L2 Product Format Check		
		5.2	L2 Product Header Analysis	8.2	L2 Product Header Analysis		
		5.3	L2 Auxiliary Data File Usage Check	8.3	L2 Auxiliary Data File Usage Check		
		5.4	L2 Auxiliary Correction Error Check	8.4	L2 Measurement Confidence Data Check		
		5.5	L2 Measurement Quality Flag Check	8.5	L2 Range Measurement Check		
		6	QCC Check	8.6	L2 SWH and Backscatter Measurement Check		
		6.1	QCC Errors				
		6.2	Missing QCC Reports				

2. Global Coverage


Global Coverage (north pole view)



Global Coverage (south pole view)





Global Coverage



Mode Coverage (%)

	LRM	68.17
	SAR	20.13
	SIN	11.49



3. Instrument Configuration

The SIRAL instrument configuration for the day of acquisition is provided below.

SIRAL instrument(s) in use:	SIRAL - A
-----------------------------	-----------

4. OFFLINE Level 1B Data Quality Check

4.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

4.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 1

Product	Test Failed
CS_OFFL_SIR_SAR_1B_20150317T032335_20150317T032336_C001.HDR	Percentage of processing errors detected greater than minimum acceptable threshold.

4.3 L1B Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

4.4 L1B Auxiliary Correction Error Check

Each product is checked for auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors: 0

4.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag word (field 18) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 0

5. OFFLINE Level 2 Data Quality Check

5.1 L2 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

5.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

5.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 1

Product	AUX File	Comment
CS_OFFL_SIR_GDR_2_20150317T225927_20150318T003840_C001	CS_OPER_AUX_ORBDOR_20150316T215525_20150318T002325_0001	Coverage missing for interval [2015-03-18T00:23:25, 2015-03-18T00:38:40]

5.4 L2 Auxiliary Correction Error Check

Each product is checked for auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors: 0

5.5 L2 Measurement Quality Flag Check

CryoSat L2 data includes a quality flag word (field 50) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chain.

There are several common Quality Flag errors raised in the L2 products which are either expected due to operational mode or surface type, or are under investigation. These known issues are summarised below, followed by a table of any additional issues arising from this test.

Freeboard error: This flag is correctly set in all L2 SAR products that are not discriminated as sea-ice, and for which freeboard cannot be calculated.

SARin x-track angle error: This flag is set when the difference between the computed surface elevation and the DEM is >50m. The DEM is only available over Greenland and Antarctica and therefore this flag is set for L2 SIN products in all other locations.

Height error and Backscatter errors: The height error and backscatter error flags are set for a number of products over land areas, but this is to be expected.

SSHA interpolation error: This flag is currently set for a number of products in all modes. This issue is under investigation.

Number of products with errors: 36

Product	Test Failed	Description
CS_OFFL_SIR_SAR_2__20150317T000614_20150317T001740_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T010842_20150317T011032_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T014838_20150317T020042_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T023638_20150317T023953_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T032747_20150317T033503_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T035727_20150317T035941_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T051007_20150317T051425_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T051639_20150317T051825_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T052038_20150317T052152_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T053454_20150317T053528_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T063246_20150317T063347_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T064607_20150317T065338_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T070610_20150317T070824_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T073553_20150317T073653_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T082847_20150317T083401_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T091501_20150317T091622_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T100613_20150317T100729_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T100750_20150317T101551_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T105400_20150317T105613_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T113936_20150317T114058_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T114626_20150317T115512_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T132225_20150317T132409_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T132720_20150317T133507_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T150618_20150317T151201_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T160142_20150317T160702_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T162107_20150317T162320_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T163452_20150317T163636_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T164209_20150317T164317_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T164532_20150317T165218_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T182356_20150317T182918_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T184409_20150317T184449_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T200217_20150317T201222_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T213938_20150317T214715_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T214740_20150317T215228_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T231826_20150317T232834_C001	Peakiness error	There is an error in the peakiness derivation
CS_OFFL_SIR_SAR_2__20150317T233103_20150317T233427_C001	Peakiness error	There is an error in the peakiness derivation

6. OFFLINE QCC Check

The QCC is a CryoSat facility that performs a primary survey of data products immediately after production by the PDS and LTA processing facilities. A list of the tests which raised errors or warnings is provided below.

NB. There is currently a discrepancy between the number of QCC reports and the number of products reported. This is a known issue and investigation is on-going.

Product type	Nb. Products	Nb. QCC Reports	Nb. Valid	Nb. Warnings	Nb. Errors
SIR_GDR_2A	16	0	0	0	0
SIR_LRM_1B	154	0	0	0	0
SIR_LRM_2	154	0	0	0	0
SIR_SAR_1B	123	0	0	0	0
SIR_SAR_2A	123	0	0	0	0
SIR_SIN_1B	98	0	0	0	0
SIR_SIN_2	98	0	0	0	0

6.1 QCC Errors

Number of products with QCC errors: 0

6.2 Missing QCC Reports

Number of products with missing QCC reports: All

7. GOP Level 1B Data Quality Check

7.1 L1B Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

7.2 L1B Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

7.3 L1B Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

7.4 L1B Auxiliary Correction Error Check

Each product is checked for auxiliary corrections flagged by the ground-station processing chain as missing or containing errors.

Number of products with errors: 0

7.5 L1B Measurement Confidence Data Check

CryoSat L1B data includes a measurement confidence flag (field 12) for each measurement record. The bit value of this flag indicates any problems when set.

Number of products with errors: 0

7.6 L1B Waveform Group Data Check

CryoSat L1B data includes a waveform data flag (field 65) for each measurement record. The bit value of this flag indicates any problems when set.

Loss of Echo Flag: This flag is currently set for a large number of products over land, indicating that the tracking echo is missing.

Number of products with errors: 40

8. GOP Level 2 Data Quality Check

8.1 L2 Product Format Check

Each product, retrieved and unpacked from the science server, is checked to ensure it consists of both an XML header file (.HDR) and a product file (.DBL).

Number of products with errors: 0

8.2 L2 Product Header Analysis

For all products, a series of pre-defined checks are performed on the MPH and SPH in order to identify any inconsistencies and/or errors raised by the ground-segment processing chain.

Number of products with errors: 0

8.3 L2 Auxiliary Data File Usage Check

Each product is checked for missing Data Set Descriptors with respect to a pre-determined baseline and also to check the validity of Auxiliary Data Files is correct.

Number of products with errors: 0

8.4 L2 Measurement Confidence Data Check

CryoSat L2 data includes a quality flag (field 14) for each 20-Hz measurement record. The bit value of this flag is an assessment of the measurement quality by the processing chains.

Number of products with errors: 0

8.5 L2 Range Measurement Check

Each product is checked to detect range measurements flagged by the processing chain as missing or containing errors.

Ocean Range Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ice Range Averaging Status Flag: This flag is currently set for some products over land and continental ice.

Number of products with errors: 237

8.6 L2 SWH and Backscatter Measurement Check

Each product is checked to detect parameters related to SWH and sigma0 that are flagged by the processing chain as missing or containing errors.

SWH Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ocean Backscatter Averaging Status Flag: This flag is currently set for products over land and sea ice, but this is to be expected.

Ice Backscatter Averaging Status Flag: This flag is currently set for some products over land and continental ice.

Number of products with errors: 214