

---

# ***ENVISAT - AATSR***

## ***CYCLIC REPORT #45***

	START	END
<i>DATE</i>	<i>06 FEBRUARY 2006</i>	<i>13 MARCH 2006</i>
<i>TIME</i>	<i>21:59:29</i>	<i>21:59:29</i>
<i>ORBIT #</i>	<i>20596</i>	<i>21096</i>

---

prepared by/*préparé par*      AATSR DPQC and QWG team

reference/*référence*

issue/*édition*                      1

revision/*révision*                0

date of issue/*date d'édition*    29 March 2006

status/*état*

Document type/*type de*        Technical Note

*document*

Distribution/*distribution*

## A P P R O V A L

Title <i>titre</i>	AATSR Cyclic Report – Cycle 45	issue 1 <i>issue</i>	revision 0 <i>revision</i>
-----------------------	--------------------------------	-------------------------	-------------------------------

author <i>auteur</i>	Sian Procter	date <i>date</i>	29 March 2006
-------------------------	--------------	---------------------	---------------

approved by <i>approuvé par</i>		date <i>date</i>	
------------------------------------	--	---------------------	--

## C H A N G E L O G

reason for change / <i>raison du changement</i>	issue/ <i>issue</i>	revision/ <i>revision</i>	date/ <i>date</i>

## C H A N G E R E C O R D

Issue: 1 Revision: 0

reason for change/ <i>raison du changement</i>	page(s)/ <i>page(s)</i>	paragraph(s)/ <i>paragraph(s)</i>

## T A B L E O F C O N T E N T S

<b>AATSR CYCLIC REPORT # 45.....</b>	<b>1</b>
<b>1 INTRODUCTION .....</b>	<b>1</b>
1.1 Acronyms and Abbreviations .....	1
<b>2 SUMMARY .....</b>	<b>2</b>
<b>3 SOFTWARE &amp; AUX FILE VERSION CONFIGURATION .....</b>	<b>3</b>
3.1 Software Version .....	3
3.2 Auxiliary Files .....	3
3.2.1 Status of Daily Visible Calibration Files .....	4
3.2.1.1 VC1 File Availability .....	4
3.2.2 Status of other auxiliary Files .....	4
<b>4 PDS STATUS .....</b>	<b>5</b>
4.1 Instrument Unavailability .....	5
4.2 L0 Data Acquisition and L1b Processing Status .....	5
4.2.1 Orbits Affected by Poor Data Quality .....	5
4.3 L0 and L1b Backlog Processing Status .....	6
<b>5 DATA QUALITY CONTROL .....</b>	<b>7</b>
5.1 Monitoring of Instrument Parameters .....	7
5.1.1 Jitter .....	7
5.1.2 Sensor Temperature .....	7
5.1.3 Viscal .....	7
5.1.4 NE $\Delta$ T .....	7
5.2 User Rejections .....	8
5.3 Software Problem Reporting .....	8
5.3.1 Existing SPRs that are still open .....	8
5.3.2 New SPRs since the last cyclic report .....	8
5.3.3 Closed SPRs .....	8
<b>6 CALIBRATION/VALIDATION ACTIVITIES &amp; RESULTS .....</b>	<b>9</b>
6.1 Calibration .....	9
6.2 Validation .....	9
<b>7 DISCLAIMERS .....</b>	<b>11</b>

## AATSR CYCLIC REPORT # 45

### 1 INTRODUCTION

The AATSR Cyclic Report is distributed by the AATSR DPQC team to keep the AATSR community informed of any modification regarding instrument performances, the data production chain and the results of calibration and validation campaigns at the end of each Envisat cycle, which consists of 501 complete orbits over the course of 35 days.

This document is available online at: <http://earth.esa.int/pcs/envisat/aatsr/reports/cyclic/>

#### 1.1 *Acronyms and Abbreviations*

AATSR	Advanced Along Track Scanning Radiometer
CR	Cyclic Report
DDS	Data Dissemination System
DMOP	Detailed Mission Operation Plan
DMS	Data Management System
DPQC	Data Product Quality Control
EN-UNA-YYYY/#	Envisat Unavailability (plus year and number)
ESOC	European Space Operation Centre
HSM	High Speed Multiplexer
IECF	Instrument Engineering and Calibration Facilities
IPF	Instrument Processing Facilities
MPS	Mission Planning Schedule
NRT	Near Real Time
OCM	Orbit Control Manoeuvre
PDS	Payload Data Segment
PMC	Payload Management Computer
SPR	Software Problem Reporting
SW	Software
VISCAL	Visible Calibration

The AATSR list of acronyms and abbreviation is in the following site:  
<http://envisat.esa.int/dataproducts/aatsr/CNTR5.htm#eph.aatsr.glossary>

## 2 SUMMARY

**Cyclic Report:** 45  
**Cycle Start:** 06 February 2006, 21:59:29, Orbit #: 20596  
**Cycle End:** 13 March 2006, 21:59:29 Orbit #: 21096

The main activities during the cycle have been as follows:

- **L0 Processor and IPF Version:**

L0 Processor – no change (5.22)

Level 1b & Level 2 processor – no change (5.59)

- **Visible channel calibration:**

The visible calibration data supplied as an aux file (ATS\_VC1\_AX) continued to be regularly updated throughout the cycle.

## 3 SOFTWARE & AUX FILE VERSION CONFIGURATION

### 3.1 Software Version

AATSR IPF for Level 1 and Level 2: Version 5.59

### 3.2 Auxiliary Files

AATSR processing uses the following auxiliary files:

- Browse Product Lookup Data (ATS\_BRW\_AX)
- L1b Characterisation Data (ATS\_CH1\_AX)
- Cloud Lookup Table Data (ATS\_CL1\_AX)
- General Calibration Data (ATS\_GC1\_AX)
- AATSR Instrument Data (ATS\_INS\_AX)
- Visible Calibration Coefficients Data (ATS\_VC1\_AX)
- L1b Processing Configuration Data (ATS\_PC1\_AX)
- L2 Processing Configuration Data (ATS\_PC2\_AX)
- SST Retrieval Coefficients Data (ATS\_SST\_AX)
- LST Land Surface Temperature Coefficients Data (ATS\_LST\_AX)

The latest filename for each auxiliary file in use in the PDS is as follows:

Product name
ATS_BRW_AXVIEC20020123_072338_20020101_000000_20200101_000000
ATS_CH1_AXVIEC20021114_113144_20020301_000000_20070801_235959
ATS_CL1_AXVIEC20020123_073044_20020101_000000_20200101_000000
ATS_GC1_AXVIEC20020123_073430_20020101_000000_20200101_000000
ATS_INS_AXVIEC20030731_092706_20020301_000000_20070801_235959
See below for VC1 files
ATS_LST_AXVIEC20040311_095537_20020301_000001_20070801_235959
ATS_PC1_AXVIEC20040812_063722_20020301_000000_20070801_235959
ATS_PC2_AXVIEC20020123_074151_20020101_000000_20200101_000000
ATS_SST_AXVIEC20051205_102103_20020101_000000_20200101_000000

Table 3-1 Latest auxiliary files currently in use by the PDS

### 3.2.1 STATUS OF DAILY VISIBLE CALIBRATION FILES

#### 3.2.1.1 VC1 File Availability

Reflectance channel calibration files were available for all dates, except:

- 12<sup>th</sup> February 2006
- 17<sup>th</sup> February 2006
- 18<sup>th</sup> February 2006
- 20<sup>th</sup> February 2006
- 22<sup>nd</sup> February 2006\*
- 23<sup>rd</sup> February 2006\*
- 24<sup>th</sup> February 2006\*
- 25<sup>th</sup> February 2006\*
- 2<sup>nd</sup> March 2006
- 6<sup>th</sup> March 2006

\*No Level 0 files on the DDS

### 3.2.2 STATUS OF OTHER AUXILIARY FILES

The following list highlights any of the other auxiliary files changed during this cycle.

Product name	Date Introduced	Validity Range	Reason for Change
No changes during this cycle			

## 4 PDS STATUS

### 4.1 *Instrument Unavailability*

There was no planned or unplanned instrument unavailability during the cycle.

### 4.2 *L0 Data Acquisition and L1b Processing Status*

The L0 data were available for 99.66% of the time during the cycle.

The L1b data were available for 99.51% of the time during the cycle.

The following L0 and L1b data were missing from this cycle:

NB Missing L0 data are automatically also missing at L1b. Therefore the missing L1b data specifically reported in Table 4-2 represent additional data gaps where the start time does not coincide with L0 data already known to be missing.

UTC Start	UTC Stop	Duration (s)	Orbit Start	Orbit End
10-Feb-2006 02:26	10-Feb-2006 04:07	6089	20641	20642
06-Mar-2006 20:55	06-Mar-2006 22:05	4216	20996	20996

Table 4-1 ATS\_NL\_\_0P missing data during cycle 45

UTC Start	UTC Stop	Duration (s)	Orbit Start	Orbit End
11-Mar-2006 21:09	11-Mar-2006 22:45	5788	21067	21068
12-Mar-2006 22:24	12-Mar-2006 23:54	5432	21082	21083
13-Mar-2006 01:44	13-Mar-2006 02:45	3677	21084	21085

Table 4-2 ATS\_TOA\_1P missing data during cycle 45

#### 4.2.1 ORBITS AFFECTED BY POOR DATA QUALITY

The information reported in Table 4-1 & Table 4-2 does not consider the quality of data, only whether or not it is available.

In the following orbits, a few frames suffered from bad/missing telemetry:

- 20632 (9<sup>th</sup> February 2006)
- 20690 (13<sup>th</sup> February 2006)
- 20691 (13<sup>th</sup> February 2006)
- 20705 (14<sup>th</sup> February 2006)
- 20837 (23<sup>rd</sup> February 2006)
- 21018 (8<sup>th</sup> March 2006)



### **4.3    *L0 and L1b Backlog Processing Status***

The list of data missing during the previous cycle has not changed.

## 5 DATA QUALITY CONTROL

### 5.1 *Monitoring of Instrument Parameters*

#### 5.1.1 JITTER

The average scan-mirror jitter rate during most of this cycle was 0.03 jitters/sec or better. Note that occasional, short duration periods of higher jitter-rate do occur.

Periods of higher jitter-rate seen in this cycle occurred mainly between orbits 20836 and 21060 when peak jitter-rates of between 0.12 and 0.22 jitter/sec were reached, intermittently.

Users should check the jitter rate during the period covered by their products by checking the Scan Quality Annotation Data Sets (using EnviView, for example).

#### 5.1.2 SENSOR TEMPERATURE

All sensors maintained their nominal orbital and seasonal ranges in this cycle.

#### 5.1.3 VISCAL

Reflectance channel calibration files are available for most days except:

- February 12, 17-18, 20, 22-25
- March 02, 06

Nominal visceral characteristics were observed throughout the cycle where data were available.

#### 5.1.4 NE $\Delta$ T

Hot BB T = 300.04K			Cold BB T = 260.88 K	
	Count	NE $\Delta$ T (mK)		Count
12 $\mu$ m	1.49	31.4	12 $\mu$ m	1.49
11 $\mu$ m	1.49	30.6	11 $\mu$ m	1.49
3.7 $\mu$ m	2.38	30.0	3.7 $\mu$ m	2.38

Table 5-1 NE $\Delta$ T data for Cycle 45

## **5.2 User Rejections**

There were no user rejections during this cycle.

## **5.3 Software Problem Reporting**

This section describes the open SPRs, their potential impact on the data quality, and SPRs that have been closed.

### **5.3.1 EXISTING SPRS THAT ARE STILL OPEN**

#### **Unphysical sea surface temperature values in Level 2 AATSR products from PDHS-E at intervals of 480 rows:**

Open – The investigation shows that the problem does not happen using the IPF 5.59 with respect to the IPF 5.52 on which the problem was detected. Further information on the changes introduced in V5.59 has been requested.

#### **50 / 17 km Cell Size Anomaly in AST product:**

Open – The reason for this effect is understood, but it is proposed that the cell size should stay as-is until further consultation with AATSR users has taken place.

#### **Inconsistent values in AST confidence word, 17 km cell:**

Investigation completed - to be corrected with a patch at the next appropriate opportunity.

### **5.3.2 NEW SPRS SINCE THE LAST CYCLIC REPORT**

There are no new SPRs since the last Cyclic Report.

### **5.3.3 CLOSED SPRS**

No SPRs have been closed since the last Cyclic Report.


## 6 CALIBRATION/VALIDATION ACTIVITIES & RESULTS

### 6.1 Calibration

No additional calibration results were reported during this cycle.


### 6.2 Validation

The Met Office has performed a comparison between AATSR dual view SST data and data collected from a network of in situ buoy SST values, the results for Cycle 45 being shown in Figure 6-1. The updated SST coefficients were used in the retrievals.




**Figure 6-1: Comparison of daily mean difference between 10' AATSR SST values and in situ buoy SST for Cycle 45. Data provided by the Met Office.**

During cycle 45, there were 2049 night time match-ups, with a mean (UL derived dual-view skin SST minus buoy SST) of +0.007 K, standard deviation 0.27 K, and a mean (dual-view bulk SST minus buoy SST) of +0.161 K, standard deviation 0.25 K. A total of 1862 daytime match-ups were found, with a mean (UL derived dual-view skin SST minus buoy SST) of +0.046 K, standard deviation 0.34 K, and a mean (dual-view bulk SST minus buoy SST) of 0.215 K, standard deviation 0.32 K. As these data are comparisons of a single point buoy measurement against a much larger spatially averaged value they are not a true indicator of AATSR's accuracy and are used to show consistency of data quality between cycles.



**Figure 6-2: Plot of daily number of match-ups between 10' AATSR SST values and in situ buoy SST for Cycle 45. Data provided by the Met Office.**



**Figure 6-3: Map showing global distribution of match-ups between 10' AATSR SST values and in situ buoy SST for Cycle 45. The red dots indicate a match-ups to a moored buoy; the cyan dots indicate a match-up to a drifting buoy. Data provided by the Met Office.**

A complete update on the status of the instrument validation can be found in Section 1.6.2 of Cyclic Report 28.

## **7      DISCLAIMERS**

No new disclaimers have been issued during this cycle.