

# SUMMARY

1. [Introduction](#)
2. [Summary](#)
  - [Instrument Unavailability](#)
  - [Browse Visual Inspection](#)
  - [Module Stepping Results](#)
  - [Data Analysis](#)
3. [Module Stepping](#)
4. [Internal Calibration pulses](#)
  - [Daily statistics \(row 3 and 10\)](#)
  - [Cyclic statistics \(row 3 and 10\)](#)
  - [cal pulses monitoring \(all rows\)](#)
5. [Raw Data Statistics](#)
  - [raw data mean I and Q](#)
  - [raw data stdev I and Q](#)
  - [raw gain imbalance](#)
6. [Wave Doppler analysis](#)
  - [Unbiased Doppler Error](#)
  - [Absolute Doppler](#)
  - [Doppler evolution versus ANX](#)

## 1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA\_WVS\_1P) products, which are the available few hours after the acquisition, on the high rate browse (BP) products and on the Module Stepping (MS) product.

## 2 - Summary

### 2.1 - Instrument Unavailability

No instrument unavailability in the reported period.

Sub-system	Start	Stop	Planned
ASAR	YYYY-MM-DD hh:mm:ss	YYYY-MM-DD hh:mm:ss	---

### 2.2 - Browse Visual Inspection

No anomalies observed on available browse products.

## 2.3 - Data Analysis

- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.

## 3 - Module Stepping Mode

Two MS products available for analysis (H and V polarisation):

- ASA\_MS\_0PNPDK20030821\_195549\_000000152019\_00142\_07711\_0014.N1
- ASA\_MS\_0PNPDK20030821\_195729\_000000152019\_00142\_07711\_0015.N1

No anomalies observed.

Stable configuration for the phase of TR module 3 on Tile B3, as shown in the figure below.



Polarisation	Start Time
V	20030821 195729
H	20030821 195549

### MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

### MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## 4 - Internal calibration Results

Analysis performed on WVS data acquired from 21-Aug-2003 05:43:16 to 22-Aug-2003 08:19:24.  
No anomalies observed.

### 4.1 - Daily statistics

row	stat	AveP1	AveP2	AveP3
3	mean	-3.80155	-22.5276	-8.10350
	stdev	0.00525348	0.0608704	0.00226931
10	mean	-6.88004	-19.3105	-8.10350
	stdev	0.0224555	0.0628234	0.00226931



### 4.2 - Cyclic statistics

row	stat	AveP1	AveP2	AveP3
3	mean	-3.81656	-22.5561	-8.10623
	stdev	0.00569538	0.0625798	0.00237194
10	mean	-6.89296	-19.3272	-8.10623
	stdev	0.0266597	0.0610656	0.00237194



### 4.3 - cal pulses monitoring (all rows)



## 5 - RAW data statistics

No anomalies observed.

### 5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000457895
	stdev	3.12448e-07

MEAN Q	mean	0.000294405
	stdev	3.25161e-07

☒

## 5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.115158
	stdev	0.00157536
STDEV Q	mean	0.115318
	stdev	0.00160200

☒

## 5.3 - Gain imbalance I/Q

☒

# 6 - Wave Doppler Analysis

No anomalies observed in Doppler evolution.  
Doppler analysis performed over the last 60 days

## 6.1 - Unbiased Doppler Error

Evolution of unbiased Doppler error (Real - Expected)	
Ascending	
Descending	




## 6.2 - Absolute Doppler


Evolution of Absolute Doppler	
Ascending	
Descending	


### 6.3 - Doppler evolution versus ANX

**Evolution Doppler error versus ANX**










No anomalies observed on available browse products.



Analysis performed on WVS data acquired from 21-Aug-2003 05:43:16 to 22-Aug-2003 08:19:24.  
No anomalies observed.







- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.






No anomalies observed in Doppler evolution.  
Doppler analysis performed over the last 60 days














Two MS products available for analysis (H and V polarisation):  
-ASA\_MS\_0PNPDK20030821\_195549\_00000152019\_00142\_07711\_0014.N1  
-ASA\_MS\_0PNPDK20030821\_195729\_00000152019\_00142\_07711\_0015.N1

No anomalies observed.

Stable configuration for the phase of TR module 3 on Tile B3, as shown in the figure below.

No anomalies observed.



Reference: 2001-02-09 13:50:42 H RxGain

Test : 2003-08-21 19:55:49 H

Reference: 2003-06-12 14:08:52 H RxGain

Test : 2003-08-21 19:55:49 H

Reference: 2001-02-09 14:08:23 V RxGain

Test : 2003-08-21 19:57:29 V

A 10x32 grid showing signal levels across 10 channels (A1-E5) and 32 frequency bins. The grid uses green for low levels, yellow for medium levels, and red for high levels. A vertical scale on the right indicates levels from 1 to 32.

Reference: 2003-06-12 14:10:32 V

Test : 2003-08-21 19:57:29 V

Reference: 2001-02-09 13:50:42 |

RxPhase


Test : 2003-08-21 19:55:49 H




Reference:	2003-06-12 14:08:52 H	RxPhase							
Test	: 2003-08-21 19:55:49 H								
A1	A3	B1	B3	C1	C3	D1	D3	E1	E3
A2	A4	B2	B4	C2	C4	D2	D4	E2	E4




Reference: 2001-02-09 14:08:23 V RxPhase

Test : 2003-08-21 19:57:29 V









Reference: 2001-02-09 13:50:42 H

Test : 2003-08-21 19:55:49 H

Reference: 2003-06-12 14:08:52 H

Test : 2003-08-21 19:55:49 H



Reference: 2003-06-12 14:10:32 V

Test : 2003-08-21 19:57:29 V







Reference:	2003-06-12 14:10:32 V	TxPhase							
Test	: 2003-08-21 19:57:29 V								
A1	A3	B1	B3	C1	C3	D1	D3	E1	E3
A2	A4	B2	B4	C2	C4	D2	D4	E2	E4

No instrument unavailability in the reported period.

