REPORT OF 040112

1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA_WVS_1P) products, which are the available few hours after the acquisition, on the high rate browse (BP) products and on the Module Stepping (MS) product.

2 - Summary

2.1 - Instrument Unavailability

No unavailability for the reported period.

2.2 - Browse Visual Inspection

No anomaly observed on available browse products

2.3 - Data Analysis

3 - Module Stepping Mode

The MS mode provides an internal health check on an individual module basis.
The purpose of this mode is to identify any malfunctionning modules and
to identify modules for which calibration offsets are to be applied.
No anomaly observed on available MS products:

- ASA_MS__0PNPDK20040111_194951_000000152023_00185_09758_0134.N1
- ASA_MS__0PNPDK20040111_195111_000000152023_00185_09758_0135.N1

Polarisation	Start Time
V	20040111 195111
H	20040111 194951

MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference

MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference

4 - Internal calibration Results

No anomalies observed.

4.1 - Daily statistics

row	stat	AveP1	AveP2	AveP3
3	mean	-3.70137	-22.5200	-8.15704
	stdev	0.00693319	0.0629205	0.00286033

24	mean	-5.07737	-21.1273	-8.15704
	stdev	0.0123879	0.0595617	0.00286033

4.2 - Cyclic statistics

row	stat	AveP1	AveP2	AveP3
3	mean	-3.74715	-22.5457	-8.15274
	stdev	0.0873898	0.0701041	0.00432719
24	mean	-5.21382	-21.1739	-8.15274
	stdev	0.566377	0.0629515	0.00432719

4.3 - cal pulses monitoring (all rows)

5 - RAW data statistics

No anomalies observed.

5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000432510
	stdev	3.01697e-07
MEAN Q	mean	0.000301934
	stdev	3.67474e-07

5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.115619
	stdev	0.00140154

STDEV Q	mean	0.115864
	stdev	0.00141608

5.3 - Gain imbalance I/Q

6 - Wave Doppler Analysis

No anomalies observed in Doppler evolution.
Doppler analysis performed over the last 35 days.

6.1 - Unbiased Doppler Error

Evolution of unbiased Doppler error (Real - Expected)
Acsending
Descending

6.2 - Absolute Doppler

Evolution of Absolute Doppler
Acsending
Descending

6.3 - Doppler evolution versus ANX

Evolution Doppler error versus ANX


Average P1 (row 3 & row 24)
[dB]
−3
−4
−5
−6
−7
−8
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


Average P2
[dB]
−18
−20
−22
−24
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


Average P3
[dB]
−7.8
−8.0
−8.2
−8.4
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


Average P1 (row 3 & row 24)
[dB]
−2
−4
−6
−8
−10
03
06
09
12
15
18
21
00
03
06
12−Jan

Average P2
[dB]
−18
−20
−22
−24
03
06
09
12
15
18
21
00
03
06
12−Jan

Average P3
[dB]
−7.8
−8.0
−8.2
−8.4
03
06
09
12
15
18
21
00
03
06
12−Jan

No anomaly observed on available browse products

No anomalies observed.


P1_AMP
dB
0
−5
−10
−15
−20
0 5 10 15 20 25 30
P1_PH
200
100
0
−100
−200
0 5 10 15 20 25 30
P1a_AMP
dB
0
−10
−20
−30
0 5 10 15 20 25 30
P1a_PH
200
100
0
−100
−200
0 5 10 15 20 25 30
P2_AMP
dB
0
−10
−20
−30
0 5 10 15 20 25 30
P2_PH
200
100
0
−100
−200
0 5 10 15 20 25 30
P3_AMP
dB
−8.00
−8.05
−8.10
−8.15
−8.20
−8.25
0 5 10 15 20 25 30
P3_PH
200
100
0
−100
−200
0 5 10 15 20 25 30

No anomalies observed in Doppler evolution.
Doppler analysis performed over the last 35 days.


Doppler 'WVS' 'IS2' 'H/H'
−1000Hz
+1000Hz


Doppler 'WVS' 'IS2' 'V/V'
−1000Hz
+1000Hz


wave mode doppler
Doppler [Hz]
1000
500
0
−500
−1000
−1500
0
1000
2000
3000
4000
5000
6000
ANX time


wave mode doppler error
Doppler error [Hz]
200
100
0
−100
−200
5
10
15
20
time of the day


Doppler difference, estimated−predicted 'WVS' 'IS2' 'H/H' −error mean of −31.665470 Hz
−100Hz
+100Hz


Doppler difference, estimated−predicted 'WVS' 'IS2' 'V/V' −error mean of −27.642876 Hz
−100Hz
+100Hz

The MS mode provides an internal health check on an individual module basis.
The purpose of this mode is to identify any malfunctionning modules and
to identify modules for which calibration offsets are to be applied.
No anomaly observed on available MS products:

- ASA_MS__0PNPDK20040111_194951_000000152023_00185_09758_0134.N1
- ASA_MS__0PNPDK20040111_195111_000000152023_00185_09758_0135.N1

No anomalies observed.


Reference: 2001-02-09 13:50:42 H
RxGain
Test : 2004-01-11 19:49:51 H
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2003-06-12 14:08:52 H
Test : 2004-01-11 19:49:51 H
RxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2001-02-09 14:08:23 V
Test : 2004-01-11 19:51:11 V
RxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2003-06-12 14:10:32 V
Test : 2004-01-11 19:51:11 V
RxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2001-02-09 13:50:42 H
RxPhase
Test : 2004-01-11 19:49:51 H
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4


Reference: 2003-06-12 14:08:52 H
Test : 2004-01-11 19:49:51 H
RxPhase
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2001-02-09 14:08:23 V
Test : 2004-01-11 19:51:11 V
RxPhase
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4


Reference: 2003-06-12 14:10:32 V
Test : 2004-01-11 19:51:11 V
RxPhase
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


I/Q Gain Imbalance
0.4
0.3
0.2
0.1
0.0
stdev Q
0.0
0.1
0.2
0.3
0.4
stdev I


SQADS input data mean i(black), q(red)
linear scale
0.006
0.004
0.002
0.000
−0.002
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


SQADS input data mean I
linear scale
0.006
0.004
0.002
0.000
−0.002
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


SQADS input data mean Q
linear scale
0.006
0.004
0.002
0.000
−0.002
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


SQADS input data stdev i(black), q(red)
linear scale
0.4
0.3
0.2
0.1
0.0
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


SQADS input data stdev I
linear scale
0.4
0.3
0.2
0.1
0.0
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


SQADS input data stdev Q
linear scale
0.4
0.3
0.2
0.1
0.0
11−Dec
16−Dec
21−Dec
26−Dec
31−Dec
05−Jan
10−Jan


Reference: 2001-02-09 13:50:42 H
Test : 2004-01-11 19:49:51 H
TxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4


Reference: 2003-06-12 14:08:52 H
Test : 2004-01-11 19:49:51 H
TxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2001-02-09 14:08:23 V
Test : 2004-01-11 19:51:11 V
TxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4


Reference: 2003-06-12 14:10:32 V
Test : 2004-01-11 19:51:11 V
TxGain
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2001-02-09 13:50:42 H
TxPhase
Test : 2004-01-11 19:49:51 H
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4


Reference: 2003-06-12 14:08:52 H
Test : 2004-01-11 19:49:51 H
TxPhase
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2001-02-09 14:08:23 V
Test : 2004-01-11 19:51:11 V
TxPhase
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32


Reference: 2003-06-12 14:10:32 V
Test : 2004-01-11 19:51:11 V
TxPhase
A1
A3
B1
B3
C1
C3
D1
D3
E1
E3
A2
A4
B2
B4
C2
C4
D2
D4
E2
E4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

No unavailability for the reported period.