

REPORT OF 040123

1. [Introduction](#)
2. [Summary](#)
 - [Instrument Unavailability](#)
 - [Browse Visual Inspection](#)
 - [Module Stepping Results](#)
 - [Data Analysis](#)
3. [Module Stepping](#)
4. [Internal Calibration pulses](#)
 - [Daily statistics \(row 3 and 24\)](#)
 - [Cyclic statistics \(row 3 and 24\)](#)
 - [cal pulses monitoring \(all rows\)](#)
5. [Raw Data Statistics](#)
 - [raw data mean I and Q](#)
 - [raw data stdev I and Q](#)
 - [raw gain imbalance](#)
6. [Wave Doppler analysis](#)
 - [Unbiased Doppler Error](#)
 - [Absolute Doppler](#)
 - [Doppler evolution versus ANX](#)

1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA_WVS_1P) products, which are the available few hours after the acquisition, on the high rate browse (BP) products and on the Module Stepping (MS) product.

2 - Summary

2.1 - Instrument Unavailability

No unavailabilities during the reported period.

2.2 - Browse Visual Inspection

No anomalies observed on available browse products

2.3 - Data Analysis

-Stable wave internal calibration pulses gain and phase.
-Stable raw data statistics.

-Nominal Doppler behavior.

3 - Module Stepping Mode

The MS mode provides an internal health check on an individual module basis.
 The purpose of this mode is to identify to identify any malfunctionning modules and
 to identify modules for which calibration offsets are to be applied.
 No anomalies observed on available MS products:

Polarisation	Start Time
V	20040121 193645
H	20040122 190348

MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒
☒	☒

MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒
☒	☒

4 - Internal calibration Results

No anomalies observed.

4.1 - Daily statistics

row	stat	AveP1	AveP2	AveP3
3	mean	-3.68081	-22.4797	-8.14343
3	stdev	0.00730019	0.0686608	0.00297874

24	mean	-5.09779	-21.1245	-8.14343
	stdev	0.0147961	0.0678905	0.00297874

☒

4.2 - Cyclic statistics

row	stat	AveP1	AveP2	AveP3
3	mean	-3.70568	-22.5275	-8.15791
	stdev	0.00720954	0.0685986	0.00330779
24	mean	-5.22614	-21.1535	-8.15791
	stdev	0.574528	0.0631081	0.00330779

☒

4.3 - cal pulses monitoring (all rows)

☒

5 - RAW data statistics

No anomalies observed.

5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000424343
	stdev	3.02711e-07
MEAN Q	mean	0.000304370
	stdev	3.61122e-07

☒

5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.115764
	stdev	0.00140081

STDEV Q	mean	0.116006
	stdev	0.00141563

☒

5.3 - Gain imbalance I/Q

☒

6 - Wave Doppler Analysis

No anomaly observed.

6.1 - Unbiased Doppler Error

Evolution of unbiased Doppler error (Real - Expected)

Ascending
Descending

6.2 - Absolute Doppler




Evolution of Absolute Doppler


Ascending
Descending

6.3 - Doppler evolution versus ANX

Evolution Doppler error versus ANX

☒






No anomalies observed on available browse products



No anomalies observed.







- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.






No anomaly observed.















The MS mode provides an internal health check on an individual module basis.
The purpose of this mode is to identify any malfunctionning modules and
to identify modules for which calibration offsets are to be applied.
No anomalies observed on available MS products:

No anomalies observed.





Reference: 2003-06-12 14:10:32 V

RxGain

Test : 2004-01-21 19:36:45 V

Reference: 2003-06-12 14:08:52 |


RxPhase




Test : 2004-01-22 19:03:48 H




Reference:	2001-02-09 14:08:23	V	RxPhase
Test	: 2004-01-21 19:36:45	V	
A1	A3	B1	B3
C1	C3	D1	D3
E1	E3		
A2	A4	B2	B4
C2	C4	D2	D4
E2	E4		

Reference: 2003-06-12 14:10:32 V RxPhase

Test : 2004-01-21 19:36:45 V







Reference: 2003-06-12 14:08:52 H

TxGain


Test : 2004-01-22 19:03:48 H

Reference: 2003-06-12 14:10:32 V

Test : 2004-01-21 19:36:45 V

Reference: 2003-06-12 14:08:52 H

Test : 2004-01-22 19:03:48 H



No unavailabilities during the reported period.

