

# REPORT OF 040601

last update on Tue Jun 1 14:48:34 GMT 2004

1. [Introduction](#)
2. [Summary](#)
  - [Instrument Unavailability](#)
  - [Browse Visual Inspection](#)
  - [Module Stepping Results](#)
  - [Data Analysis](#)
3. [Module Stepping](#)
4. [Internal Calibration pulses](#)
  - [Daily statistics](#)
  - [Cyclic statistics](#)
  - [cal pulses monitoring \(all rows\)](#)
5. [Raw Data Statistics](#)
  - [raw data mean I and Q](#)
  - [raw data stdev I and Q](#)
  - [raw gain imbalance](#)
6. [Wave Doppler analysis](#)
  - [Unbiased Doppler Error for WVS](#)
  - [Absolute Doppler for WVS](#)
  - [Doppler evolution versus ANX for WVS](#)
  - [Unbiased Doppler Error for GM1](#)
  - [Absolute Doppler for GM1](#)
  - [Doppler evolution versus ANX for GM1](#)

## 1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA\_WVS\_1P), global monitoring products (ASA\_GM1\_1P), which are the available few hours after the acquisition, on the browse (BP) products and on the Module Stepping (MS) product.

## 2 - Summary

### 2.1 - Instrument Unavailability

No unavailabilities during the reported period.

### 2.2 - Browse Visual Inspection

No anomalies observed on available browse products

### 2.3 - Data Analysis

- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.

### 3 - Module Stepping Mode

The MS mode provides an internal health check on an individual module basis. The purpose of this mode is to identify any malfunctioning modules and to identify modules for which calibration offsets are to be applied.

No anomalies observed on available MS products:

Polarisation	Start Time
V	20040531 192417
H	20040530 195554

#### MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒

#### MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒

### 4 - Internal calibration Results

No anomalies observed.

#### 4.1 - Daily statistics

#### 4.1.1 - Evolution for WVS

Evolution of cal pulses for WVS

#### 4.1.2 - Evolution for GM1

Evolution of cal pulses for GM1

### 4.2 - Cyclic statistics

#### 4.2.1 - Evolution for WVS

Evolution of cal pulses for WVS

#### P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

#### P2 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

#### P3 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

#### 4.2.2 - Evolution for GM1

Evolution of cal pulses for GM1

### P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

### P2 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

### P3 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

## 4.3 - cal pulses monitoring (all rows)

### 4.3.1 - Evolution for WVS



### 4.3.2 - Evolution for GM1



## 5 - RAW data statistics

No anomalies observed.

### 5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000465812
	stdev	2.24745e-07
MEAN Q	mean	0.000523737
	stdev	2.42455e-07



## 5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.127154
	stdev	0.000994841
STDEV Q	mean	0.127374
	stdev	0.00100542



## 5.3 - Gain imbalance I/Q



## 6 - Doppler Analysis

Preliminary report. The data is not yet controlled

### 6.1 - Unbiased Doppler Error for WVS

Evolution of unbiased Doppler error (Real - Expected)	
<input type="checkbox"/>	Acsending
<input type="checkbox"/>	Descending

### 6.2 - Absolute Doppler for WVS

Evolution of Absolute Doppler	
<input type="checkbox"/>	Acsending
<input type="checkbox"/>	Descending

### 6.3 - Doppler evolution versus ANX for WVS

Evolution Doppler error versus ANX

<input type="checkbox"/>
--------------------------

### 6.4 - Unbiased Doppler Error for GM1

Evolution of unbiased Doppler error (Real - Expected)

<input type="checkbox"/>
--------------------------

Acsending

<input type="checkbox"/>
--------------------------

Descending

### 6.5 - Absolute Doppler for GM1

Evolution of Absolute Doppler

<input type="checkbox"/>
--------------------------

Acsending

<input type="checkbox"/>
--------------------------


Descending

### 6.6 - Doppler evolution versus ANX for GM1


Evolution Doppler error versus ANX

<input type="checkbox"/>
--------------------------

### Cal pulses for GM1 SS3




Cal pulses for WVS IS2






No anomalies observed on available browse products

No anomalies observed.







- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.



Doppler 'GM1' 'SS1' ascending




Doppler 'GM1' 'SS1' descending










Doppler 'WVS' 'IS2' ascending




Doppler 'WVS' 'IS2' descending









Doppler difference, estimated-predicted 'GM1' 'SS1' ascending -error mean of -22.405159 Hz




Doppler difference, estimated-predicted 'GM1' 'SS1' descending -error mean of -26.489877 Hz



Doppler difference, estimated-predicted 'WS' 'IS2' ascending -error mean of -31.959876 Hz



Doppler difference, estimated-predicted 'WVS' 'IS2' descending -error mean of -31.701207 Hz





The MS mode provides an internal health check on an individual module basis.  
The purpose of this mode is to identify to identify any malfunctioning modules and  
to identify modules for which calibration offsets are to be applied.  
No anomalies observed on available MS products:

No anomalies observed.

























































No unavailabilities during the reported period.