

# PRELIMINARY REPORT OF 040710

ATTENTION: This report is automatically generated no comments are provided on data analysis

**last update on Sat Jul 10 13:04:25 GMT 2004**

1. [Introduction](#)
2. [Summary](#)
  - [Instrument Unavailability](#)
  - [Browse Visual Inspection](#)
  - [Module Stepping Results](#)
  - [Data Analysis](#)
3. [Module Stepping](#)
4. [Internal Calibration pulses](#)
  - [Daily statistics](#)
  - [Cyclic statistics](#)
  - [cal pulses monitoring \(all rows\)](#)
5. [Raw Data Statistics](#)
  - [raw data mean I and Q](#)
  - [raw data stdev I and Q](#)
  - [raw gain imbalance](#)
6. [Wave Doppler analysis](#)
  - [Unbiased Doppler Error for WVS](#)
  - [Absolute Doppler for WVS](#)
  - [Doppler evolution versus ANX for WVS](#)
  - [Unbiased Doppler Error for GM1](#)
  - [Absolute Doppler for GM1](#)
  - [Doppler evolution versus ANX for GM1](#)

## 1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA\_WVS\_1P), global monitoring products (ASA\_GM1\_1P), which are the available few hours after the acquisition, on the browse (BP) products and on the Module Stepping (MS) product.

## 2 - Summary

### 2.1 - Instrument Unavailability

No unavailabilities during the reported period.

### 2.2 - Browse Visual Inspection

## 2.3 - Data Analysis

- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.

## 3 - Module Stepping Mode

The MS mode provides an internal health check on an individual module basis. The purpose of this mode is to identify any malfunctioning modules and to identify modules for which calibration offsets are to be applied. No anomalies observed on available MS products:

Polarisation	Start Time
V	20040709 185825
H	20040708 193002

### MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒

### MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒

## 4 - Internal calibration Results

No anomalies observed.

### 4.1 - Daily statistics

#### 4.1.1 - Evolution for WVS

Evolution of cal pulses for WVS

#### 4.1.2 - Evolution for GM1

Evolution of cal pulses for GM1

### 4.2 - Cyclic statistics

#### 4.2.1 - Evolution for WVS

Evolution of cal pulses for WVS



#### P1a Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

#### P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P1	-3.493344	0.009083	0.031963
7	P1	-3.328545	0.014952	0.018095
11	P1	-4.553502	0.037456	-0.102423
15	P1	-5.692089	0.057643	-0.098779
19	P1	-3.437746	0.004738	-0.004752
22	P1	-4.558113	0.011492	0.014733
24	P1	-4.922520	0.017056	-0.026239
30	P1	-6.860247	0.024099	-0.054397

3	P1	-16.121368	0.197948	-0.176851
7	P1	-13.986429	0.101730	0.076550
11	P1	-19.925978	0.292679	-0.220974
15	P1	-11.783216	0.045109	-0.035758
19	P1	-13.826230	0.033579	0.006994
22	P1	-16.465200	0.411509	0.381410
24	P1	-14.651582	0.293692	0.202727
30	P1	-17.690327	0.387779	-0.026643

**P2 Cyclic statistics**

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P2	-22.392565	0.082559	0.092188
7	P2	-22.812912	0.124263	0.139170
11	P2	-15.569737	0.139944	0.153194
15	P2	-7.167404	0.096931	0.121714
19	P2	-9.564975	0.151059	0.058385
22	P2	-17.504133	0.107084	0.164605
24	P2	-20.829832	0.087517	0.130393
30	P2	-19.411734	0.078934	0.056954

**P3 Cyclic statistics**

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P3	-8.143441	0.001920	0.004387
7	P3	-8.143438	0.001920	0.004369
11	P3	-8.143436	0.001920	0.004353
15	P3	-8.143439	0.001920	0.004340
19	P3	-8.143435	0.001920	0.004321
22	P3	-8.143435	0.001920	0.004308
24	P3	-8.143432	0.001920	0.004289
30	P3	-8.143491	0.001919	0.004012

**4.2.2 - Evolution for GM1**

Evolution of cal pulses for GM1	
☒	
☒	

**P1a Cyclic statistics**

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

**P1 Cyclic statistics**

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P1	-3.127939	0.131837	0.067805
7	P1	-2.821515	0.071161	-0.062113
11	P1	-3.813176	0.022816	-0.067846
15	P1	-4.267233	1.003450	-0.005201
19	P1	-3.358890	0.050043	0.003736
22	P1	-5.730574	0.044078	-0.028646
24	P1	-4.050612	0.078399	0.015864
30	P1	-6.111984	0.068413	-0.035203
3	P1	-11.003398	0.389766	0.102165
7	P1	-9.782784	0.242629	-0.096153
11	P1	-11.793067	0.168596	-0.073139
15	P1	-11.863930	0.267266	-0.066284
19	P1	-14.991796	0.824158	0.015798
22	P1	-21.409658	8.422653	0.322726
24	P1	-17.366495	0.304901	0.060688
30	P1	-21.683889	4.344746	0.136409

**P2 Cyclic statistics**

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P2	-18.134361	0.042367	0.110078
7	P2	-22.908594	0.029944	0.087008
11	P2	-10.965905	0.226609	0.191789
15	P2	-4.977050	0.044144	0.084224
19	P2	-6.922837	0.041455	0.046111
22	P2	-7.630599	0.027855	0.152190
24	P2	-11.037365	0.073756	0.122957
30	P2	-22.344204	0.086393	0.149289

**P3 Cyclic statistics**

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

3	P3	-7.982976	0.003383	0.004687
7	P3	-7.982972	0.003375	0.004214
11	P3	-7.982921	0.003381	0.004110
15	P3	-7.982911	0.003387	0.004553
19	P3	-7.982870	0.003388	0.004609
22	P3	-7.982932	0.003374	0.004718
24	P3	-7.982911	0.003411	0.004530
30	P3	-7.982907	0.003382	0.004452

### 4.3 - cal pulses monitoring (all rows)

#### 4.3.1 - Evolution for WVS



#### 4.3.2 - Evolution for GM1



## 5 - RAW data statistics

No anomalies observed.

### 5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000500098
	stdev	2.08734e-07
MEAN Q	mean	0.000549598
	stdev	2.38690e-07



### 5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.129894
	stdev	0.00102459

STDEV Q	mean	0.130144
	stdev	0.00103643





### 5.3 - Gain imbalance I/Q





## 6 - Doppler Analysis

Preliminary report. The data is not yet controlled

### 6.1 - Unbiased Doppler Error for WVS

Evolution of unbiased Doppler error (Real - Expected)	
	
	Acsending
	
	Descending

### 6.2 - Absolute Doppler for WVS

Evolution of Absolute Doppler	
	
	Acsending
	
	Descending

### 6.3 - Doppler evolution versus ANX for WVS

Evolution Doppler error versus ANX	
	

### 6.4 - Unbiased Doppler Error for GM1

Evolution of unbiased Doppler error (Real - Expected)	
<input type="checkbox"/>	
	Ascending
<input type="checkbox"/>	
	Descending

### 6.5 - Absolute Doppler for GM1





Evolution of Absolute Doppler	
<input type="checkbox"/>	
	Ascending
<input type="checkbox"/>	
	Descending

### 6.6 - Doppler evolution versus ANX for GM1

Evolution Doppler error versus ANX	
<input type="checkbox"/>	




Cal pulses for GM1 SS3




rows: \_ 3 \_ 7 \_ 11 \_ 15 \_ 19 \_ 22 \_ 24 \_ 30

### Cal pulses for GM1 SS3




Cal pulses for WVS IS2





rows: \_ 3 \_ 7 \_ 11 \_ 15 \_ 19 \_ 22 \_ 24 \_ 30

Cal pulses for WVS IS2



No anomalies observed.






- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.







Doppler 'GM1' 'SS1' ascending




Doppler 'GM1' 'SS1' descending






Doppler 'WVS' 'IS2' ascending






Doppler 'WVS' 'IS2' descending




GM1 mode doppler






Doppler difference, estimated-predicted 'GM1' 'SS1' ascending -error mean of -26.966343 Hz







Doppler difference, estimated-predicted 'GM1' 'SS1' descending -error mean of -20.913028 Hz



Doppler difference, estimated-predicted 'WVS' 'IS2' ascending -error mean of -25.560052 Hz



Doppler difference, estimated-predicted 'WVS' 'IS2' descending -error mean of -23.868548 Hz



The MS mode provides an internal health check on an individual module basis.  
The purpose of this mode is to identify to identify any malfunctioning modules and  
to identify modules for which calibration offsets are to be applied.  
No anomalies observed on available MS products:

No anomalies observed.



























































rows: \_ 3 \_ 7 \_ 11 \_ 15 \_ 19 \_ 22 \_ 24 \_ 30





rows: \_ 3 \_ 7 \_ 11 \_ 15 \_ 19 \_ 22 \_ 24 \_ 30



No unavailabilities during the reported period.