

PRELIMINARY REPORT OF 041122

ATTENTION: This report is automatically generated no comments are provided on data analysis

last update on Mon Nov 22 10:55:11 GMT 2004

1. [Introduction](#)
2. [Summary](#)
 - [Instrument Unavailability](#)
 - [Browse Visual Inspection](#)
 - [Module Stepping Results](#)
 - [Data Analysis](#)
3. [Module Stepping](#)
4. [Internal Calibration pulses](#)
 - [Daily statistics](#)
 - [Cyclic statistics](#)
 - [cal pulses monitoring \(all rows\)](#)
5. [Raw Data Statistics](#)
 - [raw data mean I and Q](#)
 - [raw data stdev I and Q](#)
 - [raw gain imbalance](#)
6. [Wave Doppler analysis](#)
 - [Unbiased Doppler Error for WVS](#)
 - [Absolute Doppler for WVS](#)
 - [Doppler evolution versus ANX for WVS](#)
 - [Unbiased Doppler Error for GM1](#)
 - [Absolute Doppler for GM1](#)
 - [Doppler evolution versus ANX for GM1](#)

1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA_WVS_1P), global monitoring products (ASA_GM1_1P), which are the available few hours after the acquisition, on the browse (BP) products and on the Module Stepping (MS) product.

2 - Summary

2.1 - Instrument Unavailability

No unavailabilities during the reported period.

2.2 - Browse Visual Inspection

No anomalies observed on available browse products

2.3 - Data Analysis

- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.

3 - Module Stepping Mode

The MS mode provides an internal health check on an individual module basis.
 The purpose of this mode is to identify to identify any malfunctionning modules and
 to identify modules for which calibration offsets are to be applied.
 No anomalies observed on available MS products:

Polarisation	Start Time
V	20041120 064406
H	20041121 061229

MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

4 - Internal calibration Results

No anomalies observed.

4.1 - Daily statistics

4.1.1 - Evolution for WVS

Evolution of cal pulses for WVS	

4.1.2 - Evolution for GM1

Evolution of cal pulses for GM1	

4.2 - Cyclic statistics

4.2.1 - Evolution for WVS

Evolution of cal pulses for WVS	

P1a Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P1	-3.473135	0.006500	0.029699
7	P1	-3.330255	0.020992	0.173192
11	P1	-4.603407	0.016354	-0.005547
15	P1	-5.662596	0.028719	0.033440
19	P1	-3.600592	0.005426	-0.050077

22	P1	-4.583342	0.015078	-0.005835
26	P1	-4.869267	0.061364	-0.028481
30	P1	-7.074564	0.014692	-0.023309
3	P1	-16.022272	0.105662	0.103378
7	P1	-14.216608	0.293453	-0.931704
11	P1	-20.649565	0.203906	-0.224322
15	P1	-11.671314	0.035140	0.072238
19	P1	-14.062266	0.027990	-0.070543
22	P1	-16.216566	0.401801	0.086781
26	P1	-17.703260	0.721739	0.033858
30	P1	-17.979416	0.273784	0.139273

P2 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P2	-22.375851	0.088926	0.001395
7	P2	-22.615368	0.135787	-0.022264
11	P2	-15.065179	0.127912	0.080182
15	P2	-7.151781	0.109411	-0.035853
19	P2	-9.713543	0.129917	-0.000791
22	P2	-17.246586	0.104387	0.060556
26	P2	-16.509392	0.112345	-0.011885
30	P2	-19.051865	0.084342	0.018746

P3 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P3	-8.203079	0.006351	-0.017518
7	P3	-8.203080	0.006351	-0.017516
11	P3	-8.203079	0.006351	-0.017519
15	P3	-8.203079	0.006351	-0.017519
19	P3	-8.203076	0.006352	-0.017527
22	P3	-8.203077	0.006352	-0.017524
26	P3	-8.203075	0.006352	-0.017525
30	P3	-8.203094	0.006350	-0.016714

4.2.2 - Evolution for GM1



P1a Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P1	-2.804168	0.010870	-0.004910
7	P1	-2.952386	0.022905	-0.010139
11	P1	-3.900213	0.022451	-0.015281
15	P1	-3.487663	0.027216	0.007110
19	P1	-3.589843	0.012036	-0.004125
22	P1	-5.614175	0.067378	0.053664
26	P1	-6.420992	0.081925	-0.073923
30	P1	-6.263894	0.040266	-0.037436
3	P1	-10.598236	0.052573	0.011411
7	P1	-10.077403	0.135024	-0.077907
11	P1	-12.360994	0.116260	-0.092505
15	P1	-11.710707	0.063933	-0.077332
19	P1	-15.618261	0.053261	-0.018638
22	P1	-23.953617	1.998210	-0.304931
26	P1	-15.114318	0.464884	-0.080658
30	P1	-20.259373	0.995819	0.050597

P2 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P2	-18.058969	0.039839	-0.002183
7	P2	-22.677662	0.031433	-0.003603
11	P2	-10.854651	0.036189	0.062518
15	P2	-5.048355	0.028383	-0.044507
19	P2	-6.954202	0.035249	-0.061478
22	P2	-7.363635	0.029210	0.057176
26	P2	-23.939384	0.023193	-0.054647
30	P2	-22.092331	0.018903	0.007451

P3 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P3	-8.043462	0.003240	-0.014599
7	P3	-8.043462	0.003248	-0.014748
11	P3	-8.043537	0.003249	-0.014973
15	P3	-8.043399	0.003247	-0.014877
19	P3	-8.043467	0.003247	-0.015102
22	P3	-8.043539	0.003241	-0.014970
26	P3	-8.043492	0.003233	-0.014724
30	P3	-8.043464	0.003249	-0.014583

4.3 - cal pulses monitoring (all rows)

4.3.1 - Evolution for WVS



4.3.2 - Evolution for GM1



5 - RAW data statistics

No anomalies observed.

5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000460022
	stdev	2.26050e-07
MEAN Q	mean	0.000530031
	stdev	2.42234e-07



5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.125987
	stdev	0.000962302
STDEV Q	mean	0.126209
	stdev	0.000970779



5.3 - Gain imbalance I/Q



6 - Doppler Analysis

Preliminary report. The data is not yet controled

6.1 - Unbiased Doppler Error for WVS

Evolution of unbiased Doppler error (Real - Expected)

The graph displays two data series: 'Ascending' (top line) and 'Descending' (bottom line). Both series show a rapid initial decrease in error followed by a more gradual, oscillatory decline. The 'Ascending' series starts at approximately 1.5 and ends at 0.2. The 'Descending' series starts at approximately 1.2 and ends at 0.1.

Time	Ascending (Real - Expected)	Descending (Real - Expected)
0	1.5	1.2
1	0.8	0.7
2	0.5	0.4
3	0.3	0.2
4	0.2	0.1

6.2 - Absolute Doppler for WVS

Evolution of Absolute Doppler	
	Ascending
	Descending

6.3 - Doppler evolution versus ANX for WVS

Evolution Doppler error versus ANX**6.4 - Unbiased Doppler Error for GM1****Evolution of unbiased Doppler error (Real - Expected)**


Acsending

Descending





6.5 - Absolute Doppler for GM1**Evolution of Absolute Doppler**


Acsending


Descending

6.6 - Doppler evolution versus ANX for GM1**Evolution Doppler error versus ANX**





Cal pulses for GM1 SS3




ROWS: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30



Cal pulses for WVS IS2



ROWS: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30





No anomalies observed on available browse products



No anomalies observed.











- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.






























The MS mode provides an internal health check on an individual module basis.
The purpose of this mode is to identify any malfunctionning modules and
to identify modules for which calibration offsets are to be applied.
No anomalies observed on available MS products:


No anomalies observed.





Reference: 2003-06-12 14:08:52 H RxGain

Test : 2004-11-21 06:12:29 H



Reference: 2003-06-12 14:10:32 V


Test : 2004-11-20 06:44:06 V




Reference:	2001-02-09 13:50:42 H	RxPhase
Test	: 2004-11-21 06:12:29 H	
		1
		2
		4
		3
		4
		5
		8
		7
A1	A3	B1
B3	C1	C3
D1	D3	E1
E3		
		9
		10
		11
		12
		13
		14
		15
		16
		17
		18
		19
		20
		21
		22
		23
A2	A4	B2
B4	C2	C4
D2	D4	E2
E4		
		24
		25
		26
		27
		28
		29
		30
		31
		32




Reference: 2003-06-12 14:08:52 H RxPhase

Test : 2004-11-21 06:12:29 H

RxPhase									
Reference:	2001-02-09	14:08:23	V						
Test	:	2004-11-20	06:44:06	V					
A1	A3	B1	B3	C1	C3	D1	D3	E1	E3
A2	A4	B2	B4	C2	C4	D2	D4	E2	E4







Reference: 2001-02-09 13:50:42 H TxGain

Test : 2004-11-21 06:12:29 H


A 10x30 grid heatmap showing signal strength across 10 reference points (A1-E5) and 30 test points. The grid uses green for strong signals, yellow for moderate, and red for weak. A vertical color bar on the right indicates signal levels from 1 (red) to 32 (green).


Reference:	2003-06-12 14:08:52 H	TxGain
Test	: 2004-11-21 06:12:29 H	
A1	A3	B1
B3	C1	C3
D1	D3	E1
E3		
A2	A4	B2
B4	C2	C4
D2	D4	E2
E4		


Reference: 2003-06-12 14:10:32 V TxGain
Test : 2004-11-20 06:44:06 V


The figure displays a grid of 32 rows by 10 columns. The columns are labeled A1 through E3 at the top, and the rows are numbered 1 through 32 on the right. Orange bars highlight specific signal patterns: a short bar at row 10 between columns B1 and B3; a longer bar spanning from C1 to D3 at row 13; a bar from C2 to D4 at row 22; and a bar from A2 to E4 at row 25.

Reference:	2003-06-12 14:10:32 V	TxPhase
Test	: 2004-11-20 06:44:06 V	
		1
		2
		3
		4
		5
		6
		7
A1	A3	B1
		B3
C1	C3	D1
D3	E1	E3
		8
		9
		10
		11
		12
		13
		14
		15
		16
		17
		18
		19
		20
		21
		22
		23
A2	A4	B2
		B4
C2	C4	D2
D4	E2	E4
		24
		25
		26
		27
		28
		29
		30
		31
		32









No unavailabilities during the reported period.

