

PRELIMINARY REPORT OF 050527

last update on Fri May 27 10:50:01 GMT 2005

1. [Introduction](#)
2. [Summary](#)
 - [Instrument Unavailability](#)
 - [Auxiliary files used](#)
 - [Browse Visual Inspection](#)
 - [Module Stepping Results](#)
 - [Data Analysis](#)
3. [Module Stepping](#)
4. [Internal Calibration pulses](#)
 - [Daily statistics](#)
 - [Cyclic statistics](#)
 - [cal pulses monitoring \(all rows\)](#)
5. [Raw Data Statistics](#)
 - [raw data mean I and Q](#)
 - [raw data stdev I and Q](#)
 - [raw gain imbalance](#)
6. [TLM analysis](#)
7. [Wave Doppler analysis](#)
 - [Unbiased Doppler Error for WVS](#)
 - [Absolute Doppler for WVS](#)
 - [Doppler evolution versus ANX for WVS](#)
 - [Unbiased Doppler Error for GM1](#)
 - [Absolute Doppler for GM1](#)
 - [Doppler evolution versus ANX for GM1](#)

1 - Introduction

This report is based on the analysis of wave mode level-1 cross spectra (ASA_WVS_1P), global monitoring products (ASA_GM1_1P), which are the available few hours after the acquisition, on the browse (BP) products and on the Module Stepping (MS) product.

2 - Summary

2.1 - Instrument Unavailability

No unavailabilities during the reported period.

2.2 - Auxiliary files

Summary of the auxiliary files used from 2005-05-26 00:00:00 to 2005-05-27 10:50:01

PDHS-K					
AUXILIARY FILE	WVS	GM1	IMM	APM	WSM

ASA_CON_AXVIEC20050324_172815_20030601_000000_20051231_000000	26	47	11	5	0
ASA_INS_AXVIEC20041215_180208_20030211_000000_20051231_000000	26	47	11	5	0
ASA_XCA_AXVIEC20041027_164238_20040412_000000_20051231_000000	26	47	11	5	0
ASA_XCH_AXVIEC20041215_180350_20020301_000000_20051231_000000	26	47	11	5	0

PDHS-E					
AUXILIARY FILE	WVS	GM1	IMM	APM	WSM
ASA_CON_AXVIEC20050324_172815_20030601_000000_20051231_000000	49	65	0	0	0
ASA_INS_AXVIEC20041215_180208_20030211_000000_20051231_000000	49	65	0	0	0
ASA_XCA_AXVIEC20041027_164238_20040412_000000_20051231_000000	49	65	0	0	0
ASA_XCH_AXVIEC20041215_180350_20020301_000000_20051231_000000	49	65	0	0	0

2.3 - Browse Visual Inspection

2.4 - Data Analysis

- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.

3 - Module Stepping Mode

No anomalies observed on available MS products:

Polarisation	Start Time
V	20050527 063532
H	20050526 070709

MSM in V/V polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
☒	☒
☒	☒
☒	☒
☒	☒

MSM in H/H polarisation

Pre-launch Reference	DDS-B (2003-06-12) reference
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

4 - Internal calibration Results

No anomalies observed.

4.1 - Daily statistics

4.1.1 - Evolution for WVS

Evolution of cal pulses for WVS
<input type="checkbox"/>
<input type="checkbox"/>

4.1.2 - Evolution for GM1

Evolution of cal pulses for GM1
<input type="checkbox"/>
<input type="checkbox"/>

4.2 - Cyclic statistics

4.2.1 - Evolution for WVS

Evolution of cal pulses for WVS
<input type="checkbox"/>

P1a Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P1	-3.346162	0.007039	0.020742
7	P1	-3.115973	0.014844	-0.025991
11	P1	-4.647757	0.029194	0.056411
15	P1	-5.522421	0.045265	0.081020
19	P1	-3.727414	0.004033	-0.011631
22	P1	-4.590486	0.014496	0.013747
26	P1	-4.873071	0.017989	0.031198
30	P1	-7.142387	0.027893	0.008633
3	P1	-15.676141	0.090860	0.157769
7	P1	-15.514796	0.104379	-0.079667
11	P1	-21.306675	0.243446	-0.038469
15	P1	-11.382654	0.040718	0.150776
19	P1	-14.361869	0.034169	-0.063856
22	P1	-15.954824	0.335861	-0.039644
26	P1	-17.668488	0.215182	-0.119931
30	P1	-17.865175	0.235098	0.035731

P2 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P2	-22.051455	0.077100	0.026419
7	P2	-22.224812	0.100429	0.064941
11	P2	-14.075182	0.099194	0.148547
15	P2	-7.112794	0.084609	-0.028482
19	P2	-9.640148	0.088806	0.034640
22	P2	-16.890638	0.087310	0.007004
26	P2	-16.495184	0.090080	-0.017393
30	P2	-18.815212	0.077568	0.026106

P3 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P3	-8.167797	0.003084	0.011007
7	P3	-8.167797	0.003084	0.011007
11	P3	-8.167797	0.003084	0.011007
15	P3	-8.167797	0.003084	0.011007
19	P3	-8.167797	0.003084	0.011007
22	P3	-8.167797	0.003084	0.011007
26	P3	-8.167797	0.003084	0.011007
30	P3	-8.167797	0.003084	0.011007

4.2.2 - Evolution for GM1

Evolution of cal pulses for GM1



P1a Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
-----	-------	-----------	------------	-----------------

P1 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P1	-2.779462	0.012498	-0.026827
7	P1	-2.973923	0.031196	0.062052
11	P1	-3.959236	0.018001	0.007466
15	P1	-3.525241	0.023853	-0.006395
19	P1	-3.629734	0.015464	0.000957
22	P1	-5.650918	0.049282	0.017736
26	P1	-7.312410	0.023837	0.025046
30	P1	-6.276806	0.053840	-0.014656
3	P1	-10.807511	0.044654	-0.066170
7	P1	-10.405397	0.161328	0.060084
11	P1	-12.545991	0.106444	0.000962
15	P1	-11.626342	0.076314	0.024900
19	P1	-15.620167	0.064459	0.011208
22	P1	-25.639343	2.657302	-0.645062
26	P1	-15.660156	0.352336	0.065689
30	P1	-20.243464	1.159364	0.024922

P2 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P2	-17.776920	0.038603	0.010219
7	P2	-22.225996	0.046785	0.144337
11	P2	-9.996927	0.055421	0.114344
15	P2	-5.096863	0.041024	-0.031128
19	P2	-6.904702	0.054913	-0.002047
22	P2	-7.106187	0.035951	0.011051
26	P2	-23.932360	0.037214	-0.053677
30	P2	-21.945326	0.039854	0.000578

P3 Cyclic statistics

row	pulse	mean (dB)	stdev (dB)	slope(dB/cycle)
3	P3	-8.001399	0.003670	0.012100
7	P3	-8.001249	0.003676	0.012369
11	P3	-8.001266	0.003680	0.012078
15	P3	-8.001326	0.003667	0.012300
19	P3	-8.001263	0.003694	0.012260
22	P3	-8.001410	0.003663	0.012021
26	P3	-8.001224	0.003676	0.012127
30	P3	-8.001291	0.003699	0.012015

4.3 - cal pulses monitoring (all rows)

4.3.1 - Evolution for WVS



4.3.2 - Evolution for GM1



5 - RAW data statistics

No anomalies observed.

5.1 - Input mean I/Q

channel	stat	DSS-B
MEAN I	mean	0.000436546
	stdev	2.33121e-07
MEAN Q	mean	0.000463535
	stdev	2.44993e-07



5.2 - Input stdev I/Q

channel	stat	DSS-B
STDEV I	mean	0.125306
	stdev	0.00106225
STDEV Q	mean	0.125549
	stdev	0.00107235



5.3 - Gain imbalance I/Q



6 - Telemetry analysis

Summary of analysis for the last 3 days 2005052[567]

The assumption is taken that the SQADS num_gaps and num_missing_lines fields are reliable indicators of telemetry problems

Filename	num_gaps	num_missing_lines
----------	----------	-------------------



7 - Doppler Analysis

Preliminary report. The data is not yet controlled

7.1 - Unbiased Doppler Error for WVS

Evolution of unbiased Doppler error (Real - Expected)	
<input type="checkbox"/>	
	Acsending
<input type="checkbox"/>	
	Descending

7.2 - Absolute Doppler for WVS

Evolution of Absolute Doppler	
<input type="checkbox"/>	
	Acsending
<input type="checkbox"/>	
	Descending

7.3 - Doppler evolution versus ANX for WVS

Evolution Doppler error versus ANX	
<input type="checkbox"/>	

7.4 - Unbiased Doppler Error for GM1

Evolution of unbiased Doppler error (Real - Expected)	
<input type="checkbox"/>	
	Acsending
<input type="checkbox"/>	
	Descending

7.5 - Absolute Doppler for GM1

Evolution of Absolute Doppler



Ascending

Descending



7.6 - Doppler evolution versus ANX for GM1

Evolution Doppler error versus ANX

Cal pulses for GM1 SS3





Cal pulses for GM1 SS3





rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30

Cal pulses for WVS IS2




Cal pulses for WVS IS2




rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30

Cal pulses for GM1 SS3




rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30

Cal pulses for GM1 SS3







Cal pulses for WVS IS2




rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30


Cal pulses for WVS IS2



rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30


No anomalies observed.






- Stable wave internal calibration pulses gain and phase.
- Stable raw data statistics.
- Nominal Doppler behavior.


Doppler 'GM1' 'SS1' ascending




Doppler 'GM1' 'SS1' descending






Doppler 'WVS' 'IS2' ascending






Doppler 'WVS' 'IS2' descending




GM1 mode doppler







Doppler difference, estimated-predicted 'GM1' 'SS1' ascending -error mean of -40.256199 Hz




Doppler difference, estimated-predicted 'GM1' 'SS1' descending -error mean of -34.465247 Hz



Doppler difference, estimated-predicted 'WVS' 'IS2' ascending -error mean of -31.947919 Hz







Doppler difference, estimated-predicted 'WVS' 'IS2' descending -error mean of -37.085682 Hz






No anomalies observed on available MS products:


No anomalies observed.














Summary of analysis for the last 3 days 2005052[567]

The assumption is taken that the SQADS num_gaps and num_missing_lines fields are reliable indicators of telemetry problems


Filename	num_gaps	num_missing_lines









rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30



rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30



rows: _ 3 _ 7 _ 11 _ 15 _ 19 _ 22 _ 26 _ 30



No unavailabilities during the reported period.