

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)


[6. Auxiliary Data Files used for the production reported in section 2](#)

515	GOM_NL__2PRFIN20021224_225828_000000422012_00216_04278_0285.N1	24-DEC-2002 22:58:28	Straylight	41.500	128	67Bet Eri	2.7840	9700.0	83	4278	No
516	GOM_NL__2PRFIN20021224_225948_000000472012_00216_04278_0286.N1	24-DEC-2002 22:59:48	Straylight	46.500	72	34Del Ori	2.2500	30000.	93	4278	No
517	GOM_NL__2PRFIN20021224_230217_000000592012_00216_04278_0287.N1	24-DEC-2002 23:02:17	Twilight_stray	59.000	14	58Alp Ori	0.87000	3000.0	118	4278	No
518	GOM_NL__2PRFIN20021224_230444_000000512012_00216_04278_0288.N1	24-DEC-2002 23:04:44	Bright	50.500	13	87Alp Tau	0.86700	3800.0	101	4278	No
519	GOM_NL__2PRFIN20021224_230620_000000412012_00216_04278_0289.N1	24-DEC-2002 23:06:20	Bright	41.000	176	23Zet Tau	3.0200	22000.	82	4278	No
520	GOM_NL__2PRFIN20021224_230825_000000412012_00216_04278_0290.N1	24-DEC-2002 23:08:25	Bright	41.000	28	12Bet Tau	1.6500	15200.	82	4278	No
521	GOM_NL__2PRFIN20021224_231128_000000372012_00216_04278_0291.N1	24-DEC-2002 23:11:28	Bright	36.500	149	45Eps Per	2.8880	30000.	73	4278	No
522	GOM_NL__2PRFIN20021224_231320_000000432012_00216_04278_0292.N1	24-DEC-2002 23:13:20	Bright	42.500	6	13Alp Aur	0.080000	3400.0	85	4278	No
523	GOM_NL__2PRFIN20021224_231543_000000372012_00216_04278_0293.N1	24-DEC-2002 23:15:43	Bright	37.000	160	23Gam Per	2.9300	4700.0	74	4278	No
524	GOM_NL__2PRFIN20021224_231920_000000382012_00216_04278_0294.N1	24-DEC-2002 23:19:20	Bright	38.000	110	37Del Cas	2.6780	8900.0	76	4278	No
525	GOM_NL__2PRFIN20021224_232516_000000392012_00216_04278_0295.N1	24-DEC-2002 23:25:16	Bright	38.500	49	1Alp UMi	1.9900	6300.0	77	4278	No
526	GOM_NL__2PRFIN20021224_232952_000000412012_00216_04278_0296.N1	24-DEC-2002 23:29:52	Bright	40.500	60	7Bet UMi	2.0810	3950.0	81	4278	No
527	GOM_NL__2PRFIN20021224_233327_000000382012_00216_04278_0297.N1	24-DEC-2002 23:33:27	Bright	38.000	119	14Eta Dra	2.7270	4700.0	76	4278	No
528	GOM_NL__2PRFIN20021224_233451_000000462012_00216_04278_0298.N1	24-DEC-2002 23:34:51	Bright	46.000	55	79Zet UMa	2.0600	10200.	92	4278	No
529	GOM_NL__2PRFIN20021224_233659_000000422012_00216_04278_0299.N1	24-DEC-2002 23:36:59	Bright	42.000	39	85Eta UMa	1.8540	24000.	84	4278	No
530	GOM_NL__2PRFIN20021224_234040_000000582012_00216_04278_0300.N1	24-DEC-2002 23:40:40	Bright	58.000	180	27Gam Boo	3.0400	8000.0	116	4278	No
531	GOM_NL__2PRFIN20021224_234406_000000422012_00216_04278_0301.N1	24-DEC-2002 23:44:06	Bright	41.500	83		2.3780	11000.	83	4278	No
532	GOM_NL__2PRFIN20021224_234747_000000502012_00216_04278_0302.N1	24-DEC-2002 23:47:47	Bright	50.000	111	8Eta Boo	2.6800	6000.0	100	4278	No
533	GOM_NL__2PRFIN20021224_235247_000000742012_00216_04278_0303.N1	24-DEC-2002 23:52:47	Twilight_stray	73.500	138	47Eps Vir	2.8280	4700.0	147	4278	No
534	GOM_NL__2PRFIN20021224_235630_000000442012_00216_04278_0304.N1	24-DEC-2002 23:56:30	Bright	44.000	122	9Alp2Lib	2.7470	9700.0	88	4278	No
535	GOM_NL__2PRFIN20021224_235848_000000612012_00216_04278_0305.N1	24-DEC-2002 23:58:48	Straylight	61.000	15	67Alp Vir	0.97600	28000.	122	4278	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	26
STD < 20	15

STD < 10	12
STD < 5	9


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H2O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXNIEC20050627_150440_20020301_000000_20100101_000000	1	24-DEC-2002 00:01:30
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	24-DEC-2002 00:01:30
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	24-DEC-2002 00:01:30

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)


[6. Auxiliary Data Files used for the production reported in section 2](#)

515	GOM_NL__2PRFIN20021224_225828_000000422012_00216_04278_0285.N1	24-DEC-2002 22:58:28	Straylight	41.500	128	67Bet Eri	2.7840	9700.0	83	4278	No
516	GOM_NL__2PRFIN20021224_225948_000000472012_00216_04278_0286.N1	24-DEC-2002 22:59:48	Straylight	46.500	72	34Del Ori	2.2500	30000.	93	4278	No
517	GOM_NL__2PRFIN20021224_230217_000000592012_00216_04278_0287.N1	24-DEC-2002 23:02:17	Twilight_stray	59.000	14	58Alp Ori	0.87000	3000.0	118	4278	No
518	GOM_NL__2PRFIN20021224_230444_000000512012_00216_04278_0288.N1	24-DEC-2002 23:04:44	Bright	50.500	13	87Alp Tau	0.86700	3800.0	101	4278	No
519	GOM_NL__2PRFIN20021224_230620_000000412012_00216_04278_0289.N1	24-DEC-2002 23:06:20	Bright	41.000	176	23Zet Tau	3.0200	22000.	82	4278	No
520	GOM_NL__2PRFIN20021224_230825_000000412012_00216_04278_0290.N1	24-DEC-2002 23:08:25	Bright	41.000	28	12Bet Tau	1.6500	15200.	82	4278	No
521	GOM_NL__2PRFIN20021224_231128_000000372012_00216_04278_0291.N1	24-DEC-2002 23:11:28	Bright	36.500	149	45Eps Per	2.8880	30000.	73	4278	No
522	GOM_NL__2PRFIN20021224_231320_000000432012_00216_04278_0292.N1	24-DEC-2002 23:13:20	Bright	42.500	6	13Alp Aur	0.080000	3400.0	85	4278	No
523	GOM_NL__2PRFIN20021224_231543_000000372012_00216_04278_0293.N1	24-DEC-2002 23:15:43	Bright	37.000	160	23Gam Per	2.9300	4700.0	74	4278	No
524	GOM_NL__2PRFIN20021224_231920_000000382012_00216_04278_0294.N1	24-DEC-2002 23:19:20	Bright	38.000	110	37Del Cas	2.6780	8900.0	76	4278	No
525	GOM_NL__2PRFIN20021224_232516_000000392012_00216_04278_0295.N1	24-DEC-2002 23:25:16	Bright	38.500	49	1Alp UMi	1.9900	6300.0	77	4278	No
526	GOM_NL__2PRFIN20021224_232952_000000412012_00216_04278_0296.N1	24-DEC-2002 23:29:52	Bright	40.500	60	7Bet UMi	2.0810	3950.0	81	4278	No
527	GOM_NL__2PRFIN20021224_233327_000000382012_00216_04278_0297.N1	24-DEC-2002 23:33:27	Bright	38.000	119	14Eta Dra	2.7270	4700.0	76	4278	No
528	GOM_NL__2PRFIN20021224_233451_000000462012_00216_04278_0298.N1	24-DEC-2002 23:34:51	Bright	46.000	55	79Zet UMa	2.0600	10200.	92	4278	No
529	GOM_NL__2PRFIN20021224_233659_000000422012_00216_04278_0299.N1	24-DEC-2002 23:36:59	Bright	42.000	39	85Eta UMa	1.8540	24000.	84	4278	No
530	GOM_NL__2PRFIN20021224_234040_000000582012_00216_04278_0300.N1	24-DEC-2002 23:40:40	Bright	58.000	180	27Gam Boo	3.0400	8000.0	116	4278	No
531	GOM_NL__2PRFIN20021224_234406_000000422012_00216_04278_0301.N1	24-DEC-2002 23:44:06	Bright	41.500	83		2.3780	11000.	83	4278	No
532	GOM_NL__2PRFIN20021224_234747_000000502012_00216_04278_0302.N1	24-DEC-2002 23:47:47	Bright	50.000	111	8Eta Boo	2.6800	6000.0	100	4278	No
533	GOM_NL__2PRFIN20021224_235247_000000742012_00216_04278_0303.N1	24-DEC-2002 23:52:47	Twilight_stray	73.500	138	47Eps Vir	2.8280	4700.0	147	4278	No
534	GOM_NL__2PRFIN20021224_235630_000000442012_00216_04278_0304.N1	24-DEC-2002 23:56:30	Bright	44.000	122	9Alp2Lib	2.7470	9700.0	88	4278	No
535	GOM_NL__2PRFIN20021224_235848_000000612012_00216_04278_0305.N1	24-DEC-2002 23:58:48	Straylight	61.000	15	67Alp Vir	0.97600	28000.	122	4278	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	26
STD < 20	15

STD < 10	12
STD < 5	9


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H₂O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)


The colorbar represents the latitude.





6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXNIEC20050627_150440_20020301_000000_20100101_000000	1	24-DEC-2002 00:01:30
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	24-DEC-2002 00:01:30
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	24-DEC-2002 00:01:30





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile
































Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

