

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	19APR2013 11:11:39
Data source version	GOMOS/6.01
Start time of products	05-03-2003 (05MAR2003 00:00:00)
Stop time of products	06-03-2003 (06MAR2003 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	14
Nb of prods with errors	1

2. Summary of processed GOM_NL__2P products.


!Warning: No products without errors in BRIGHT limb conditions found

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20030305_000016_000000442014_00216_05280_5259.N1	05-MAR-2003 00:00:16	Dark	43.500	57	34Sig Sgr	2.0660	26000.	87	5280	No
2	GOM_NL__2PRFIN20030305_000207_000000582014_00216_05280_5260.N1	05-MAR-2003 00:02:07	Dark	57.500	1014	Mars	0.0000	0.0000	115	5280	Yes
3	GOM_NL__2PRFIN20030305_000403_000000822014_00216_05280_5261.N1	05-MAR-2003 00:04:03	Dark	82.000	86	35Eta Oph	2.4300	10200.	164	5280	No
4	GOM_NL__2PRFIN20030305_000629_000000472014_00216_05280_5262.N1	05-MAR-2003 00:06:29	Dark	47.000	25	35Lam Sco	1.6200	28000.	94	5280	No
5	GOM_NL__2PRFIN20030305_234123_000000482014_00231_05295_5341.N1	05-MAR-2003 23:41:23	Dark	47.500	43	Alp TrA	1.9100	4250.0	95	5295	No
6	GOM_NL__2PRFIN20030305_234337_000000382014_00231_05295_5342.N1	05-MAR-2003 23:43:37	Dark	37.500	145	Gam TrA	2.8720	10600.	75	5295	No
7	GOM_NL__2PRFIN20030305_234505_000000492014_00231_05295_5343.N1	05-MAR-2003 23:45:05	Dark	49.000	4	Alp1Cen	-0.010000	5800.0	98	5295	No
8	GOM_NL__2PRFIN20030305_234623_000000472014_00231_05295_5344.N1	05-MAR-2003 23:46:23	Dark	46.500	10	Bet Cen	0.61000	28000.	93	5295	No
9	GOM_NL__2PRFIN20030305_234846_000000452014_00231_05295_5345.N1	05-MAR-2003 23:48:46	Dark	45.000	12	Alp1Cru	0.77500	30000.	90	5295	No
10	GOM_NL__2PRFIN20030305_234958_000000392014_00231_05295_5346.N1	05-MAR-2003 23:49:58	Dark	39.000	129	Del Cru	2.7930	26000.	78	5295	No
11	GOM_NL__2PRFIN20030305_235125_000000442014_00231_05295_5347.N1	05-MAR-2003 23:51:25	Dark	44.000	64	Gam Cen	2.2000	10600.	88	5295	No
12	GOM_NL__2PRFIN20030305_235348_000000402014_00231_05295_5348.N1	05-MAR-2003 23:53:48	Straylight	40.000	91	Kap Vel	2.4900	26000.	80	5295	No
13	GOM_NL__2PRFIN20030305_235707_000000452014_00231_05295_5349.N1	05-MAR-2003 23:57:07	Straylight	45.000	65	Lam Vel	2.2040	4400.0	90	5295	No
14	GOM_NL__2PRFIN20030305_235953_000000642014_00231_05295_5350.N1	05-MAR-2003 23:59:53	Straylight	63.500	106	9Bet Crv	2.6480	5600.0	127	5295	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)





3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile




Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product

In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:


- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	76
STD < 20	43
STD < 10	36
STD < 5	29


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H₂O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXNIEC20050627_150440_20020301_000000_20100101_000000	1	05-MAR-2003 00:00:16
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	05-MAR-2003 00:00:16
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	05-MAR-2003 00:00:16

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	19APR2013 11:11:39
Data source version	GOMOS/6.01
Start time of products	05-03-2003 (05MAR2003 00:00:00)
Stop time of products	06-03-2003 (06MAR2003 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	14
Nb of prods with errors	1

2. Summary of processed GOM_NL__2P products.


!Warning: No products without errors in BRIGHT limb conditions found

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20030305_000016_000000442014_00216_05280_5259.N1	05-MAR-2003 00:00:16	Dark	43.500	57	34Sig Sgr	2.0660	26000.	87	5280	No
2	GOM_NL__2PRFIN20030305_000207_000000582014_00216_05280_5260.N1	05-MAR-2003 00:02:07	Dark	57.500	1014	Mars	0.0000	0.0000	115	5280	Yes
3	GOM_NL__2PRFIN20030305_000403_000000822014_00216_05280_5261.N1	05-MAR-2003 00:04:03	Dark	82.000	86	35Eta Oph	2.4300	10200.	164	5280	No
4	GOM_NL__2PRFIN20030305_000629_000000472014_00216_05280_5262.N1	05-MAR-2003 00:06:29	Dark	47.000	25	35Lam Sco	1.6200	28000.	94	5280	No
5	GOM_NL__2PRFIN20030305_234123_000000482014_00231_05295_5341.N1	05-MAR-2003 23:41:23	Dark	47.500	43	Alp TrA	1.9100	4250.0	95	5295	No
6	GOM_NL__2PRFIN20030305_234337_000000382014_00231_05295_5342.N1	05-MAR-2003 23:43:37	Dark	37.500	145	Gam TrA	2.8720	10600.	75	5295	No
7	GOM_NL__2PRFIN20030305_234505_000000492014_00231_05295_5343.N1	05-MAR-2003 23:45:05	Dark	49.000	4	Alp1Cen	-0.010000	5800.0	98	5295	No
8	GOM_NL__2PRFIN20030305_234623_000000472014_00231_05295_5344.N1	05-MAR-2003 23:46:23	Dark	46.500	10	Bet Cen	0.61000	28000.	93	5295	No
9	GOM_NL__2PRFIN20030305_234846_000000452014_00231_05295_5345.N1	05-MAR-2003 23:48:46	Dark	45.000	12	Alp1Cru	0.77500	30000.	90	5295	No
10	GOM_NL__2PRFIN20030305_234958_000000392014_00231_05295_5346.N1	05-MAR-2003 23:49:58	Dark	39.000	129	Del Cru	2.7930	26000.	78	5295	No
11	GOM_NL__2PRFIN20030305_235125_000000442014_00231_05295_5347.N1	05-MAR-2003 23:51:25	Dark	44.000	64	Gam Cen	2.2000	10600.	88	5295	No
12	GOM_NL__2PRFIN20030305_235348_000000402014_00231_05295_5348.N1	05-MAR-2003 23:53:48	Straylight	40.000	91	Kap Vel	2.4900	26000.	80	5295	No
13	GOM_NL__2PRFIN20030305_235707_000000452014_00231_05295_5349.N1	05-MAR-2003 23:57:07	Straylight	45.000	65	Lam Vel	2.2040	4400.0	90	5295	No
14	GOM_NL__2PRFIN20030305_235953_000000642014_00231_05295_5350.N1	05-MAR-2003 23:59:53	Straylight	63.500	106	9Bet Crv	2.6480	5600.0	127	5295	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)





3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile




Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product

In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes

!Warning: No products without errors in descending found

5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:


- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	76
STD < 20	43
STD < 10	36
STD < 5	29


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H2O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)


The colorbar represents the latitude.





6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXNIEC20050627_150440_20020301_000000_20100101_000000	1	05-MAR-2003 00:00:16
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	05-MAR-2003 00:00:16
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	05-MAR-2003 00:00:16





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile




Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile







Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile
































Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile




Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile







Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

