

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	19APR2013 20:40:11
Data source version	GOMOS/6.01
Start time of products	25-09-2003 (25SEP2003 00:00:00)
Stop time of products	26-09-2003 (26SEP2003 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	10
Nb of prods with errors	1


2. Summary of processed GOM_NL__2P products.

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20030925_232555_000000392020_00145_08215_0233.N1	25-SEP-2003 23:25:55	Dark	38.500	159	Ups Car	2.9200	7200.0	77	8215	No
2	GOM_NL__2PRFIN20030925_232806_000001552020_00145_08215_0234.N1	25-SEP-2003 23:28:06	Dark	154.50	56	53Kap Ori	2.0650	30000.	309	8215	No
3	GOM_NL__2PRFIN20030925_233547_000000392020_00145_08215_0235.N1	25-SEP-2003 23:35:47	Dark	38.500	135	Bet Hyi	2.8200	5800.0	77	8215	No
4	GOM_NL__2PRFIN20030925_233733_000000412020_00145_08215_0236.N1	25-SEP-2003 23:37:33	Dark	41.000	143	Alp Hyi	2.8570	7200.0	82	8215	No
5	GOM_NL__2PRFIN20030925_233900_000000472020_00145_08215_0237.N1	25-SEP-2003 23:39:00	Dark	47.000	9	Alp Eri	0.45300	24000.	94	8215	No
6	GOM_NL__2PRFIN20030925_234445_000000472020_00145_08215_0238.N1	25-SEP-2003 23:44:45	Straylight	46.500	63	Bet Gru	2.1500	2800.0	93	8215	No
7	GOM_NL__2PRFIN20030925_234920_000000422020_00145_08215_0239.N1	25-SEP-2003 23:49:20	Straylight	42.000	18	24Alp PsA	1.1660	9700.0	84	8215	No
8	GOM_NL__2PRFIN20030925_235140_000000552020_00145_08215_0240.N1	25-SEP-2003 23:51:40	Twilight_stray	54.500	52	16Bet Cet	2.0370	4500.0	109	8215	No
9	GOM_NL__2PRFIN20030925_235333_000000462020_00145_08215_0241.N1	25-SEP-2003 23:53:33	Dark	45.500	1014	Mars	0.0000	0.0000	91	8215	Yes
10	GOM_NL__2PRFIN20030925_235800_000000402020_00145_08215_0242.N1	25-SEP-2003 23:58:00	Bright	40.000	162	34Alp Aqr	2.9440	5350.0	80	8215	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)





3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile



Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	64
STD < 20	42

STD < 10	39
STD < 5	29


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.




5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	25-SEP-2003 23:25:55
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	25-SEP-2003 23:25:55
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	25-SEP-2003 23:25:55

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	19APR2013 20:40:11
Data source version	GOMOS/6.01
Start time of products	25-09-2003 (25SEP2003 00:00:00)
Stop time of products	26-09-2003 (26SEP2003 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	10
Nb of prods with errors	1


2. Summary of processed GOM_NL__2P products.

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20030925_232555_000000392020_00145_08215_0233.N1	25-SEP-2003 23:25:55	Dark	38.500	159	Ups Car	2.9200	7200.0	77	8215	No
2	GOM_NL__2PRFIN20030925_232806_000001552020_00145_08215_0234.N1	25-SEP-2003 23:28:06	Dark	154.50	56	53Kap Ori	2.0650	30000.	309	8215	No
3	GOM_NL__2PRFIN20030925_233547_000000392020_00145_08215_0235.N1	25-SEP-2003 23:35:47	Dark	38.500	135	Bet Hyi	2.8200	5800.0	77	8215	No
4	GOM_NL__2PRFIN20030925_233733_000000412020_00145_08215_0236.N1	25-SEP-2003 23:37:33	Dark	41.000	143	Alp Hyi	2.8570	7200.0	82	8215	No
5	GOM_NL__2PRFIN20030925_233900_000000472020_00145_08215_0237.N1	25-SEP-2003 23:39:00	Dark	47.000	9	Alp Eri	0.45300	24000.	94	8215	No
6	GOM_NL__2PRFIN20030925_234445_000000472020_00145_08215_0238.N1	25-SEP-2003 23:44:45	Straylight	46.500	63	Bet Gru	2.1500	2800.0	93	8215	No
7	GOM_NL__2PRFIN20030925_234920_000000422020_00145_08215_0239.N1	25-SEP-2003 23:49:20	Straylight	42.000	18	24Alp PsA	1.1660	9700.0	84	8215	No
8	GOM_NL__2PRFIN20030925_235140_000000552020_00145_08215_0240.N1	25-SEP-2003 23:51:40	Twilight_stray	54.500	52	16Bet Cet	2.0370	4500.0	109	8215	No
9	GOM_NL__2PRFIN20030925_235333_000000462020_00145_08215_0241.N1	25-SEP-2003 23:53:33	Dark	45.500	1014	Mars	0.0000	0.0000	91	8215	Yes
10	GOM_NL__2PRFIN20030925_235800_000000402020_00145_08215_0242.N1	25-SEP-2003 23:58:00	Bright	40.000	162	34Alp Aqr	2.9440	5350.0	80	8215	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)





3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile



Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	64
STD < 20	42

STD < 10	39
STD < 5	29


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.




5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)


The colorbar represents the latitude.





6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	25-SEP-2003 23:25:55
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	25-SEP-2003 23:25:55
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	25-SEP-2003 23:25:55





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile




























Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

