

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	20APR2013 02:59:44
Data source version	GOMOS/6.01
Start time of products	31-12-2003 (31DEC2003 00:00:00)
Stop time of products	01-01-2004 (01JAN2004 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	13
Nb of prods with errors	0


2. Summary of processed GOM_NL__2P products.

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20031231_000542_000000342023_00016_09589_0258.N1	31-DEC-2003 00:05:42	Bright	34.000	49	1Alp UMi	1.9900	6300.0	68	9589	No
2	GOM_NL__2PRFIN20031231_000848_000000472023_00016_09589_0259.N1	31-DEC-2003 00:08:48	Bright	46.500	36	50Alp UMa	1.8000	6300.0	93	9589	No
3	GOM_NL__2PRFIN20031231_001400_000000392023_00016_09589_0260.N1	31-DEC-2003 00:14:00	Bright	38.500	119	14Eta Dra	2.7270	4700.0	77	9589	No
4	GOM_NL__2PRFIN20031231_001603_000000372023_00016_09589_0261.N1	31-DEC-2003 00:16:03	Bright	36.500	130	23Bet Dra	2.7990	5800.0	73	9589	No
5	GOM_NL__2PRFIN20031231_002110_000000612023_00016_09589_0262.N1	31-DEC-2003 00:21:10	Bright	61.000	180	27Gam Boo	3.0400	8000.0	122	9589	No
6	GOM_NL__2PRFIN20031231_002448_000000442023_00016_09589_0263.N1	31-DEC-2003 00:24:48	Bright	43.500	83		2.3780	11000.	87	9589	No
7	GOM_NL__2PRFIN20031231_002853_000000552023_00016_09589_0264.N1	31-DEC-2003 00:28:53	Bright	54.500	111	8Eta Boo	2.6800	6000.0	109	9589	No
8	GOM_NL__2PRFIN20031231_003459_000000872023_00016_09589_0265.N1	31-DEC-2003 00:34:59	Twilight	87.000	138	47Eps Vir	2.8280	4700.0	174	9589	No
9	GOM_NL__2PRFIN20031231_003740_000000452023_00016_09589_0266.N1	31-DEC-2003 00:37:40	Twilight	45.000	122	9Alp2Lib	2.7470	9700.0	90	9589	No
10	GOM_NL__2PRFIN20031231_004050_000000752023_00016_09589_0267.N1	31-DEC-2003 00:40:50	Dark	74.500	15	67Alp Vir	0.97600	28000.	149	9589	No
11	GOM_NL__2PRFIN20031231_004431_000000482023_00016_09589_0268.N1	31-DEC-2003 00:44:31	Dark	48.000	54	5The Cen	2.0550	4500.0	96	9589	No
12	GOM_NL__2PRFIN20031231_004554_000000422023_00016_09589_0269.N1	31-DEC-2003 00:45:54	Dark	42.000	78	Alp Lup	2.3040	28000.	84	9589	No
13	GOM_NL__2PRFIN20031231_004719_000000432023_00016_09589_0270.N1	31-DEC-2003 00:47:19	Dark	43.000	95	Zet Cen	2.5450	26000.	86	9589	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)





3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	32
STD < 20	14

STD < 10	11
STD < 5	9


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.




5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	31-DEC-2003 00:05:42
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	31-DEC-2003 00:05:42
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	31-DEC-2003 00:05:42

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	20APR2013 02:59:44
Data source version	GOMOS/6.01
Start time of products	31-12-2003 (31DEC2003 00:00:00)
Stop time of products	01-01-2004 (01JAN2004 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	13
Nb of prods with errors	0


2. Summary of processed GOM_NL__2P products.

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20031231_000542_000000342023_00016_09589_0258.N1	31-DEC-2003 00:05:42	Bright	34.000	49	1Alp UMi	1.9900	6300.0	68	9589	No
2	GOM_NL__2PRFIN20031231_000848_000000472023_00016_09589_0259.N1	31-DEC-2003 00:08:48	Bright	46.500	36	50Alp UMa	1.8000	6300.0	93	9589	No
3	GOM_NL__2PRFIN20031231_001400_000000392023_00016_09589_0260.N1	31-DEC-2003 00:14:00	Bright	38.500	119	14Eta Dra	2.7270	4700.0	77	9589	No
4	GOM_NL__2PRFIN20031231_001603_000000372023_00016_09589_0261.N1	31-DEC-2003 00:16:03	Bright	36.500	130	23Bet Dra	2.7990	5800.0	73	9589	No
5	GOM_NL__2PRFIN20031231_002110_000000612023_00016_09589_0262.N1	31-DEC-2003 00:21:10	Bright	61.000	180	27Gam Boo	3.0400	8000.0	122	9589	No
6	GOM_NL__2PRFIN20031231_002448_000000442023_00016_09589_0263.N1	31-DEC-2003 00:24:48	Bright	43.500	83		2.3780	11000.	87	9589	No
7	GOM_NL__2PRFIN20031231_002853_000000552023_00016_09589_0264.N1	31-DEC-2003 00:28:53	Bright	54.500	111	8Eta Boo	2.6800	6000.0	109	9589	No
8	GOM_NL__2PRFIN20031231_003459_000000872023_00016_09589_0265.N1	31-DEC-2003 00:34:59	Twilight	87.000	138	47Eps Vir	2.8280	4700.0	174	9589	No
9	GOM_NL__2PRFIN20031231_003740_000000452023_00016_09589_0266.N1	31-DEC-2003 00:37:40	Twilight	45.000	122	9Alp2Lib	2.7470	9700.0	90	9589	No
10	GOM_NL__2PRFIN20031231_004050_000000752023_00016_09589_0267.N1	31-DEC-2003 00:40:50	Dark	74.500	15	67Alp Vir	0.97600	28000.	149	9589	No
11	GOM_NL__2PRFIN20031231_004431_000000482023_00016_09589_0268.N1	31-DEC-2003 00:44:31	Dark	48.000	54	5The Cen	2.0550	4500.0	96	9589	No
12	GOM_NL__2PRFIN20031231_004554_000000422023_00016_09589_0269.N1	31-DEC-2003 00:45:54	Dark	42.000	78	Alp Lup	2.3040	28000.	84	9589	No
13	GOM_NL__2PRFIN20031231_004719_000000432023_00016_09589_0270.N1	31-DEC-2003 00:47:19	Dark	43.000	95	Zet Cen	2.5450	26000.	86	9589	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)





3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	32
STD < 20	14

STD < 10	11
STD < 5	9


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.




5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.7 Plot NO3 profiles for all STD (dark without errors)


The colorbar represents the latitude.





6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	31-DEC-2003 00:05:42
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	31-DEC-2003 00:05:42
CROSS_SECTIONS_FILE	GOM_CR2_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	31-DEC-2003 00:05:42





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile





Percentage of saturation errors per profile




























Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

