

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	23APR2013 12:59:49
Data source version	GOMOS/6.01
Start time of products	04-12-2007 (04DEC2007 00:00:00)
Stop time of products	05-12-2007 (05DEC2007 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	13
Nb of prods with errors	0


2. Summary of processed GOM_NL__2P products.

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20071204_231035_000000432064_00016_30130_6387.N1	04-DEC-2007 23:10:35	Dark	43.000	113	Mu Vel	2.6920	5000.0	86	30130	No
2	GOM_NL__2PRFIN20071204_231915_000000472064_00016_30130_6388.N1	04-DEC-2007 23:19:15	Dark	47.000	34	Gam2Vel	1.7930	23000.	94	30130	No
3	GOM_NL__2PRFIN20071204_232219_000000572064_00016_30130_6389.N1	04-DEC-2007 23:22:19	Dark	57.000	2	Alp Car	-0.73600	7000.0	114	30130	No
4	GOM_NL__2PRFIN20071204_232839_000000452064_00016_30130_6390.N1	04-DEC-2007 23:28:39	Dark	44.500	108	Alp Col	2.6520	15200.	89	30130	No
5	GOM_NL__2PRFIN20071204_233410_000000512064_00016_30130_6391.N1	04-DEC-2007 23:34:10	Straylight	50.500	101	11Alp Lep	2.5820	7000.0	101	30130	No
6	GOM_NL__2PRFIN20071204_233612_000000452064_00016_30130_6392.N1	04-DEC-2007 23:36:12	Straylight	44.500	165	34Gam Eri	2.9500	3200.0	89	30130	No
7	GOM_NL__2PRFIN20071204_233737_000000602064_00016_30130_6393.N1	04-DEC-2007 23:37:37	Straylight	60.000	7	19Bet Ori	0.10000	14000.	120	30130	No
8	GOM_NL__2PRFIN20071204_234524_000000532064_00016_30130_6394.N1	04-DEC-2007 23:45:24	Bright	53.000	13	87Alp Tau	0.86700	3800.0	106	30130	No
9	GOM_NL__2PRFIN20071204_234710_000000372064_00016_30130_6395.N1	04-DEC-2007 23:47:10	Bright	37.000	146	25Eta Tau	2.8730	15200.	74	30130	No
10	GOM_NL__2PRFIN20071204_234929_000000372064_00016_30130_6396.N1	04-DEC-2007 23:49:29	Bright	37.000	150	44Zet Per	2.8900	28000.	74	30130	No
11	GOM_NL__2PRFIN20071204_235152_000000382064_00016_30130_6397.N1	04-DEC-2007 23:51:52	Bright	37.500	149	45Eps Per	2.8880	30000.	75	30130	No
12	GOM_NL__2PRFIN20071204_235357_000000362064_00016_30130_6398.N1	04-DEC-2007 23:53:57	Bright	35.500	175	39Del Per	3.0100	19400.	71	30130	No
13	GOM_NL__2PRFIN20071204_235525_000000472064_00016_30130_6399.N1	04-DEC-2007 23:55:25	Bright	46.500	6	13Alp Aur	0.080000	3400.0	93	30130	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile




Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	33
STD < 20	21

STD < 10	17
STD < 5	12


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.




5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H₂O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	04-DEC-2007 23: 10: 35
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	04-DEC-2007 23: 10: 35
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	04-DEC-2007 23: 10: 35

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)

[6. Auxiliary Data Files used for the production reported in section 2](#)

This report presents the daily analysis on parameters extracted from GOMOS level 2 data (GOM_NL__2P). It is intended to monitor some important parameters that will impact the quality of these products. A list of level 2 products (and content) that have arrived during the reporting day to the PCF is also given.

Item	Value
Time of report generation	23APR2013 12:59:49
Data source version	GOMOS/6.01
Start time of products	04-12-2007 (04DEC2007 00:00:00)
Stop time of products	05-12-2007 (05DEC2007 00:00:00)
Store outputs in DB	Yes
Nb of level 2 prods	13
Nb of prods with errors	0


2. Summary of processed GOM_NL__2P products.

Nr	Filename	UTC Start time	Limb	Duration	Star Id	Star Name	Star Mag	Star Temp	Nb Meas	Orbit	Prod. error
1	GOM_NL__2PRFIN20071204_231035_000000432064_00016_30130_6387.N1	04-DEC-2007 23:10:35	Dark	43.000	113	Mu Vel	2.6920	5000.0	86	30130	No
2	GOM_NL__2PRFIN20071204_231915_000000472064_00016_30130_6388.N1	04-DEC-2007 23:19:15	Dark	47.000	34	Gam2Vel	1.7930	23000.	94	30130	No
3	GOM_NL__2PRFIN20071204_232219_000000572064_00016_30130_6389.N1	04-DEC-2007 23:22:19	Dark	57.000	2	Alp Car	-0.73600	7000.0	114	30130	No
4	GOM_NL__2PRFIN20071204_232839_000000452064_00016_30130_6390.N1	04-DEC-2007 23:28:39	Dark	44.500	108	Alp Col	2.6520	15200.	89	30130	No
5	GOM_NL__2PRFIN20071204_233410_000000512064_00016_30130_6391.N1	04-DEC-2007 23:34:10	Straylight	50.500	101	11Alp Lep	2.5820	7000.0	101	30130	No
6	GOM_NL__2PRFIN20071204_233612_000000452064_00016_30130_6392.N1	04-DEC-2007 23:36:12	Straylight	44.500	165	34Gam Eri	2.9500	3200.0	89	30130	No
7	GOM_NL__2PRFIN20071204_233737_000000602064_00016_30130_6393.N1	04-DEC-2007 23:37:37	Straylight	60.000	7	19Bet Ori	0.10000	14000.	120	30130	No
8	GOM_NL__2PRFIN20071204_234524_000000532064_00016_30130_6394.N1	04-DEC-2007 23:45:24	Bright	53.000	13	87Alp Tau	0.86700	3800.0	106	30130	No
9	GOM_NL__2PRFIN20071204_234710_000000372064_00016_30130_6395.N1	04-DEC-2007 23:47:10	Bright	37.000	146	25Eta Tau	2.8730	15200.	74	30130	No
10	GOM_NL__2PRFIN20071204_234929_000000372064_00016_30130_6396.N1	04-DEC-2007 23:49:29	Bright	37.000	150	44Zet Per	2.8900	28000.	74	30130	No
11	GOM_NL__2PRFIN20071204_235152_000000382064_00016_30130_6397.N1	04-DEC-2007 23:51:52	Bright	37.500	149	45Eps Per	2.8880	30000.	75	30130	No
12	GOM_NL__2PRFIN20071204_235357_000000362064_00016_30130_6398.N1	04-DEC-2007 23:53:57	Bright	35.500	175	39Del Per	3.0100	19400.	71	30130	No
13	GOM_NL__2PRFIN20071204_235525_000000472064_00016_30130_6399.N1	04-DEC-2007 23:55:25	Bright	46.500	6	13Alp Aur	0.080000	3400.0	93	30130	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile




Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	33
STD < 20	21

STD < 10	17
STD < 5	12


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.




5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H₂O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)


The colorbar represents the latitude.





6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.



Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	04-DEC-2007 23: 10: 35
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	04-DEC-2007 23: 10: 35
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	04-DEC-2007 23: 10: 35





Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile
































Percentage of flagged data per D3 profile





Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

