

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)


[6. Auxiliary Data Files used for the production reported in section 2](#)

338	GOM_NL__2PRFIN20080502_231509_000000442068_00159_32277_7473.N1	02-MAY-2008 23:15:09	Twilight_stray	43.500	54	5The Cen	2.0550	4500.0	87	32277	No
339	GOM_NL__2PRFIN20080502_231924_000000392068_00159_32277_7474.N1	02-MAY-2008 23:19:24	Bright	38.500	169	46Gam Hya	2.9910	4700.0	77	32277	No
340	GOM_NL__2PRFIN20080502_232242_000000382068_00159_32277_7475.N1	02-MAY-2008 23:22:42	Bright	38.000	15	67Alp Vir	0.97600	28000.	76	32277	No
341	GOM_NL__2PRFIN20080502_232547_000000362068_00159_32277_7476.N1	02-MAY-2008 23:25:47	Bright	35.500	121	29Gam Vir	2.7400	7200.0	71	32277	No
342	GOM_NL__2PRFIN20080502_232904_000000352068_00159_32277_7477.N1	02-MAY-2008 23:29:04	Bright	34.500	138	47Eps Vir	2.8280	4700.0	69	32277	No
343	GOM_NL__2PRFIN20080502_233645_000000342068_00159_32277_7478.N1	02-MAY-2008 23:36:45	Bright	34.000	152	12Alp2CVn	2.8900	11000.	68	32277	No
344	GOM_NL__2PRFIN20080502_233945_000000382068_00159_32277_7479.N1	02-MAY-2008 23:39:45	Bright	38.000	174	52Psi UMa	3.0040	4400.0	76	32277	No
345	GOM_NL__2PRFIN20080502_234124_000000362068_00159_32277_7480.N1	02-MAY-2008 23:41:24	Bright	35.500	87	64Gam UMa	2.4330	11000.	71	32277	No
346	GOM_NL__2PRFIN20080502_234252_000000342068_00159_32277_7481.N1	02-MAY-2008 23:42:52	Bright	33.500	82	48Bet UMa	2.3650	10600.	67	32277	No
347	GOM_NL__2PRFIN20080502_234409_000000372068_00159_32277_7482.N1	02-MAY-2008 23:44:09	Bright	37.000	36	50Alp UMa	1.8000	6300.0	74	32277	No
348	GOM_NL__2PRFIN20080502_235130_000000332068_00159_32277_7483.N1	02-MAY-2008 23:51:30	Bright	33.000	49	1Alp UMi	1.9900	6300.0	66	32277	No
349	GOM_NL__2PRFIN20080502_235928_000000342068_00159_32277_7484.N1	02-MAY-2008 23:59:28	Bright	34.000	110	37Del Cas	2.6780	8900.0	68	32277	No

3. Quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)


Percentage of flagged data per O3 profile




Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes




4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes




4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes


Percentage of cosmic ray hits per profile




Percentage of datation errors per profile







Percentage of star falling outside central band per profile



Percentage of saturation errors per profile



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	21
STD < 20	9

STD < 10	5
STD < 5	4


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H2O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)

The colorbar represents the latitude.



6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.

Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	02-MAY-2008 00:00:39
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	02-MAY-2008 00:00:39
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	02-MAY-2008 00:00:39

GOMOS Level 2 Daily Report

SUMMARY

[1. General Info](#)

[2. Summary of processed GOM_NL_2P products](#)

[3. Level 2 Quality information per product](#)

[3.1 Plot of level 2 quality information per product \(time dependant\)](#)

[3.2 Plot of level 2 quality information per product \(world map\)](#)

[4. Level 1 Quality information per product \(stored on level 2 products\)](#)

[4.1 Plot of level 1 quality information per product \(time dependant\)](#)

[4.1.1 Plot of level 1 quality information per product \(time dependant\): ASCENDING](#)

[4.1.2 Plot of level 1 quality information per product \(time dependant\): DESCENDING](#)

[4.2 Plot of level 1 quality information per product \(world map\)](#)

[4.2.1 Plot of level 1 quality information per product \(world map\): ASCENDING](#)

[4.2.2 Plot of level 1 quality information per product \(world map\): DESCENDING](#)

[5. Ozone profiles based on quality statistics and other trace gas profiles](#)

[5.1 Ozone statistics based on quality of products](#)

[5.2 Plot ozone profiles for all STD \(dark without errors\)](#)

[5.3 Plot ozone profiles where STD < 20% \(dark without errors\)](#)

[5.4. Plot ozone profiles where STD < 10% \(dark without errors\)](#)

[5.5. Plot ozone profiles where STD < 5% \(dark without errors\)](#)

[5.6 Plot NO2 profiles for all STD \(dark without errors\)](#)

[5.7 Plot NO3 profiles for all STD \(dark without errors\)](#)

[5.8 Plot H2O profiles \(only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors\) for all STD](#)


[6. Auxiliary Data Files used for the production reported in section 2](#)

338	GOM_NL__2PRFIN20080502_231509_000000442068_00159_32277_7473.N1	02-MAY-2008 23:15:09	Twilight_stray	43.500	54	5The Cen	2.0550	4500.0	87	32277	No
339	GOM_NL__2PRFIN20080502_231924_000000392068_00159_32277_7474.N1	02-MAY-2008 23:19:24	Bright	38.500	169	46Gam Hya	2.9910	4700.0	77	32277	No
340	GOM_NL__2PRFIN20080502_232242_000000382068_00159_32277_7475.N1	02-MAY-2008 23:22:42	Bright	38.000	15	67Alp Vir	0.97600	28000.	76	32277	No
341	GOM_NL__2PRFIN20080502_232547_000000362068_00159_32277_7476.N1	02-MAY-2008 23:25:47	Bright	35.500	121	29Gam Vir	2.7400	7200.0	71	32277	No
342	GOM_NL__2PRFIN20080502_232904_000000352068_00159_32277_7477.N1	02-MAY-2008 23:29:04	Bright	34.500	138	47Eps Vir	2.8280	4700.0	69	32277	No
343	GOM_NL__2PRFIN20080502_233645_000000342068_00159_32277_7478.N1	02-MAY-2008 23:36:45	Bright	34.000	152	12Alp2CVn	2.8900	11000.	68	32277	No
344	GOM_NL__2PRFIN20080502_233945_000000382068_00159_32277_7479.N1	02-MAY-2008 23:39:45	Bright	38.000	174	52Psi UMa	3.0040	4400.0	76	32277	No
345	GOM_NL__2PRFIN20080502_234124_000000362068_00159_32277_7480.N1	02-MAY-2008 23:41:24	Bright	35.500	87	64Gam UMa	2.4330	11000.	71	32277	No
346	GOM_NL__2PRFIN20080502_234252_000000342068_00159_32277_7481.N1	02-MAY-2008 23:42:52	Bright	33.500	82	48Bet UMa	2.3650	10600.	67	32277	No
347	GOM_NL__2PRFIN20080502_234409_000000372068_00159_32277_7482.N1	02-MAY-2008 23:44:09	Bright	37.000	36	50Alp UMa	1.8000	6300.0	74	32277	No
348	GOM_NL__2PRFIN20080502_235130_000000332068_00159_32277_7483.N1	02-MAY-2008 23:51:30	Bright	33.000	49	1Alp UMi	1.9900	6300.0	66	32277	No
349	GOM_NL__2PRFIN20080502_235928_000000342068_00159_32277_7484.N1	02-MAY-2008 23:59:28	Bright	34.000	110	37Del Cas	2.6780	8900.0	68	32277	No

3. Quality information per product



In this section it is plotted some information contained in the Quality Summary data set of the level 2 products. Only products in dark limb conditions and without errors (error flag in the MPH set to "0") are used.

3.1 Plot quality information per product (time dependant)




3.2 Plot quality information per product (world map)



Percentage of flagged data per O3 profile





Percentage of flagged data per H2O profile



Percentage of flagged data per NO2 profile



Percentage of flagged data per NO3 profile




4. Level 1 quality information per product


In this section it is plotted some information contained in the Quality Summary data set of the level 2 products that comes from the level 1b processing. Products without errors (error flag in the MPH set to "0") are used.

4.1 Plot quality information per product (time dependant) coming from level 1b processing

4.1.1 Plot level 1 quality information per product (time dependant): ENVISAT ASCENDING passes







4.1.2 Plot level 1 quality information per product (time dependant): ENVI SAT DESCENDING passes







4.2 Plot quality information per product coming from level 1b processing (world map)

4.2.1 Plot level 1 quality information per product (world map): ENVISAT ASCENDING passes



4.2.2 Plot level 1 quality information per product (world map): ENVISAT DESCENDING passes



5. Trace gas profiles

5.1 Ozone statistics based on quality of products

The final quality of the products can be "measured" using the STD (Standard Deviation) attached to every point profile. This information is written to the parameter GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/o3_std of the level 2 products. The table below shows the statistics for given STD ranges.

The statistics are given with respect to the overall valid production:

- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0

The 'Criteria' is applied to valid points of dark limb products:

- Products in dark limb illumination condition: GOM_NL__2P/NL_SUMMARY_QUALITY/obs_ill_cond=0
- Products without fatal errors: GOM_NL__2P/MPH/PRODUCT_ERR=0
- Valid point profile: GOM_NL__2P/NL_LOCAL_SPECIES_DENSITY/pcd(0)=0


So, the table below shows the percentage of dark limb and valid observations for each criteria with respect to the overall valid daily observations.

Criteria	% of total production
All STD	21
STD < 20	9

STD < 10	5
STD < 5	4


5.2 Plot ozone profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.3 Plot ozone profiles where STD < 20% (dark without errors)

The colorbar represents the latitude.




5.4 Plot ozone profiles where STD < 10% (dark without errors)

The colorbar represents the latitude.





5.5 Plot ozone profiles where STD < 5% (dark without errors)

The colorbar represents the latitude.




5.6 Plot NO₂ profiles for all STD (dark without errors)

The colorbar represents the latitude.




5.7 Plot NO3 profiles for all STD (dark without errors)

The colorbar represents the latitude.



5.8 Plot H₂O profiles for all STD (only for occultations of stars 1,2,3,4,13,14,16,26,63 dark without errors)


The colorbar represents the latitude.




6. Auxiliary Data Files used for the production reported in section 2

The number reported in the third column indicates since which file (see list in section 2) the corresponding auxiliary file has been used. The fourth column is the date of those product files.


Type	Auxiliary Filename	Used since product	Used since product date
INST_PHYS_CHARACTERISTICS	GOM_INS_AXVIEC20091111_143220_20030716_120000_20500101_000000	1	02-MAY-2008 00:00:39
LEVEL-2_PROC_CONFIG	GOM_PR2_AXVIEC20091111_152718_20020301_000000_20500101_000000	1	02-MAY-2008 00:00:39
CROSS_SECTIONS_FILE	GOM_CRS_AXVIEC20091111_154832_20020301_000000_20500101_000000	1	02-MAY-2008 00:00:39




Percentage of flagged data per D3 profile




Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile




Percentage of datation errors per profile





Percentage of star falling outside central band per profile





Percentage of saturation errors per profile





























Percentage of flagged data per D3 profile




Percentage of flagged data per H2O profile





Percentage of flagged data per NO2 profile




Percentage of flagged data per NO3 profile









Percentage of cosmic ray hits per profile




Percentage of datation errors per profile




Percentage of star falling outside central band per profile




Percentage of saturation errors per profile




Percentage of cosmic ray hits per profile



Percentage of datation errors per profile



Percentage of star falling outside central band per profile



Percentage of saturation errors per profile

